



AURO MINING

Ref. no: ARIPL/Agent/ECCR/2025-26/182

Date: 14/11/2025

To,

The Additional Principal Chief Conservator of Forest
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur- 440001 (M.S)

Subject: Submission of Six-Monthly Compliance Report against Environmental Clearance Conditions for Takli Jena Bellora (North & South) Opencast cum Underground Coal Mine of overall capacity 1.5 MTPA by M/s. Auro Infra Pvt. Ltd. (Formerly Aurobindo Reality Infrastructure Pvt Ltd (ARIPL) located in Village Bellora, Tehsil Bhadravati, District Chandrapur (Maharashtra).


Reference: MOEF & CC letter IA – J-11015/62/2021-IA-II (M) dated 03/11/2022 and transfer of EC dated 08.03.2025.

Dear Sir,

In compliance of the condition stipulated in EC under reference, please find enclosed herewith six-monthly EC compliance report for the period of April'25 to September'25 with respect to Takli Jena Bellora (North) and Takli Jena Bellora (South) Opencast cum Underground Coal Mine of Production capacity (1.1 MTPA Opencast, 1.0 MTPA underground) located at Wardha Valley Coalfield, Maharashtra, India.

We hope this will fulfil the requirements in the matter.

Thanking you,


A Lakshmana Rao
Senior General Manager (Mining)/Agent
Takli Jena Bellora North & South Coal Mine

CC:

1. Regional Office, Maharashtra Pollution Control Board, Udyog Bhavan, 5th Floor, Near Sales Tax Office, Civil Line, Nagpur, Maharashtra – 440001
2. Sub Regional Officer, MPCB, Udyog Bhavan, 1st Floor Opp. Bus Stand, Railways Station Road, Chandrapur – 442401.

Auro Infra Private Limited.

Site Office: Sy. No. 37/1, Kiloni Village, Konda Panchayat, Bhadravathi Tehsil, Chandrapur District, Maharashtra- 442902, INDIA,
Regd. Office Address: Galaxy, 21st floor, Wing A, Galaxy Plot no:1, Sy. No. 83/1 Hyderabad knowledge City, Raidurg
(Panmktha) Hyderabad TG 500081, INDIA. CIN: U45500TG2016PTC111433, Website: www.aurobindo.com


From April'25 to September'25

Sr. No.	Conditions Of Environmental Clearance	Status of Compliance
Specific Conditions		
1.	PP to obtain CTE/CTO from SPCB for the production capacity of 1.5 MTPA for opencast and underground as proposed by PP.	Consent to establish and Consent to operate has been obtained from Maharashtra Pollution Control Board on dated 30.07.2022 and 11.07.2025 respectively (Copy of CTE & CTO enclosed as Annexure – 1 & 2 respectively).
2.	PP shall prepare a detailed plan for distribution of water within and outside Mine lease area from dewatering of Daga mine pit in consultation with gram panchayat and shall implement the water treatment plant to meet the requirement with the start of production.	Water distribution plan has been made from mine dewatering and distributed to nearby villages. We have created 3 settling ponds for settling of sediments, heavy particles as water treatment before discharging into nalla. Photos attached as Annexure – 3 .
3.	As proposed by PP vide letter 26.09.2022 Rs. 2.2 crore shall be invested for water distribution system in 6 villages (Kiloni, Kadholi, New Kondha, Takli and Gotala Rith) with commissioning of mine. PP to implement the revised public hearing budget to tune of Rs. 3.03 crore on proposed activities.	An amount of Rs. 130 Lakhs has been allocated for water distribution. Water is being utilised in the mine premises and excess water is being discharged into Natural nallah after proper treatment. Revised public hearing budget is being implemented in phased manner.
4.	PP to implement revised EMP budget of Rs. 22.79 crore as capital expenditure on pollution control measures with annual recurring cost of Rs. 4.19 Crore.	We shall implement revised budget including expenditure on pollution control measures. (Revised EMP budget enclosed as Annexure – 4).
5.	In addition to manual monitoring, PP to install a continuous ambient air quality monitoring stations at suitable location preferably village side with consultation of SPCB. The real time data so generated shall be uploaded on company website. In addition, data should also be displayed digitally at entry and exit gate of mine lease area for public display.	We have installed one continuous Ambient Air Quality Monitoring Station after due consultation with the SPCB, and it is in operation and also the values are displaying digitally. Another one is ready for operation, we will connect it to MPCB server soon. Photos enclosed as Annexure - 5 .
6.	PP shall implement the plan for transportation of coal nearly 80% i.e. 1.2 MTPA through Railway and rest 20% i.e. 0.3 MTPA by road.	Presently, coal is being transported through road and about 1.20 MTPA coal shall transported by road to the Tadali Railway siding, located about 22 km from the mine, for which required consent from Railway authorities has been obtained. Copy attached as Annexure - 6 .
7.	Presently as recommended by EAC, only, Bellora nallah shall be diverted with due permission from Irrigation Department of the Maharashtra State Government and PP to take adequate safety measures to restore the catchment areas fall under these streams. However, no diversion of Takli stream shall be allowed for next 12 years. PP to take adequate measures for its environment/natural flow and also to ensure that no untreated mine water shall enter into this stream and proper garland	We have obtained NOC permission from Irrigation Department. However, diversion of Bellora Nallah is not required at present, if required, we will divert it in future. (WRD NOC enclosed as Annexure - 7). Proper garland drain has been provided to catch mine water and settling tanks have been arranged.



From April'25 to September'25

	drain shall be made all along the stream to catch mine water.	
8.	PP shall construct a pucca road to maintain the safety of people residing nearby along the transportation route with plantation on either side of the road	The construction of pucca road is under progress. Photos attached as Annexure – 8 .
9.	PP shall install fixed fog cannon (mist sprayer) and fixed sprinkler all along the haul road till CHP, Railway siding and OB Dump area and accordingly sufficient number of fog cannons (not less than 10 nos.) with 40 mts jet length shall be installed within 6 months. It should be ensured that air pollution level confirm to the standards prescribed by the MOEFCC/CPCB	05 Nos. of Fog Cannon Machine (mist sprayer) has been installed all along the haul road and stock yard. Photos enclosed as Annexure – 9 . The road construction work is going on, so in future we will install fixed sprinkler.
10.	PP shall construct a proper cemented 4 lane approach road of 1.36 km for the purpose of transportation of Coal from mine lease area to nearby National highway	Land up to the Highway is already possessed by ARIPL and 4 lane road is already under construction. No external/village road is used for communicating/transportation from mine to National Highway.
11.	Project proponent to plant 150,000 nos. of native trees with broad leaves along the transportation route in three years to prevent the effect of air pollution. After completion of tree plantation, number of trees shall be duly endorsed from District Forest Officer.	We have planted 15,800 saplings presently and 5,000 nos of trees will be planted during the next six months period. Photos enclosed as Annexure – 10 . Nursery development of 1,50,000 nos of trees of native species will be completed in next three years. Photos enclosed as Annexure – 11 . After completion of the plantation, will be endorsed by the DFO.
12.	PP shall deploy only 30-35 tonnes covered trucks/dumper to reduce fleet size till Rapid loading system and to implement surface miner and conveyor belt system from pit head to CHP as feasible	We are deploying 45 tons dumpers for the transportation of materials.
13.	PP shall conduct third party audit of compliance of EC condition at an interval six months and its report shall be submitted to IRO, MoEF & CC.	We are complying with the condition and we are submitting the EC compliance to the respective authority.
14.	The status of mine closure activities must be included in every six months compliance report submitted to the state pollution control board and IRO	We will submit mine closure activity to MPCB and MoEF&CC as per the approved mining plan and mine closure plan.
15.	PP to maintain the topped haul road properly to minimized the dust emission. PP to also develop pucca roads by seeking consent from the panchayat with widening of roads especially roads inter linking the villages with in the study area of 10 km radius buffer zone.	Concrete topped haul road will be constructed to minimize the dust emission and it is under progress. As part of the CSR activities, we will develop pucca road by discussing it with local villages.
16.	PP to install solar lights along the road used for transportation of minerals to avoid the accidents at night and also seek its maintenance. PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone within one year	Transportation road is under construction, after completion of the same solar lights will be installed. As part of the CSR activity, Solar lights will be installed in nearby villages.



From April'25 to September'25

17.	PP to provide bio toilets to the villages located within the study areas within 1 year from the grant of this EC	We have distributed 12 Nos of bio toilets in previous financial Year in the nearby villages and in future we are planning to distribute more than 50 Nos.
18.	Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records	Livelihood and skill development programme such as training to tipper, dumper operators, electrician and etc. is providing. Mobile repairing training, computer training and beauty parlour will be conducted in the nearby villages as part of CSR Activity.
19.	PP to fulfil all the commitment made in the minutes of public hearing to address the issues raised therein in a time bound manner and a progressive report to be furnished to IRO in every six monthly as compliance report	We are implementing all the commitments in stage wise.
20.	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours	Noise level monitoring is being carried out and noise level at site is kept as per the noise level standard. Illumination study is being carried out as per statute.
21.	PP shall pay to farmers of agricultural land if there is any loss due to pollution found by concerned District Commissioner as per extent rules or norms	Noted.
22.	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air. water quality parameters on routine basis. Any non-compliance or infringement should be reported to the concerned authority	We are regularly carrying out environmental monitoring of environmental Pollutants by accredited NABL & MoEF&CC recognised Laboratory. Environment laboratory will be established in next financial year. Reports attached as Annexure-12 .
23.	PP to implement the recommendation of land subsidence study carried out for underground mine and report shall be submitted to IRO in every six monthly report.	It is limited to Opencast mining, we have conducted the study and implement the recommendations in future.
24.	PP to obtain the star rating as per the guidelines of Ministry of Coal.	The application for Star Rating as per the guidelines of Ministry of Coal has already been made.
25.	Hon'ble Supreme Court in an Writ Petition(s) Civil No. 1 14/2014, Common Cause vs Union of India & Ors vide its judgement dated 8th	Noted and agreed to comply with.



From April'25 to September'25

	January,2020 has directed the Union of India to impose a condition in the mining lease and a similar condition in the environmental clearance and the mining plan to the effect that the mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Compliance of this condition after the mining activity is over at the cost of the mining lease holders/Project Proponent". The implementation report of the above said condition shall be sent to the Regional Office of the MoEF&CC	
--	---	--

GENERIC CONDITIONS: -

(i)	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986. in case of the diversion of forest land for non-forest purpose involved in the project	Not Applicable
(ii)	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable	Not Applicable
(iii)	(iii) The project proponent shall prepare a Site-Specific Conservation Plan I Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of Schedule-I species in the study area).	Wildlife conservation plan has been prepared and submitted to Wildlife Department for approval. The Wildlife Conservation Plan attached as Annexure - 13 .
(iv)	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee	Consent to Establish/Consent to operate has been obtained from Maharashtra Pollution Control Board dated 30.07.2022 & 11.07.2025. Refer Annexure- 1.
(v)	The project proponent shall obtain the necessary permission from the Central Ground Water Authority	NOC from CGWA for withdrawal of ground water 94.03 KLD and Mine seepage 1668 KLD has been obtained vide: CGWA/NOC/MIN/REN/1/2025/11499 and valid upto 30/08/2026. Copy of the CGWA NOC is attached herewith vide Annexure - 14 .
(vi)	Solid/hazardous waste generated in the mines needs to addressed in accordance to the Solid	The solid waste generated from proposed mine is overburden which will be stacked as per



From April'25 to September'25

	Waste Management Rules, 2016/Hazardous & Other Waste Management Rules. 2016	mining plan and subsequently used for reclaiming the mined-out area. The hazardous waste generated for the operations are being sent to authorised recyclers. Copy of the disposal form is attached as Annexure - 15 . We will follow the Solid/Hazardous waste management rules, 2016.
	Air Quality Monitoring and preservation	
(i)	Continuous ambient air quality monitoring stations as prescribed in the statute be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM 10, PM2.5, SO2 and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months	One Continuous ambient air quality monitoring station is installed within mine premises, and it is under operation. Another one is under commissioning.
(ii)	The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metal s such as Hg, As, Ni , Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB	Ambient Air Quality monitoring reports is attached in Annexure 12 .
(iii)	Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc shall be carried out in critical areas prone to air pollution (with higher values of PM10/PM2.5) such as haul road, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/State Pollution Control Board	3 no's of 12KLD mobile water sprinklers and 2 no's of 5 KLD mobile water sprinklers with aqueous solution of MgCl ₂ and CaCl ₂ is being carried out to minimize fugitive dust and ensure that AAQ parameters are restricted to prescribed limit. Relevant photos attached as Annexure - 16 . 5 no's of Fog Cannons are installed to suppress the dust. Necessary photos attached in Annexure - 9 .
(iv)	The transportation of coal shall be carried out as per the provisions and route envisaged in the approved Mining Plan or environment monitoring plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed	We are carrying out transportation of coal as per approved mine plan. Precautions are taken to not allow the loaded truck to pass within village.



From April'25 to September'25

	to construct a 'bypass' road, it should be so constructed so that the impact of sound, dust and accidents could be appropriately mitigated	
(v)	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centers.	Vehicles used for mining activities are having valid PUC Certificate. Regular monitoring for their PUC certificate is being done by site safety/security staff.
(vi)	Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.	Fogger machines have been deployed for coal stockpile. Wet Drilling activity is being carried out. Mobile water sprinklers are deployed.
(vii)	Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.	Coal handling plant not yet installed.
Water quality monitoring and preservation		
(i)	The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act 1974 Coal Industry Standards vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board	Effluent monitoring is conducted through NABL accredited laboratory. Reports attached in Annexure-12.
(ii)	The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/ 1/2006-IA.II (M) dated 27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance	The monitoring data is uploaded on the company's website and displayed at the project site at exit gate. Photos attached in Annexure-5.
(iii)	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO	Groundwater monitoring is being carried out and test report being submitted to MoEF&CC/RO. Groundwater level is being carried out, 2 piezometers are already installed, please refer Annexure - 17 .
(iv)	Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and	Water quality of upstream and downstream water bodies is monitored by NABL & MoEF accredited laboratory on six monthly basis and report attached as Annexure-18 .



From April'25 to September'25

	submitted to the Ministry of Environment, Forest and Climate Change/Regional Office	
(v)	Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources	3 no's of settling tanks have been made and the accumulated mine pit water is being sent through the same. The tanks and mine pit itself act as a rainwater harvesting structure. The water so collected is being used for mining activities. Please refer Annexure-3 .
(vi)	Catch and/or garland drains and siltation ponds in adequate numbers and appropriate size shall be constructed around the mine working, coal heaps & OB dumps to prevent run off of water and flow of sediments directly into the river and water bodies. Further, dump material shall be properly consolidated/compacted and accumulation of water over dumps shall be avoided by providing adequate channels for flow of silt into the drains. The drains/ ponds so constructed shall be regularly de-silted particularly before onset of monsoon and maintained properly. Sump capacity should provide adequate retention period to allow proper settling of silt material. The water so collected in the sump shall be utilized for dust suppression and green belt development and other industrial use. Dimension of the retaining wall constructed, if any, at the toe of the OB dumps within the mine to check run-off and siltation should be based on the rainfall data. The plantation of native species to be made between toe of the dump and adjacent field/habitation/water bodies	Garland drain and siltation pond constructed. Necessary photos are attached in Annexure-3 . Native species of 15,800 completed by the end of September-25. Photos are attached in Annexure-10 .
(vii)	Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) after due treatment conforming to the specific requirement (standards)	3 nos of settling tanks have been constructed and it will act as Rainwater harvesting structure and we will develop RWH structure in nearby villages as part of the CER activity.
(viii)	Industrial waste water generated from CHP, workshop and other waste water, shall be properly collected and treated so as to conform to the standards prescribed under the standards prescribed under Water Act 1974 and Environment (Protection) Act, 1986 and the Rules made there under, and as amended from time to time. Adequate ETP /STP needs to be provided	Effluent treatment plant of 100 KLD has been installed and Sewage treatment plant of 44 KLD has been installed. Necessary photos are attached as Annexure - 19 .
(ix)	The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly	We have constructed 3 settling ponds and we are utilizing mine water for dust suppression and for green belt development.



From April'25 to September'25

(x)	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations, considering the presence of river/rivulet/pond/lake etc, shall be prepared and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the approved Mining Plan/EWEMP report and with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved Mining Plan and as per the permission of DGMS or any other authority as prescribed by the law.	The hydrogeological study has been conducted, and NOC has been obtained. Embankment will be constructed as per approved mining plan. Copy of NOC attached in Annexure-14.
(xi)	The project proponent shall take all precautionary measures to ensure riverine/riparian ecosystem in and around the coal mine up to a distance of 5 km. A riverine /riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government	It will be implemented post monsoon in consultation with irrigation department.
Noise and Vibration monitoring and prevention		
(i)	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipment's (PPE) like ear plugs/muffs conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.	All the measures are being complied. Regular maintenance of mine equipment's and HEMM is being done to restrict noise, ear plugs/muffs is provided to the workers engaged in noisy area. Blasting is being done during daytime only.
(ii)	Controlled blasting techniques shall be practiced in order to mitigate ground vibrations, fly rocks, noise and air blast etc., as per the guidelines prescribed by the DGMS	Controlled blasting techniques is being practiced as per the guidelines prescribed by the DGMS.
(iii)	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis	Noise level monitoring is being done in different locations and reports are attached in Annexure-12.
Mining Plan		
(i)	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable	Noted. Mining is being carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.



From April'25 to September'25

(ii)	Mining shall be carried out as per the approved mining plan (including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS)	Mining is being done as per the approved Mining Plan (including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).
(iii)	No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980.	Noted.
(iv)	Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy	Renewable source of energy i.e. Solar lights is installed on the entry and exit gates and as well as on the haul roads.
Land Reclamation		
(i)	Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFC) from time to time shall be submitted to MOEFCC/Regional Office (RO).	Mining operations started in January 2024. Digital Survey of the lease area shall be carried out once in three years and report will be submitted to MoEF&CC/Regional Office (RO).
(ii)	The final mine void depth should preferably be as per the approved Mine Closure Plan, and in case it exceeds 40 m, adequate engineering intervention s shall be provided for sustenance of aquatic life therein. The remaining area shall be backfilled and covered with thick and alive top soil. Post-mining land be rendered usable for agricultural/forestry purposes and shall be diverted. Further action will be treated as specified in the guidelines for Preparation of Mine Closure Plan issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.	Mine closure activities will be done in accordance with the approved mine plan and mine closure plan.
(iii)	The entire excavated area, backfilling, external OB dumping (including top soil) and afforestation plan shall be in conformity with the "during mining"/"post mining" land-use pattern, which is an integral part of the approved Mining Plan and the EIAEMP submitted to this Ministry. Progressive compliance status vis-a-vis the post mining land use pattern shall be submitted to the MOEFCC/RO	Backfilling of the excavated area, OB dump management and afforestation will be done in phased wise manner as per the approved mining plan. It will be started from 3 rd year onwards.
(iv)	Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance	At present, the opencast mining has just started since last one year and the mine is still in commissioning stage and mining is being carried out as per the approved Mining Plan. As such, at present there is no such possibility of utilizing fly ash in the mine, however, the same will be explored as per the technical feasibility.



From April'25 to September'25

	report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.	
(v)	Further, it may be ensured that as per the time schedule specified in mine closure plan it should remain live till the point of utilization. The topsoil shall temporarily be stored at earmarked site(s) only and shall not be kept unutilized. The top soil shall be used for land reclamation and plantation purposes. Active OB dumps shall be stabilized with native grass species to prevent erosion and surface run off. The other overburden dumps shall be vegetated with native flora species. The excavated area shall be backfilled and afforested in line with the approved Mine Closure Plan. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest and Climate Change/ Regional Office	As the mines progress, we are complying with the conditions. Topsoil will be stacked as per the approved mining plan and it will be utilized for plantation purpose within the mine premises. For stabilization of active dump, we will use native grass species to prevent erosion and surface runoff. Excavated area will be backfilled and subsequently reclaimed with native species as per the approved mine and mine closure plan.
(vi)	The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.	Not Applicable
(vii)	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered/endemic flora/fauna, if any, spotted/reported in the study area. The Action plan in this regard, if any, shall be prepared and implemented in consultation with the State Forest and Wildlife Department	Noted.
(viii)	Greenbelt consisting of 3-tier plantation of width not less than 7.5 m shall be developed all along the mine lease area as soon as possible. The green belt comprising a mix of native species (endemic species should be given priority) shall be developed all along the major approach/ coal transportation roads	Phase wise plantation is being done with the consultation of State Forest Department. Plantation details: FY: 2023-24: 2,000 no's. FY: 2024-25: 8,300 no's. FY: 2025-26: 5,300 no's till date. An in-house is developing for 1,50,000 saplings. As of now about 7,500 saplings grown out of which 5,300 used for plantation. Photos attached in Annexure-11 .
Public bearing and Human health issues		
(i)	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & it's RO on six-monthly basis	Adequate illumination is provided, and we are monitoring illumination with the help of lux meter and six-monthly compliance report will be submitted as per statute.



From April'25 to September'25

(ii)	The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time	Occupational health check-up for the workers is being done. IME and PME is being recorded as per statute. Medical inspection room is available in project office and reports attached. Refer Annexure – 20 .
(iii)	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects	Safety training for the workers will be done and PPEs such as Helmet, Shoes, Goggles, Earmuffs, N75 mask & etc. will be provided to the workers.
(iv)	Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government as applicable.	Issues raised during Public Hearing will be taken care under CSR activities. Land purchase is conducting under direct negotiations. If acquisition is conducted through relevant acts, Compensation will be paid as per the R&R Policy. SIA survey is in progress.
(v)	The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-1 1013/57 12014-IA.II (M) dated 29th October, 20 14, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'	It is being complied.
Corporate Environment Responsibility		
(i)	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions and/or shareholders/ stake holders	We have developed Environmental Policy & Director level Policy for Corporate Environment Responsibility. The same has been attached herewith as Annexure - 21 .
(ii)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the	Environmental Cell has been already developed.




From April'25 to September'25

	control of senior Executive, who will directly to the head of the organization	
(iii)	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report	We have prepared year wise budget for environmental protection measures and reference of the same is attached herewith in Annexure -4.
(iv)	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out	Self-Environmental Audit will be carried out annually and third-party audit will be carried out in every three years. Copy of Form-V is attached as Annexure – 22.
Miscellaneous		
(i)	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently	It is already complied. Advertisement on the following newspaper regarding environmental clearance has been published on 10.11.2022. Copy enclosed as Annexure – 23. 1. Lokmat 2. Lokmat Times 3. Lokmat Samachar Environmental Clearance can be seen on company website: Mining EC Aurobindo Group.
(ii)	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies. Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	It is already complied. Copy of Environmental Clearance submitted to local bodies, i.e. Collectorate, Gram Panchayats, MPCB, Tehsildar etc.
(iii)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	We are uploading the environmental clearance compliance report on six monthly basis in company's website.
(iv)	The project proponent shall monitor U1e criteria pollutants level namely; PM, SO ₂ , NO _x (ambient levels) or critical sectoral parameters indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	One CAAQMS has already been installed and connected to CPCB/MPCB server soon. Also, real time data is shown on exit gate of the project site. Another one installation is in progress. Refer Annexure-5.
(v)	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of	Six Monthly Environmental compliance report is being submitted and uploaded on Parivesh Portal.



From April'25 to September'25

	Environment, Forest and Climate Change at environment clearance portal	
(vi)	The project proponent shall follow the mitigation measures provided in this Ministry's OM	Noted.
(vii)	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company	Environmental statement for each financial year will be submitted to the board on or before 30 th September every year and same will be uploaded in company's website. Copy attached as Annexure-22 .
(viii)	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.	Already complied in previous compliance.
(ix)	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted.
(x)	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee	All the recommendations and commitments made in EIA/EMP, issues raised during public hearing/EAC being complied with.
(xi)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment , Forests and Climate Change	Noted.
(xii)	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted.
(xiii)	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Noted.
(xiv)	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions	Noted.
(xv)	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data I information/monitoring reports	Noted.
(xvi)	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986. Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016	The applicable provisions of Water Act, Air Act and Public Liability Insurance Act will be adhered. Also, the company will abide with the directions or orders passed by Hon'ble Supreme Court of India/High Court and other Court of Law relating to the subject matter.



From April'25 to September'25

	and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India I High Courts and any other Court of Law relating to the subject matter	
(xvii)	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing shall also be implemented in letter and spirit	It is being complied.
(xviii)	The proponent shall obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection. The Ministry or any other competent authority may stipulate any further condition for environmental protection.	All the required clearances are obtained and production activity started.
(xix)	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	No such appeal is supposed to have been plead as per stipulation.
(xx)	The coal company/project proponent shall be liable to pay the compensation against the illegal mining, if any, and as raised by the respective State Governments at any point of time, in terms of the orders dated 2 nd August, 2017 of Hon'ble Supreme Court in WP (Civil) No. 114/2014 in the matter of Common Cause Vs Union Of India & Other	Noted.
(xxi)	The concerned State Government shall ensure no mining operations to commence till the entire compensation for illegal mining, if any, is paid by the project proponent through their respective Department of Mining & Geology, in strict compliance of the judgment of Hon'ble Supreme Court.	Not Applicable
(xxii)	This environmental clearance shall not be operational till such time the project proponent complies with the above said judgment of Hon'ble Supreme court, as applicable, and other statutory requirements.	Not Applicable

Date: 14th November 2025

Place: Bhadravathi, Chandrapur (Dt), Maharashtra

A Lakshmana Rao
 Senior General Manager (Mining)/Agent
 Takli Jena Bellora North & South Coal Mine



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Senior General Manager
AUROBINDO REALTY & INFRASTRUCTURE PRIVATE LIMITED
Plot 32, Snehnagar, Wadgaon, Chandrapur, Chandrapur, Maharashtra-442401

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/MH/CMIN/223819/2021 dated 01 Sep 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC22A042MH110729 |
| 2. File No. | IA-J-11015/62/2021-IA-II(M) |
| 3. Project Type | New |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 1(a) Mining of minerals |
| 6. Name of Project | Proposed Takli Jena Bellora (North) and Takli Jena Bellora (South) Opencast cum Underground Coal Block of Production capacity (1.1 MTPA Opencast ; 1.0 MTPA Underground) located at Wardha Valley Coalfield, Maharashtra, India |
| 7. Name of Company/Organization | AUROBINDO REALTY & INFRASTRUCTURE PRIVATE LIMITED |
| 8. Location of Project | Maharashtra |
| 9. TOR Date | 04 Oct 2021 |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 03/11/2022

(e-signed)
Lalit Bokolia
Scientist F
IA - (Coal Mining sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



File No. IA-J-11015/62/2021-IA-II(M)]
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan,
Jorbagh Road, N Delhi – 3
Email: lk.bokolia@nic.in; Tel: 011-20819417

Dated: 03rd November, 2022

To,

The Senior General Manager
M/s Aurobindo Realty & Infrastructure Pvt Ltd,
Plot 32, Snehnagar, Wadgaon,
District - Chandrapur – 442401 (Maharashtra)
Email: anup.r@auinf.com

Sub: Takli Jena Bellora (North & South) Opencast cum Underground Coal Mine of overall capacity 1.5 MTPA in total area of 936 Ha (OC – 236.9 Ha; UG – 699.10 Ha) of M/s Aurobindo Realty Infrastructure Pvt Ltd (ARIPL) located in Village Bellora, Tehsil Bhadravati, District Chandrapur (Maharashtra) - For Environmental Clearance- reg.

Sir,

This has reference to your online proposal No. IA/MH/CMIN/223819/2021 dated 1st September, 2022 submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986 for Takli Jena Bellora (North & South) Opencast cum Underground Coal Mine of overall capacity 1.5 MTPA in total area of 936 Ha (OC – 236.9 Ha; UG – 699.10 Ha) of M/s Aurobindo Realty Infrastructure Pvt Ltd (ARIPL) located in Village Bellora, Tehsil Bhadravati, District Chandrapur (Maharashtra).

2. The project/activity is covered under category 'A' of item 1(a) 'Mining of Minerals' the Schedule to the EIA Notification, 2006

3. The proposal was considered by the sectoral Expert Appraisal Committee (EAC) in its 35th EAC Meeting on 26-27th September, 2022 through Video Conferencing. The details of the proposal, as ascertained from the proposal documents and as revealed from the discussions held during the meetings, are given as under:

- (i) The project area is covered under Survey of India Topo Sheet No. F44S15, F44S16, F44T3, F44T4 and is bounded by the geographical coordinates ranging from 20° 9'16"N to 20°11'57" N and longitudes 79° 03' 41"E to 79° 06' 21"E.
- (ii) Coal linkage of the project for commercial use and thereby reducing the gap in the demand supply of coal in the country.
- (iii) There is no Joint venture cartel for this company.
- (iv) The project doesn't fall in the Critically Polluted Area (CPA), where the MoEF&CC's vide

its OM dated 13th January, 2010 has imposed moratorium on grant of environment clearance.

- (v) Employment generation, Direct and Indirect employment to 1130 persons will be provided from the project.
- (vi) The project is reported to be beneficial in terms of meeting consumptive coal for commercial use and thereby reducing the gap in the demand supply of coal in the country
- (vii) MOEF&CC has accorded Terms of Reference (TOR) vide its letter No. IA-J-11015/62/2021-IA-II(M) dated 04.10.2021
- (viii) Total mining lease area as per block allotment is 936.0 ha. Ministry of Coal has accorded approval for Mining Plan including Mine Closure Plan of Takli Jena Bellora (North) and Takli Jena Bellora (South) Coal Block vide Letter No: MHMR008/APP0060/2021 on 16.02.2022.
- (ix) The land usage pattern of the project is as follows:

Pre-mining land use details

(Area in Ha)

S. No.	Land Use	Within MLA (ha)	Outside MLA (ha)	Total
1.	Agricultural Land	893	0	893
2.	Forest land	0	0	0
3.	Waste land	0	0	0
4.	Grazing land	0	0	0
5.	Surface Water Bodies	12.5	0	12.5
6.	Settlements	11.0	0	11.0
7.	Other (Specify)	19.5	0	19.5
	Total	936.0	0	936.0

Post Mining

S. No.	Land use	Land use (ha)				Total
		Plantation	Water Body	Public Use	Undisturbed	
1	External OB Dump	85.28	-	-	-	85.28
2	Top Soil Dump	4.40	-	-	-	4.40
3	Excavation	132.18	-	-	-	132.18
4	Roads	-	-	2.00	-	2.00
5	Built-up Area	32.57	-	5.00	-	37.57
6	Green Belt	6.32	-	-	-	6.32
7	Undisturbed Area	-	-	-	643.61	643.61
8	Safety Zone /Rationalization Area (Safety zone, Settling pond, Garland drain, UG entry)	23.08	-	-	-	23.08
9	Diversion / Below River /Nala / Canal	-	1.56	-	-	1.56
10	Water Body	-	-	-	-	-
11	Staff Colony	-	-	-	-	-

Total Area =	283.83	1.56	7.00	643.61	936
---------------------	---------------	-------------	-------------	---------------	------------

- (x) Total geological reserve reported in the mine lease area is 111.819 MT with 63.56 MT mineable reserve. Out of total mineable reserve of 63.56 MT, 37.97 MT are available for extraction. Percent of extraction is 41.129 %.
- (xi) 3 seams with thickness ranging from 4.45m – 14.19 m are workable. Grade of coal is G7, G9 & G10, stripping ratio 1:6.73, while gradient is 8° to 16°.
- (xii) Method of mining operations envisages by opencast and underground mining method
- (xiii) Life of mine is 34 years.
- (xiv) The project has 2 external OB dumps in an area of 85.28 ha with 60m height and 16.43 Mm³ of OB. Internal OB in an area of 132.18 ha with 70 Mm³ of OB is envisaged in the project.
- (xv) Total quarry area is 132.18 ha out of which backfilling will be done in 132.18 ha while final mine void will be created in an area of 0 ha with a depth of 0 m. Backfilled quarry area of 132.18 ha shall be reclaimed with plantation. Final mine void will be converted to Plantation.
- (xvi) Transportation of coal has been proposed by dumpers in mine pit head, from surface to siding by dumpers and at sidings by road/conveyor
- (xvii) Reclamation Plan in an area of 283.83 ha, comprising of 85.28 ha of external dump, 132.18 ha of internal dump and 6.32 ha of green belt. In addition to this, an area of 60.05 ha, included in the safety zone/rationalization area, built up area, virgin area and top soil storage, has also been proposed for green belt development.
- (xviii) There are no National Parks, Wildlife Sanctuaries and Eco-Sensitive Zones fall within 10 km boundary of the project. However, a small part of Bhadravati range falls in the wildlife corridor of Tadoba- Kanhargao- Tipeshwar wildlife sanctuary comes in the 5.00 km radius of the buffer zone of the proposed coal block as per PCCF clarification vide letter no: D23(2)/Survey/C.N.97/2858/2021-22; Dated: 10th February 2022.
- (xix) Wildlife conservation plan for schedule – I species has been prepared and has been submitted to PCCF(WL), Government of Maharashtra for approval vide letter no: ARIPL/CCF/WLO/2022/1076; Dated: 19th September 2022.
- (xx) The ground water level has been reported to be varying between 5.40 m to 10.10 m during pre-monsoon and between 0.90 m to 4.90 m during post-monsoon. Total water requirement for the project is 1674.03 KLD.
- (xxi) An application of NOC for groundwater clearance (21-4/8012/MH/MIN/2022) is submitted to CGWA on 12.05.2022 and the NOC for ground water abstraction has been obtained from CGWA vide NOC no: CGWA/NOC/MIN/ORIG/2022/16172.
- (xxii) Public hearing for the project of 1.5 MTPA capacity in an area of 936 ha was conducted on 21st June 2022 at Project site of M/s Aurobindo Realty & Infrastructure Private Limited (ARIPL), Village- Bellora, Tal- Bhadravati, Dist – Chandrapur, Maharashtra under the Chairmanship of Additional District Magistrate, Chandrapur. Major Issues raised in the public hearing include environmental pollution, noise pollution, water conservation measures & Land acquisition etc.
- (xxiii) Takli, Bellora and Khandala nalla is flowing within the boundary of lease. The Bellora and Takli nallah will be diverted in consultation with the Water Resource Department of the State Government.
- (xxiv) Regular monitoring of ambient air quality will be carried out on fortnightly basis. In general, the results of ambient air quality monitoring data were found within prescribed limits

except few aberrations which can be attributed to the specific local conditions during the day of sampling.

- (xxv) Court cases: Name of the court: High court, Name of the sub court: Delhi, Case No: WP(C) 5701/2021 & CM APPL 17807/2021, Verdict: As per the direction of the high court ARIPL was directed to deposit 5.9 crores and additional B.G of 9 crores that has been done and the subject land has been transferred in the name of the company
- (xxvi) The project does not involve violation of the EIA Notification, 2006 and amendment issued there under.
- (xxvii) The project involves 822 project affected families. R&R of the PAPs will be done as per RFCTLARR 2013
- (xxviii) Total cost of the project is Rs. 655.2 Crores. Cost of production is Rs 700 /- per tonne., CSR cost is Rs. 5 per tonne, R&R cost is Rs.171.68 crores. Environment Management Cost: Capital cost is Rs. 9.76 Crores & Recurring cost is Rs 1.28 Crores
- (xxix) Consent to operate (CTO) was obtained from the State Pollution Control Board: Not applicable as it is a proposed coal mining project.

4. The Expert Appraisal Committee in its 35th EAC meeting held on 26-27 September 2022 through Video Conferencing has recommended the project for grant of Environment Clearance (EC). Based on recommendations of the EAC, Ministry of Environment, Forest and Climate Change hereby accords approval for Environment Clearance(EC) to **Takli Jena Bellora (North & South) Opencast cum Underground Coal Mine of overall capacity 1.5 MTPA in total area of 936 Ha (OC – 236.9 Ha; UG – 699.10 Ha) of M/s Aurobindo Realty Infrastructure Pvt Ltd (ARIPL) located in Village Bellora, Tehsil Bhadravati, District Chandrapur (Maharashtra).** under the provisions of the Environment Impact Assessment Notification, 2006 and subsequent amendments/circulars thereto subject to the compliance of the following terms & conditions / specific conditions in addition to the standard environmental conditions notified by the Ministry as under: -

- (i) PP to obtain CTE/ CTO from SPCB for production capacity of 1.5 MTPA for opencast and underground as proposed by PP.
- (ii) PP shall prepare a detailed plan for distribution of water within and outside Mine lease area from dewatering of Daga mine pit in consultation with gram panchayat and shall implement the water treatment plant to meet the requirement with the start of production.
- (iii) As proposed by PP vide letter dated 26.09.2022, Rs. 2.2 Crore shall be invested for water distribution system in 6 villages (Kiloni, Kadholi, Kondha, New Kondha, Takli and Gotala Rith) with commissioning of mine. PP to implement the revised public hearing budget to tune of Rs. 3.03 crore on proposed activities.
- (iv) PP to implement revised EMP budget of Rs. 22.79 crore as capital expenditure on pollution control measures with annual recurring cost of Rs. 4.19 Crore.
- (v) In addition to manual monitoring, PP to install a continuous ambient air quality monitoring stations at suitable location preferably village side with consultation of SPCB. The real time data so generated shall be uploaded on company website. In addition, data should also be displayed digitally at entry and exit gate of mine lease area for public display.

- (vi) PP shall implement the plan for transportation of coal nearly 80% i.e 1.2 MTPA through Railway and rest 20% i.e 0.3 MTPA by road.
- (vii) Presently as recommended by EAC, only Bellora nallah shall be diverted with due permission from Irrigation Department of the Maharashtra State Government and PP to take adequate safety measures to restore the catchment areas fall under these streams. However, no diversion of Takli stream shall be allowed for next 12 years. PP to take adequate measures for its environment/natural flow and also to ensure that no untreated mine water shall enter into this stream and proper garland drain shall be made all along the stream to catch mine water.
- (viii) PP shall construct a pucca road to maintain the safety of people residing nearby along the transportation route with plantation on either side of the road.
- (ix) PP shall install fixed fog cannon (mist spayer) and fixed sprinkler all along the haul road till CHP, Railway siding and OB Dump area and accordingly sufficient number of fog cannons (not less than 10 nos.) with 40 mts jet length shall be installed within 6 months. It should be ensured that air pollution level confirm to the standards prescribed by the MOEFCC/CPCB.
- (x) PP shall construct a proper cemented 4 lane approach road of 1.36 km for the purpose of transportation of Coal from mine lease area to nearby National highway.
- (xi) Project proponent to plant 150,000 nos. of native trees with broad leaves along the transportation route in three years to prevent the effect of air pollution. After completion of tree plantation, number of trees shall be duly endorsed from District Forest Officer.
- (xii) PP shall deploy only 30-35 tonnes covered trucks/dumper to reduce fleet size till Rapid loading system and to implement surface miner and conveyor belt system from pit head to CHP as feasible.
- (xiii) PP shall conduct third party audit of compliance of EC condition at an interval six months and its report shall be submitted to IRO, MoEF&CC.
- (xiv) The status of mine closure activities must be included in every six months compliance report submitted to the state pollution control board and IRO.
- (xv) PP to maintain the topped haul road properly to minimized the dust emission. PP to also develop pucca roads by seeking consent from the panchayat with widening of roads especially roads inter linking the villages within the study area of 10 km radius buffer zone.
- (xvi) PP to install solar lights along the road used for transportation of minerals to avoid the accidents at night and also seek its maintenance. PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone within one year.
- (xvii) PP to provide bio toilets to the villages located within the study areas within 1 year from the grant of this EC.
- (xviii) Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records.
- (xix) PP to fulfill all the commitment made in the minutes of public hearing to address the issues raised therein in a time bound manner and a progressive report to be furnished to IRO in every six monthly as compliance report.

- (xx) The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.
- (xxi) PP shall pay to farmers of agricultural land if there is any loss due to pollution found by concerned District Commissioner as per extent rules or norms.
- (xxii) PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis. Any non- compliance or infringement should be reported to the concerned authority.
- (xxiii) PP to implement the recommendation of land subsidence study carried out for underground mine and report shall be submitted to IRO in every six monthly report
- (xxiv) PP to obtain the star rating as per the guidelines of Ministry of Coal.
- (xxv) Hon'ble Supreme Court in an Writ Petition(s) Civil No. 114/2014, Common Cause vs Union of India & Ors vide its judgement dated 8th January, 2020 has directed the Union of India to impose a condition in the mining lease and a similar condition in the environmental clearance and the mining plan to the effect that the mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Compliance of this condition after the mining activity is over at the cost of the mining lease holders/Project Proponent". The implementation report of the above said condition shall be sent to the Regional Office of the MoEF&CC.

4.1 The grant of environmental clearance is further subject to compliance of the Standard EC conditions applicable coal mining as under

(a) Statutory compliance

- (i) The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- (ii) The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- (iii) The project proponent shall prepare a Site-Specific Conservation Plan / Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of Schedule-I species in the study area).

(iv) The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.

(v) The project proponent shall obtain the necessary permission from the Central Ground Water Authority.

(vi) Solid/hazardous waste generated in the mines needs to be addressed in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.

(b) Air quality monitoring and preservation

(i) Continuous ambient air quality monitoring stations as prescribed in the statute be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM₁₀, PM_{2.5}, SO₂ and NO_x. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months.

(ii) The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB.

(iii) Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc shall be carried out in critical areas prone to air pollution (with higher values of PM₁₀/PM_{2.5}) such as haul road, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.

(iv) The transportation of coal shall be carried out as per the provisions and route envisaged in the approved Mining Plan or environment monitoring plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed so that the impact of sound, dust and accidents could be appropriately mitigated.

(v) Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.

(vi) Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.

(vii) Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.

(c) Water quality monitoring and preservation

(i) The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board.

(ii) The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/1/2006-1A.11 (M) dated 27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.

(iii) Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.

(iv) Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.

(v) Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.

(vi) Catch and/or garland drains and siltation ponds in adequate numbers and appropriate size shall be constructed around the mine working, coal heaps & OB dumps to prevent run off of water and flow of sediments directly into the river and water bodies. Further, dump material shall be properly consolidated/ compacted and accumulation of water over dumps shall be avoided by providing adequate channels for flow of silt into the drains. The drains/ ponds so constructed shall be regularly de-silted particularly before onset of monsoon and maintained properly. Sump capacity should provide adequate retention period to allow proper settling of silt material. The water so collected in the sump shall be utilised for dust suppression and green belt development and other industrial use. Dimension of the retaining wall constructed, if any, at the toe of the OB dumps within the mine to check run-off and siltation should be based on the rainfall data. The plantation of native species to be made between toe of the dump and adjacent field/habitation/water bodies.

(vii) Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) after due treatment conforming to the specific requirement (standards).

(viii) Industrial waste water generated from CHP, workshop and other waste water, shall be properly collected and treated so as to conform to the standards prescribed under the standards

prescribed under Water Act 1974 and Environment (Protection) Act, 1986 and the Rules made there under, and as amended from time to time. Adequate ETP /STP needs to be provided.

(ix) The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

(x) The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations, considering the presence of river/rivulet/pond/lake etc, shall be prepared and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the approved Mining Plan/EIA/EMP report and with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved Mining Plan and as per the permission of DGMS or any other authority as prescribed by the law.

(xi) The project proponent shall take all precautionary measures to ensure riverine/riparian ecosystem in and around the coal mine up to a distance of 5 km. A riverine/riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government.

(d) Noise and Vibration monitoring and prevention

(i) Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.

(ii) Controlled blasting techniques shall be practiced in order to mitigate ground vibrations, fly rocks, noise and air blast etc., as per the guidelines prescribed by the DGMS.

(iii) The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

(e) Mining Plan

(i) Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.

(ii) Mining shall be carried out as per the approved mining plan (including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).

(iii) No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980.

(iv) Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.

(f) Land reclamation

(i) Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).

(ii) The final mine void depth should preferably be as per the approved Mine Closure Plan, and in case it exceeds 40 m, adequate engineering interventions shall be provided for sustenance of aquatic life therein. The remaining area shall be backfilled and covered with thick and alive top soil. Post-mining land be rendered usable for agricultural/forestry purposes and shall be diverted. Further action will be treated as specified in the guidelines for Preparation of Mine Closure Plan issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.

(iii) The entire excavated area, backfilling, external OB dumping (including top soil) and afforestation plan shall be in conformity with the "during mining"/"post mining" land-use pattern, which is an integral part of the approved Mining Plan and the EIA/EMP submitted to this Ministry. Progressive compliance status vis-a-vis the post mining land use pattern shall be submitted to the MOEFCC/RO.

(iv) Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.

(v) Further, it may be ensured that as per the time schedule specified in mine closure plan it should remain live till the point of utilization. The topsoil shall temporarily be stored at earmarked site(s) only and shall not be kept unutilized. The top soil shall be used for land reclamation and plantation purposes. Active OB dumps shall be stabilised with native grass species to prevent erosion and surface run off. The other overburden dumps shall be vegetated with native flora species. The excavated area shall be backfilled and afforested in line with the approved Mine Closure Plan. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest and Climate Change/ Regional Office.

(vi) The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

(g) Green Belt

27

(i) The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered/endemic flora/fauna, if any, spotted/reported in the study area. The Action plan in this regard, if any, shall be prepared and implemented in consultation with the State Forest and Wildlife Department.

(ii) Greenbelt consisting of 3-tier plantation of width not less than 7.5 m shall be developed all along the mine lease area as soon as possible. The green belt comprising a mix of native species (endemic species should be given priority) shall be developed all along the major approach/ coal transportation roads.

(h) Public hearing and Human health issues

(i) Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & it's RO on six-monthly basis.

(ii) The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time.

(iii) Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.

(iv) Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.

(v) The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

(i) Corporate Environment Responsibility

(i) The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders.

(ii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.

(iii) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

(iv) Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

(j) Miscellaneous

(i) The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

(ii) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

(iii) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

(iv) The project proponent shall monitor the criteria pollutants level namely; PM₁₀, SO₂, NO_x (ambient levels) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.

(v) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.

(vi) The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

(vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

217

(viii) The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.

(ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.

(x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

(xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change.

(xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.

(xiii) The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

(xiv) The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

(xv) The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

(xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

5. The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing shall also be implemented in letter and spirit.

6. The proponent shall obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection. The Ministry or any other competent authority may stipulate any further condition for environmental protection.

7. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

JS

8. The coal company/project proponent shall be liable to pay the compensation against the illegal mining, if any, and as raised by the respective State Governments at any point of time, in terms of the orders dated 2nd August, 2017 of Hon'ble Supreme Court in WP (Civil) No.114/2014 in the matter of 'Common Cause Vs Union of India & others.

9. The concerned State Government shall ensure no mining operations to commence till the entire compensation for illegal mining, if any, is paid by the project proponent through their respective Department of Mining & Geology, in strict compliance of the judgment of Hon'ble Supreme Court.

10. This environmental clearance shall not be operational till such time the project proponent complies with the above said judgment of Hon'ble Supreme Court, as applicable, and other statutory requirements.

This issues with the approval of the competent Authority



(Lalit Bokolia)
Director

Copy to:

1. The Secretary, Ministry of Coal, Shastri Bhawan, New Delhi
2. The Secretary, Department of Environment & Forests, Government of Maharashtra, Secretariat, Maharashtra.
3. The Additional Principal Chief Conservator of Forests, Regional office (WCZ), Ground Floor, East Wing, New Secretariat Building Civil Lines Nagpur-1
4. The Chairman, Maharashtra State Pollution Control Board, Kalapataru Point, 3rd Floors, Sion, Mumbai-2 (Maharashtra)
5. The Chairman, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001
6. The District Collector, Chandrapur, Government of Maharashtra
7. Monitoring File/Guard File/Record File.



(Lalit Bokolia)
Director

Signature Not Verified

Digitally signed by Lalit Bokolia
Scientist F
Date: 11/3/2022 4:04:53 PM

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R35)
No:- Format1.0/CAC/UAN
No.0000136886/CE/2207001673

Date: 30/07/2022

To,
M/s Aurobindo Reality Infrastructure Pvt. Ltd.,
TAKLI JENA (NORTH) & TAKLI JENA (SOUTH) COAL
MINE,
Village Bellora, Takli, Jena, Asthi,
Tal-Bhadravati, Dist-Chandrapur



Your Service is Our Duty

Sub: Consent to Establish Under RED category.

Ref: Minutes of Consent Appraisal Committee Meeting held on 24.06.2022

Your application No.MPCB-CONSENT-0000136886 Dated 18.04.2022

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.**
- The capital investment of the project is Rs.787.79 Crs. (As per undertaking submitted by pp)**
- Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Coal (open cast cum U/G coal mine)	1.5	MTPA

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	1720	As per Schedule-I	Recycled for firefighting, dust suppression and plantation
2.	Domestic effluent	44	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
NA				

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Overburden	16000	m3/day	Landfill	Backfilling & reclamation of land

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	4.1 Oil sludge or emulsion	1	KL/M	Recycle	Sale to authorised party / CHWTSDF
2	5.1 Used or spent oil	1	KL/M	Recycle	Sale to authorised party / CHWTSDF

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Batteries	150.00	Kg/M	Send to Authorized Recycler

Specific Conditions for used Batteries:

- The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
 - The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
 - Bulk consumers to their user units may auction used batteries to registered recyclers only.
- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 - This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
 - PP shall not take any effective steps towards implementation of the project before obtaining Environment Clearance from MoEF & CC, GoI as per the EIC notification 2006 and as amendments thereto.
 - PP shall submit the Bank Guarantee of Rs.25.0 Lakh towards compliance of Consent to establish conditions.
 - The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity.



Ashok Shingare

84daae4c
7488dc72
5abb5e8a
21d22d6c
cd4b548b
b020b3c8
8633ecb8
43349b53

Signed by: **Ashok Shingare**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-07-30 15:14:13 IST



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1988000.00	TXN2204002149	19/04/2022	Online Payment
2	187580.00	TXN2206002934	27/06/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Chandrapur and Sub-Regional Officer, MPCB, Chandrapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC desk-For record and website updation purpose

SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

1. A] As per your application, you have proposed to provide ETP of design capacity 100 CMD for treatment of workshop effluent and propose to provide sedimentation tank of capacity 5000 m3 for treatment of mine water.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5 to 9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	COD	250
(5)	Total Suspended solids	100
(6)	Total Dissolved solids	2100

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, effluent shall find its way to outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 44 CMD for the treatment of 44 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)
1	BOD (3 days 27°C)	Not to exceed 30
2	COD	Not to exceed 100
3	SS	Not to exceed 50

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	860.00
2.	Domestic purpose	94.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1580.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	50

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
NA	NA		0.00	-	-	NA	-

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5. Control Equipments

- a. Coal handling plant provided with dust collector & automatic water sprinkler shall be operated
- b. Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
- c. Minerals shall be properly covered during transportation.
- d. The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
- e. Black topped metal roads provided shall be well maintained to prevent dust formation.
- f. Overloading of dumpers shall be avoided to prevent spillages.
- g. Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
- h. The slope of the over burden shall have slope not more than 28° to the horizontal. The overburden shall be properly covered by vegetation for stabilization.
- i. Minerals transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.

6. Standards for Ambient Air Pollutants:

The Suspended Particulate Matter (SPM), Respirable Particulate Matter (RPM), Sulphur dioxide (SO₂) and Oxides of Nitrogen (NO_x) concentration in downwind direction considering predominant wind direction, at a distance of 500 metres from the following dust generating sources shall not exceed the standards specified in the table given below:

Dust Generating Sources:

Loading or unloading, Haul Road, coal transportation road, Coal handling plant (CHP), Railway Sliding, Blasting, Drilling, Overburden dumps, or any other dust generating external sources like coke ovens (hard as well as soft), briquette industry, nearby road etc.

Pollutant	Time weighted average	Concentration in Ambient Air
Suspended Particulates Matter (SPM)	Annual Average	360 µg/m ³
	24 hours	500 µg/m ³
Respirable Particulate Matter (size less than 10 µm) (RPM)	Annual Average	180 µg/m ³
	24 hours	250 µg/m ³
Sulphur Dioxide (SO ₂)	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³
Oxides of Nitrogen as NO _x	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³

- i. In case of any residential or commercial or industrial place falls within 500 metres of any dust generating sources, the National Ambient Air Quality Standards notified vide MOEFCC GOI notification dtd 16.11.2009 as ammended shall be made applicable.
- ii. The applicant shall provide minimum three ambient air quality monitoring stations within mining area which should be monitored for SPM, RSPM, SO₂, NO_x, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of monitoring done shall be made available for inspection to the officers of the Board.

7. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr. No	Location	Permissible Norms [in dB (A)]	Desired minimum thickness of green belt (m)
1.	Along Road side	65 (Commercial Area)	20
2.	In colonies	55 (Residential Area)	20
3.	Near Opencast Mines	75 (Industrial Area)	10
4.	Near CHPs	75	30
5.	Near Shaft	75	20
6.	Near Mine exhaust fan	75	> 50

8. Other conditions:

- i Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	Rs.25.0 Lakh	15 days	Towards compliance of consent to establish conditions	Regular Activity	31.03.2024

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
3. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
4. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
5. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
6. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
7. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
8. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
9. The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
10. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
11. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
12. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
13. The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

14. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
15. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
16. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
18. The industry should not cause any nuisance in surrounding area.
19. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
20. The applicant shall maintain good housekeeping.
21. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end
22. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
23. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

24. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises
25. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
26. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

This certificate is digitally & electronically signed.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R35)/ Rev. RED/I.S./ (88.1)
No:- Format1.0/CC/UAN No.MPCB-
CONSENT-0000245539/CR/2507001468

Date: 11/07/2025

To,
M/s. Auro Infra Pvt. Ltd.
(Formerly as M/s Aurobindo Reality Infrastructure
Pvt.Ltd.)
TAKLI JENA (NORTH) & TAKLI JENA (SOUTH) COAL
MINE,
Village Bellora, Takli, Jena, Asthi,
Tal-Bhadravati, Dist-Chandrapur



Sub: Grant of renewal of Consent to Operate under Red Category with change in name.

- Ref:**
1. Previous consent vide No.:- Format1.0/CC/UAN No.MPCB/CONSENT-0000245539/CR/2507001428, dated 11.07.2025, valid up 30.06.2026.
 2. Previous consent vide No.:- Format1.0/CC/UAN No.MPCB/CONSENT-0000208313/CR/2410001244, dated 13.10.2024, valid up 30.06.2025.
 3. Environmental Clearance granted vide No IA-J-11015/62/2021-IA-II(M), dated 03.11.2022
 4. EC Transfer letter vide no. IA-J-11015/62/2021-IA-II(M), dated 08/03/2025.
 5. Decision of 5th Consent Committee Meeting of the Board for the Year 2025-26 held on 27/06/2025

Your application No.MPCB-CONSENT-0000245539 Dated 29.04.2025

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The renewal of Consent to operate is granted for a period upto 30/06/2026.**
2. **The capital investment of the project is Rs.117.54 Crs. (As per C.A Certificate submitted by industry Existing CI-90.60 Cr. + Increase in CI- 26.93 Cr. =Total CI-117.54 Cr.)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Coal (open cast cum U/G coal mine)	1.5	MTPA

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal Path</i>
1.	Trade effluent	1580	As per Schedule-I	Recycled for firefighting, dust suppression and plantation/Irrigation.
2.	Domestic effluent	44	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<i>Sr No.</i>	<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
NA				

6. **Non-Hazardous Wastes:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Overburden	16000	m3/day	Landfill	Backfilling & reclamation of land

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<i>Sr No</i>	<i>Category No./ Type</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	60	Nos./Y	Recycle	Sale to authorised party / CHWTSDF
2	5.1 Used or spent oil	12	KL/A	Recycle	Sale to authorised party / CHWTSDF
3	35.3 Chemical sludge from waste water treatment	5	MT/M	Landfill	CHWTSDF
4	33.2 Contaminated cotton rags or other cleaning materials	50	Kg/Annum	Incineration	CHWTSDF
5	35.4 Oil and grease skimming	2	KL/A	Incineration	CHWTSDF


8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Disposal Path</i>
1	Batteries	150.00	Kg/M	Send to Authorized Recycler

Specific Conditions for used Batteries:

- i. The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
 - ii. The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
 - iii. Bulk consumers to their user units may auction used batteries to registered recyclers only.
9. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
 11. The applicant shall comply with the conditions of the Environmental Clearance granted by MoEF & CC, GoI vide letter No IA-J-11o15/62/2021-IA-II(M) dated 03.11.2022.
 12. PP shall install & commission 03 nos. of CAAQMS within 03 Months time period. For non installation of all 03 CAAQMS, part of the BG of Rs. 2 Lakh is forfeited. Industry shall submit BG of Rs. 4 Lakhs as double of forfeited amount to make up total BG of Rs. 14 lakhs as per sub condition no. 09 of schedule-III of the consent.
 13. If PP has submitted BG for the same purpose then PP shall submit/extend the validity period of Bank Guarantees as per schedule-III of the consent.
 14. PP shall obtain valid NOC of CGWA and scrupulously comply the conditions of NOC.
 15. This consent is issued in pursuant to the decision made in 5th Consent Committee Meeting of the Board for the Year 2025-26 held on 27/06/2025.
 16. PP shall not carried out any expansion activity at the Project site until obtain Environmental Clearance and Consent from the competent authorities.
 17. This consent is issued with overriding effect on previous consent granted vide No.:- Format1.0/CC/UAN No. MPCB/CONSENT-0000245539/CR/2507001428, dated 11.07.2025.
 18. The applicant shall make an application for renewal of consent 90 days prior to date of expiry of the consent.
 19. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Generated by eSign
85428d5b
34002869
5017d2d2
1a8112e4
04f63f5b
5e61b7a0
2523b957
e72282d6

Signed by: **Shri. Ravindra Andhale**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-07-11 15:48:43 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	834900.00	TXN2504006576	02/05/2025	Online Payment
2	75180.00	TXN2507002153	10/07/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Chandrapur and Sub-Regional Officer, MPCB, Chandrapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC desk-For record and website updation purpose



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Provided ETP of design capacity 100 CMD for treatment of workshop effluent and Provided Sedimentation tank for treatment of Mine Water.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5 to 9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	COD	250
(5)	Total Suspended solids	100
(6)	Total Dissolved solids	2100
(7)	Sulphate	1000
(8)	Chlorides	600

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
 - D] The treated effluent shall be recycled for firefighting, dust suppression and plantation/Irrigation after confirming above standards. In no case, effluent shall find its way to outside the factory premises directly/indirectly.
2. A] As per your application, you are proposed to provide Sewage Treatment Plant of designed capacity 44 CMD with MBBR technology for the treatment of 44 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD (3 days 27°C)	Not to exceed	30
2	COD	Not to exceed	100
3	SS	Not to exceed	50

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way outside the factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	94.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1787.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	50

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG Set	Acoustic enclosure	30.00	Diesel 24 Kg/Hr	1.8	TPM	50 Mg/Nm ³
						SO ₂	20.736 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Control Equipments
- Coal handling plant provided with dust collector & automatic water sprinkler shall be operated
 - Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
 - Minerals shall be properly covered during transportation.
 - The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
 - Black topped metal roads provided shall be well maintained to prevent dust formation.
 - Overloading of dumpers shall be avoided to prevent spillages.
 - Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
 - The slope of the over burden shall have slope not more than 28° to the horizontal. The overburden shall be properly covered by vegetation for stabilization.
 - Minerals transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.
6. Standards for Ambient Air Pollutants:

The Suspended Particulate Matter (SPM), Respirable Particulate Matter (RPM), Sulphur dioxide (SO₂) and Oxides of Nitrogen (NO_x) concentration in downwind direction considering predominant wind direction, at a distance of 500 metres from the following dust generating sources shall not exceed the standards specified in the table given below:

Dust Generating Sources:

Loading or unloading, Haul Road, coal transportation road, Coal handling plant (CHP), Railway Sliding, Blasting, Drilling, Overburden dumps, or any other dust generating external sources like coke ovens (hard as well as soft), briquette industry, nearby road etc.

Pollutant	Time weighted average	Concentration in Ambient Air
Suspended Particulates Matter (SPM)	Annual Average	360 µg/m ³
	24 hours	500 µg/m ³
Respirable Particulate Matter (size less than 10 µm) (RPM)	Annual Average	180 µg/m ³
	24 hours	250 µg/m ³
Sulphur Dioxide (SO ₂)	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³
Oxides of Nitrogen as NO _x	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³

- i. In case of any residential or commercial or industrial place falls within 500 metres of any dust generating sources, the National Ambient Air Quality Standards notified vide MOEFCC GOI notification dtd 16.11.2009 as ammended shall be made applicable.
- ii. The applicant shall provide minimum three ambient air quality monitoring stations within mining area which should be monitored for SPM, RSPM, SO₂, NO_x, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of monitoring done shall be made available for inspection to the officers of the Board.

7. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr. No	Location	Permissible Norms [in dB (A)]	Desired minimum thickness of green belt (m)
1.	Along Road side	65 (Commercial Area)	20
2.	In colonies	55 (Residential Area)	20
3.	Near Opencast Mines	75 (Industrial Area)	10
4.	Near CHPs	75	30
5.	Near Shaft	75	20
6.	Near Mine exhaust fan	75	> 50

8. Other conditions:

- i Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2O	Rs.2.0 Lakh	15 days	Regular monitoring of ground water level and quality should be carried out by establishing the network of existing wells and constructing new piezometers during mining operation	6 monthly	31.10.2027
2	C2O	Rs.5.0 Lakh	15 days	Catch drain and situation ponds of appropriate size should be constructed to arrest silt and sediment flow from soil, OB and mineral dumps. Water so collected should be utilized for watering of the mining area, roads green belt developers etc.	Regular Activity	31.10.2027
3	C2O	Rs.5.0 Lakh	15 days	Coal transportation shall be done by covered/closed trucks. Overloading of shall be avoided to prevent spillages.	Regular Activity	31.10.2027
4	C2O	Rs.20.0 Lakh	15 days	For Installation and continuous operation of adequate air pollution control system to the CHP, Conveyor belts, Crusher, mist type water sprinkling system to the coal stock yard, coal transport roads, haul roads.	Regular Activity	31.10.2027
5	C2O	Rs.5.0 Lakh	15 days	Conversion of existing water sprinkling arrangement into chemical fogging arrangement (MgCl ₂) and its effective operation	Regular Activity	31.10.2027
6	C2O	Rs.5.0 Lakh	15 days	Deployment of mechanized sweepers which are automated suction sweeper for cleaning the coal dust from road and its regular operation	Regular Activity	31.10.2027
7	C2O	Rs.5.0 Lakh	15 days	Installation and operation of tyre wash system to mining transportation at entry and exit point of mining area.	Regular Activity	31.10.2027
8	C2O	Rs.5.0 Lakh	15 days	Adoption of Bioswales technology on the road sides. Bioswales is a land scape element of construction design, primarily a run off conveyance system by the sides of road, to remove dust, silt and debris and its operation.	Regular Activity	31.10.2027
9	C2O	Rs.14.0 Lakh	15 days	The installation & commissioning of the 03 nos. of CAAQMS	3 months	31.10.2027
10	C2O	Rs.5.0 Lakh	15 days	Over burden (OB) should be stacked at earmarked dumpsites only and should not be kept active for long period. Proper terracing of OB should be carried out so that the overall slope will come down to 28°. Over Burden shall be disposed by way of backfilling.	Regular Activity	31.10.2027
11	C2O	Rs.50.0 Lakh	15 days	Operation and Maintenance of pollution control system so as to maintain consented standards prescribed in consent and towards compliance of consent conditions and Environment Clearance conditions.	Regular Activity	31.10.2027
12	C2O	Rs.15.0 Lakh	15 days	Installation, commissioning and operation of ETP for the treatment of workshop effluent, STP and Sedimentation tank for treatment of mine water	Regular Activity	31.10.2027

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	C to R	10 lakhs	15 days	The installation & commissioning of all 03 nos. of CAAQMS	2 lakhs	Non installation of all 03 CAAQMS as per previous consent conditions.

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
3. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
4. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
5. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
6. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
7. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
8. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
9. The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
10. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
11. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
12. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
13. The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
14. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
15. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

16. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
18. The industry should not cause any nuisance in surrounding area.
19. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
20. The applicant shall maintain good housekeeping.
21. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end
22. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
23. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
24. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises
25. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
26. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 18.11.2009 as amended.

This certificate is digitally & electronically signed.



Annexure – 3 – Sedimentation Tank



Mine seepage water pumping into sedimentation tanks



Series of Sedimentation tanks (3 no's)

Dimensions: 40m L x 20m W x 5m D of 3 no's = Total 12,000 m³ capacity.

Ref No. :
ARIPL/HO/REPLY/CTO/2022-23/1100

Dated: 20/02/2023

REVISED EMP BUDGET			
S. No.	A. AIR ENVIRONMENT	Capital Cost	Recurring Cost/Annum
1	APCE at crusher & conveying system	1.03	0.1545
2	Dust extraction system at CHP	1.2	0.18
3	Water sprinklers (Mobile-28KL capacity - 2 Qty) (Static watersprinklers - 10 Qty)	1.5	0.225
4	Environmental Laboratory	2.5	0.75
5	Continuous Ambient Air Quality Monitoring Systems(CAAQMS, AAQMS & Weather Monitoring System)	1.6	0.24
	TOTAL OF AIR ENVIRONMENT	7.83	1.5495
	B. WATER ENVIRONMENT	Capital Cost	Recurring Cost/Annum
1	Garland drains along mine pit, Toe wall arrest & Check dams	1.4	0.21
2	Settling ponds	0.3	0.045
3	Embankment design & construction	2.8	0.42
4	ETP (Oil and grease trap for workshop wastewater)	0.8	0.12
5	STP (Sewage treatment for domestic wastewater)	0.6	0.09
6	Installation of water meter and piezometer	0.1	0.005
7	Periodic monitoring of water quality	0.5	0.075
	TOTAL OF WATER ENVIRONMENT	6.5	0.965
	C. NOISE & GROUND VIBRATION ENVIRONMENT	Capital Cost	Recurring Cost/Annum
1	Periodic noise monitoring and management	0.15	0.0225
2	Controlled blasting monitoring for vibration	-	0.4
	TOTAL OF NOISE & GROUND VIBRATION ENVIRONMENT	0.15	0.4225
	D. SOIL & WASTE DUMP ENVIRONMENT	Capital Cost	Recurring Cost/Annum
1	Stabilisation	3	0.45
	TOTAL COST OF SOIL ENVIRONMENT	3	0.45
	E. PLANTATION & GREEN BELT DEVELOPMENT	Capital Cost	Recurring Cost/Annum
1	Green belt along safety barrier	3.06	0.459
2	Plantation in back filled area	2.25	0.3375
	TOTAL COST OF PLANTATION	5.31	0.7965
	GRAND TOTAL EMP BUDGET	22.79	4.1835

Aurobindo Realty & Infrastructure Private Limited

Site Office: Anand Villa, Ganesh Nagar, Tukum, Chandrapur, Maharashtra – 442401, INDIA,
Regd Office Address: 1-121/1, Survey Nos. 66, (Part), Miyapur, Hyderabad, Telangana-500049, INDIA


Ref No. :

Dated:

Hope you will satisfy and understand our situation.

Thanking You,

For, Aurobindo Realty and Infrastructure Private Limited


Authorized Signatory


Encl: as above

C.C.: The Sub Regional Officer, Maharashtra Pollution Control Board, Udyog Bhawan, 1st Floor, Railway Station Road, Chandrapur, Maharashtra.

CAAMS PHOTOS



1. CAAQMS under operation



2. CAAQMS under trial run

CENTRAL RAILWAY

DRM OFFICE
OPERATING BRANCH
NAGPUR


NO. NGP/T/561/AURBINDO /TADALI/COAL
Dated 29/11/21

M/S Aurbindo Realty & Infrastructre private limited.

Sub:- regarding consent to operate from Tadali Railway siding.
Ref:- ARIPL/CR/2021/1036 Dated 25/11/21

In reference to your letter, under reference, it is to be informed that Tadali good shed is opened for outward booking of coal under priority D. After obtaining PCOM sanction, coal can be loaded from Tadali good shed.

This is for your kind information.


DRM (O)
CR/NAGPUR.
महानगर प्रशासन प्रशासक (प्राप्त)
Asstt Operations Manager (Goods)
प्राप्त मन्त्र, नगपुर
-



महाराष्ट्र शासन
जलसंपदा विभाग

कार्यकारी अभियंता, चंद्रपूर पाटबंधारे विभाग, चंद्रपूर
सिव्हील लाईन, नागपूर रोड, चंद्रपूर- ४४२ ४०१
दुरध्वनी क्र. ०७१७२-२५५८९८

Email ID- eecidc@yahoo.in, eecidc@rediffmail.com



स्वातंत्र्याचा अमृत महोत्सव

जा.क्र. १४१९ / प्रशा-३/ टाकळी-जेना-बेलोरा ना-हरकत/२०२२

दिनांक :- २९/१२/२०२२

प्रति,

दी असीस्टंट व्हाईस प्रेसिडेंट,
टाकळी-जेना-बेलोरा (अश्विनी शिखरी इन्फ्रा. प्रा. लि.)
नॉर्थ अँड साऊथ कोल ब्लॉक
चंद्रपूर.

विषय :- ना-हरकत प्रमाणपत्र मिळण्याबाबत.

संदर्भ :- आपले कार्याचे पत्र क्र. ARIPL/ WRD/ ID/१०८५, दिनांक ०१.१२.२०२२.

आपले उपरोक्त संदर्भित पत्रान्वये आपले अधिनिस्त टाकळी-जेना-बेलोरा (North) आणि टाकळी-जेना- बेलोरा (South) कोल ब्लॉकचे जुन्या खदानीमध्ये साचलेले पाणी ०.३३४ दलघमी लगतच्या नाल्यामध्ये (कोंडा नाला) सोडण्यासाठी या विभागाचे ना-हरकत प्रमाणपत्राची मागणी केलेली आहे. सदर प्रस्तावाचा विचार करुन तसेच प्रत्यक्ष क्षेत्रीय तपासणी करुन आपणांस खालील नमुद अटी व शर्तीसह जुन्या खदानीतील साठलेले पाणी ०.३३४ दलघमी लगतच्या कोंडा नाल्यामध्ये विसर्जन (सोडण्यास) करण्यांस या पत्राद्वारे ना-हरकत देण्यांत येत आहे.

अटी व शर्ती

१. नाल्यामध्ये सोडण्यांत येणारा विसर्ग (Discharge) हा कमाल १५०० घमी/ तास असावा. तसेच प्रत्यक्ष विसर्ग सोडण्यांत येण्यासाठी वापरावयाचे पंप, त्यांची क्षमता, तसेच पंप चालल्याची वेळ इ. दररोजचा तपशिल ठेवण्यांत यावा. कोणत्याही परिस्थितीत यापेक्षा जास्त विसर्ग नाल्यामध्ये जाणार नाही याची जबाबदारी कंपनीची राहिल.
२. विसर्जित करण्यांत येणारे पाणी हे दुषीत नसावे. तसेच हे पाणी पिल्यामुळे कोणतीही जीवित हानी होऊ नये तसेच पाण्याचा वापर नाल्याशेजारील शेतकऱ्यांना सिंचनासाठी केल्यास पिकांस नुकसान होऊ नये. पाण्याच्या शुद्धतेबाबतची जबाबदारी ही पुर्णतः कंपनीची राहिल तसेच नाला/ नदीमधील जलचरास नुकसान होऊ नये.
३. खदानीतून उपसलेले पाणी नाल्यात सोडण्यांत येत असल्यामुळे, नाला प्रवाहीत होणार आहे तसेच नाल्यामध्ये काही ठिकाणी खोलगट भागात (डोह) पाणी साठणार आहे. करिता कंपनीकडून नाल्याकाठावरील गावात पाणी सोडण्यासंबंधी आगाऊ सुचना देण्यांत याव्या तसेच काही विशिष्ट ठिकाणी (धोकादायक ठिकाणी) सुरक्षा रक्षक

नेमण्यांत यावे. (कोणतीही अनुचित घटना टाळण्याकरिता) आवश्यक असल्यास तसे दर्शविणारे फलक लावण्यांत यावे.

४. कंपनीने सादर केलेल्या प्रस्तावातील परिच्छेद ७ मधील उपाययोजना संपूर्णपणे पाळण्यांत याव्यात.

उपरोक्त ना- हरकत हे केवळ जुन्या खदानीतील साठविलेले पाणी उपसासाठी असुन भविष्यात इतर खदान व खडे तयार होतील त्यासाठी कंपनीने स्वतंत्र पाणी व्यवस्थापन यंत्रणा तयार करावी.

करिता माहिती व पुढील कार्यवाहीस सादर.

सहपत्र:- निरंक


(शा.बा.काळे)
कार्यकारी अभियंता
चंद्रपूर पाटबंधारे विभाग
चंद्रपूर

प्रतिलिपी — मा. अधीक्षक अभियंता, चंद्रपूर पाटबंधारे प्रकल्प मंडळ, चंद्रपूर यांना माहितीसव सविनय सादर.

Annexure - 8 – Coal transportation road work in progress



Annexure - 8 – Coal transportation road work in progress



Transportation road work with side drains



Transportation road work in progress

Annexure – 9 – Fog Canons



Fog Canon arranged at haul road




Fog Canon arranged at Coal Stock Area

Annexure – 10 – Plantation conducted



Plantation conducted near VTC Area



GPS Map Camera

Belora, Maharashtra, India 🇮🇳

536q+3xm, Belora, Maharashtra 442503, India

Lat 20.161147° Long 79.090422°


Wednesday, 19/11/2025 04:11 PM GMT +05:30

Plantation conducted near Workshop Area

Annexure – 11 – Nursery Development



Nursery development



Nursery development



Star Rating of Coal Mines

📅: 2025/10/04

[Home \(home.php\)](#)

👤 Welcome: Takli Jena Bellora North & South Coal Mine

[Profile \(profile.php\)](#)[Log out \(./logout.php\)](#)

STAR RATING OF AN OPENCAST COAL MINES

MODULE	MAXIMUM POINTS IN MODULE	Rating Points By			PERCENTAGE		
		Mine User	Reviewer	Controller	Mine User	Reviewer	Controller
MODULE 1 - MINING OPERATIONS RELATED PARAMETERS ()	17	17	0	0	84%	0%	0%
MODULE 2 - ENVIRONMENT RELATED PARAMETERS ()	24	24	0	0			
MODULE 3 - ADOPTION OF TECHNOLOGY: Best MINING PRACTICES ()	10	3.4	0	0			
MODULE 4 - ECONOMIC PERFORMANCE RELATED PARAMETERS ()	15	14.4	0	0			
MODULE 5 - REHABILITATION & RESETTLEMENT RELATED PARAMETERS ()	5	2.2	0	0			
MODULE 6 - EMPLOYEE/WORKER RELATED COMPLIANCE PARAMETERS ()	8	6.4	0	0			
MODULE 7 - SAFETY RELATED PARAMETERS ()	16	12	0	0			
GRAND TOTAL	95	80	0	0	84%	0%	0%

PERCENTAGE SCORE	STAR RATING
91 TO 100%	5 STAR
81 TO 90%	4 STAR
71 TO 80%	3 STAR
61 TO 70%	2 STAR
41 TO 60%	1 STAR
0 TO 40%	NO STAR

MINE DETAILS	
NAME OF THE COAL MINE	Takli Jena Bellora North & South Coal Mine
DISTRICT	Chandrapur
STATE	Maharashtra

Star Rating	
MINE USER	4 Star
Reviewer	No Star
Controller	No Star

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/01

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/01	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Jena Village Nala South	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	95.00	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 oC for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.54	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.78	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	232.0	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	18.00	mg/l	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	6.20	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/02

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/02	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Jena Nala East	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	80.0	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 °C for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.28	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.55	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	188.00	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	10.00	mg/L	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	6.80	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/03

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/03	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Belora Nala	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	85.00	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 °C for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.42	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.63	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	254.00	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	12.00	mg/L	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	5.20	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/04

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/04	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.48	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	1.10	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	780.00	mg/L	APHA 24th Edn 2540 C	-
5	Total Suspended Solids (TSS)	28.00	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	48.00	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	1.40	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	232.00	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	15.78	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haraqobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/04

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/04	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	-

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

--- End of Report ---

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/05

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/05	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.68	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	1.16	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	754.00	mg/L	APHA 24th Edn 2540 C	NS
5	Total Suspended Solids (TSS)	26.00	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	40.00	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	1.12	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	240.00	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	13.04	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/05

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/05	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	-

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/837E/149/06

Reporting Date: 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No. 97, Nagpur Highway (State Highway No. 09) Talisli,
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/06	Sampling Start Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	26/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	28/06/2025
Sample Description:	AQC01: Pit office (Near Drilling & Blasting)	Analysis start- End Date:	28/06/2025-02/07/2025
Env. Cond.-Sampling:	Temp - 27°C / Humidity - 69%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	65.76	µg/m3	IS 5182- Part 23	250
2	Sulphur Dioxide (SO2)	15.06	µg/m3	IS 5182-Part 2	120
3	Oxides of Nitrogen	21.04	µg/m3	IS 5182- Part 6	120
4	Suspended Particulate Matter	165.69	µg/m3	IS 5182- Part 4	500

Norms As Per CTO.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/837E/149/07

Reporting Date: 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/07	Sampling Start Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	26/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	28/06/2025
Sample Description:	AQC02: Jena Road (Near Dumping Area)	Analysis start- End Date:	28/06/2025-02/07/2025
Env. Cond.-Sampling:	Temp - 27°C / Humidity - 69%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	62.40	µg/m3	IS 5182- Part 23	250
2	Sulphur Dioxide (SO2)	13.59	µg/m3	IS 5182-Part 2	120
3	Oxides of Nitrogen	20.61	µg/m3	IS 5182- Part 6	120
4	Suspended Particulate Matter	160.80	µg/m3	IS 5182- Part 4	500

Norms As Per CTO.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/837E/149/08

Reporting Date: 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/08	Sampling Start Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	26/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	28/06/2025
Sample Description:	AQC03: At Bellora Village (Near Haul Road)	Analysis start- End Date:	28/06/2025-02/07/2025
Env. Cond.-Sampling:	Temp - 28°C / Humidity - 69%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	63.69	µg/m ³	IS 5182- Part 23	250
2	Sulphur Dioxide (SO ₂)	14.10	µg/m ³	IS 5182-Part 2	120
3	Oxides of Nitrogen	19.56	µg/m ³	IS 5182- Part 6	120
4	Suspended Particulate Matter	155.52	µg/m ³	IS 5182- Part 4	500

Norms As Per CTO.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/837E/149/09

Reporting Date: 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/09	Sampling Start Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	26/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	28/06/2025
Sample Description:	AQC04: At Workshop (Near Coal Transportation Road)	Analysis start- End Date:	28/06/2025-02/07/2025
Env. Cond.-Sampling:	Temp - 28°C / Humidity - 69%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	61.34	µg/m3	IS 5182- Part 23	250
2	Sulphur Dioxide (SO2)	12.16	µg/m3	IS 5182-Part 2	120
3	Oxides of Nitrogen	20.61	µg/m3	IS 5182- Part 6	120
4	Suspended Particulate Matter	163.18	µg/m3	IS 5182- Part 4	500

Norms As Per CTO.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/10

Reporting Date: 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By Hasanali Roshanali Sunasara

Sampling Date: 25/06/2025
Sample Description: Ambient Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/837E/14 9/10A	ANC01: Pit office (Near Drilling & Blasting)	Day Time	dB(A)Leq	IS 9989	73.1	75
2	Lab/PN/837E/14 9/10B	ANC02: Jena Road (Near Dumping Area)	Day Time	dB(A)Leq	IS 9989	72.8	75
3	Lab/PN/837E/14 9/10C	ANC03: At Bellora Village (Near Haul Road)	Day Time	dB(A)Leq	IS 9989	72	75
4	Lab/PN/837E/14 9/10D	ANC04: At Workshop (Near Coal Transportation Road)	Day Time	dB(A)Leq	IS 9989	70.3	75
5	Lab/PN/837E/14 9/10A	ANC01: Pit office (Near Drilling & Blasting)	Night Time	dB(A)Leq	IS 9989	67.3	70
6	Lab/PN/837E/14 9/10B	ANC02: Jena Road (Near Dumping Area)	Night Time	dB(A)Leq	IS 9989	65.1	70
7	Lab/PN/837E/14 9/10C	ANC03: At Bellora Village (Near Haul Road)	Night Time	dB(A)Leq	IS 9989	64.9	70
8	Lab/PN/837E/14 9/10D	ANC04: At Workshop (Near Coal Transportation Road)	Night Time	dB(A)Leq	IS 9989	61.1	70

Norms as per the Noise Pollution (Regulation and control) Rules,2000; Day Time:75 dB(A) Leq & Night Time: 70 dB(A) Leq for Industrial Area.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/01

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/01	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Project Office (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	370.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	149.09	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	340.89	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1658	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.21	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	35.96	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.50	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	91.80	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/01

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/01	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Project Office (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1100.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO3	520.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.5	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/01

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/01	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Project Office (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	6.24	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Faecal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

--- End of Report ---

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/02

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/02	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Nursery (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WT/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	385.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	137.07	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	350.89	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1820	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.12	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	59.77	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.82	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	87.3695	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/02

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/02	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Nursery (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1120.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO ₃	588.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.7	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/02

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/02	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Nursery (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	6.73	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/03

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/03	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Jena Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	345.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	144.28	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	345.9	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1980	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.06	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	43.74	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.64	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	91.11	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/03

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/03	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Jena Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1090.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO3	540.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.6	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/03

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/03	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Jena Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	6.04	mg/L	API IA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Tantankumar

Reviewed & Authorized by
Tantankumar & Dr. Haragobinda Srichandan



--- End of Report ---

P. B. Patel

Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/04

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/04	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Kiloni Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	302.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	136.27	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	342.89	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1810	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.02	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	63.18	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.68	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	172.37	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/04

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/04	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Kiloni Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1095.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO ₃	600.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	4.5	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/04

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/04	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Kiloni Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	7.11	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/05

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/05	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Takali Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	325.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	96.19	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	300.9	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1790	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	0.96	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	63.18	mg/l	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.55	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	175.33	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F/7-7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/05

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/05	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Takali Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1085.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO ₃	500.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.4	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/05

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/05	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Takali Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	5.03	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/06

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/06	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Panwadala Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	330.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	128.25	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	325.89	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1930	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.19	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	68.01	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.58	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	165.38	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Tantankumar

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



P. B. Patel

Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/06

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/06	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Panwadala Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1120.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO ₃	600.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.6	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/06

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/06	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Panwadala Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	0.69	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/07

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:

Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:

Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/07	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Bellora Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	365.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	149.09	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	318.90	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1735	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.09	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	51.27	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.54	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	168.43	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/07

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/07	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Bellora Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1142.00	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO3	584.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	1.8	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/07

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/07	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Bellora Village (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	6.32	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feacal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/08

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/08	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Dumping Area (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	343.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	110.62	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	348.89	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Conductivity	1730	uS/cm	IS 3025- Part 14	NS	NS
6	Fluoride	1.07	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
7	Hexavalent Chromium (Cr+6)	BQL (QL=0.01)	mg/L	APHA 24th Edn 3500 Cr B	NS	NS
8	Magnesium as Mg	74.11	mg/L	APHA 24th Edn 3500 Mg B	30	100
9	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
10	pH at 25 °C	7.53	-	IS 3025- Part 11	6.5-8.5	No relaxation
11	Residual Chlorine	BQL (QL=0.05)	mg/L	APHA 24th Edn 4500 Cl B	NS	NS
12	Sulphate	128.24	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/08

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/08	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Dumping Area (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Taste	Agreeable	-	IS 3025- Part 8	Agreeable	Agreeable
14	Total Dissolved Solids (TDS)	1132.0	mg/L	APHA 24th Edn 2540 C	500	2000
15	Total Hardness as CaCO ₃	580.00	mg/L	APHA 24th Edn 2340 C	200	600
16	Turbidity	2.2	NTU	APHA 24th Edn 2130 B	1	5
17	Aluminum	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.03	0.2
18	Cadmium	BQL (QL=0.002)	mg/L	GGMPL/SOP/W & WW/46	0.003	No relaxation
19	Copper	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	0.05	1.5
20	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
21	Lead	BQL (QL=0.005)	mg/L	GGMPL/SOP/W & WW/46	0.01	No relaxation
22	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
23	Zinc	BQL (QL=0.02)	mg/L	GGMPL/SOP/W & WW/46	5	15

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 2/3

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/08

Reporting Date : 21/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:

Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:

Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/08	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Ground Water	Analysis Start Date:	14/06/2025
Sample Description:	Near Dumping Area (G.W)	Analysis End Date:	20/06/2025
Sample Quantity:	7.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
24	Nitrate	6.71	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
25	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
26	Feecal Coliform	Absent	per 100ml	APHA 9221 E 24th Edition	Absent	Absent
27	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent
28	Boron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.5	2.4

AL & PL As Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Handwritten signature

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Handwritten signature

Reviewed & Authorized by
Payal Patel

Page No : 3/3

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/09

Reporting Date : 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/09	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Soil	Analysis Start Date:	14/06/2025
Sample Description:	Near Kiloni Village	Analysis End Date:	20/06/2025
Sample Quantity:	4 Kg	Sampling Method:	GGMPL/WI/27F
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH	7.90	-	IS 2720-Part 26	-
2	Electrical Conductivity	353.3	uS/cm	IS 14767	-
3	Organic Matter	1.79	%	IS 2720 (Part XXII)	-
4	Sodium adsorption ratio	0.32	-	IS 5949 & GGMPL/SOP/SOIL/47	-
5	Texture	Sandy Clay loam	-	IS 2720 (pt-4)	-
6	Water Holding Capacity	51.12	%	IS 14765	-
7	Sand	50	%	IS 2720 -part 4	-
8	Silt	27	%	IS 2720 -part 4	-
9	Clay	23	%	IS 2720 -part 4	-
10	Porosity	46.32	%	GGMPL/SOP/Soil & Sediment/27	-
11	Permeability	1.17	cm/hr	IS 2720 (Part 17)	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

---End of Report---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/09A

Reporting Date : 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/09	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Rushanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Soil	Analysis Start Date:	14/06/2025
Sample Description:	Near Kiloni Village	Analysis End Date:	20/06/2025
Sample Quantity:	1 Kg	Sampling Method:	GGMPL/W1/277
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters*	Results	Unit	Test Method	Norm
1	Colour	Brownish	-	GGMPL/SOP/Soil & Sediment/61	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/10

Reporting Date : 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:

Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:

Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/10	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Soil	Analysis Start Date:	14/06/2025
Sample Description:	Near Coal Stack Area	Analysis End Date:	20/06/2025
Sample Quantity:	4 Kg	Sampling Method:	GGMPL/WI/27F
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH	7.88	-	IS 2720-Part 26	-
2	Electrical Conductivity	364.4	uS/cm	IS 14767	-
3	Organic Matter	0.76	%	IS 2720 (Part XXII)	-
4	Sodium adsorption ratio	0.32	-	IS 5949 & GGMPL/SOP/SOIL/47	-
5	Texture	Sandy Clay loam	-	IS 2720 (pt-4)	-
6	Water Holding Capacity	54.51	%	IS 14765	-
7	Sand	48	%	IS 2720 -part 4	-
8	Silt	25	%	IS 2720 -part 4	-
9	Clay	27	%	IS 2720 -part 4	-
10	Porosity	43.72	%	GGMPL/SOP/Soil & Sediment/27	-
11	Permeability	1.52	cm/hr	IS 2720 (Part 17)	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/11

Reporting Date : 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/11	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Soil	Analysis Start Date:	14/06/2025
Sample Description:	Near Dumping Area	Analysis End Date:	20/06/2025
Sample Quantity:	4 Kg	Sampling Method:	GGMPL/WI/27F
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH	7.92	-	IS 2720-Part 26	-
2	Electrical Conductivity	348.2	uS/cm	IS 14767	-
3	Organic Matter	0.86	%	IS 2720 (Part XXII)	-
4	Sodium adsorption ratio	0.32	-	IS 5949 & GGMPL/SOP/SOIL/47	-
5	Texture	Sandy Clay Loam	-	IS 2720 (pt-4)	-
6	Water Holding Capacity	50.34	%	IS 14765	-
7	Sand	54	%	IS 2720 -part 4	-
8	Silt	26	%	IS 2720 -part 4	-
9	Clay	20	%	IS 2720 -part 4	-
10	Porosity	40.95	%	GGMPL/SOP/Soil & Sediment/27	-
11	Permeability	1.13	cm/hr	IS 2720 (Part 17)	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/12

Reporting Date : 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/12	Sampling Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	14/06/2025
Sample Type:	Soil	Analysis Start Date:	14/06/2025
Sample Description:	Near Takali Village	Analysis End Date:	20/06/2025
Sample Quantity:	4 Kg	Sampling Method:	GGMPL/WI/27F
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH	7.97	-	IS 2720-Part 26	-
2	Electrical Conductivity	319.2	uS/cm	IS 14767	-
3	Organic Matter	0.87	%	IS 2720 (Part XXII)	-
4	Sodium adsorption ratio	0.68	-	IS 5949 & GGMPL/SOP/SOIL/47	-
5	Texture	Sandy Clay Loam	-	IS 2720 (pt-4)	-
6	Water Holding Capacity	47.09	%	IS 14765	-
7	Sand	51	%	IS 2720 -part 4	-
8	Silt	25	%	IS 2720 -part 4	-
9	Clay	24	%	IS 2720 -part 4	-
10	Porosity	43.80	%	GGMPL/SOP/Soil & Sediment/27	-
11	Permeability	1.08	cm/hr	IS 2720 (Part 17)	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/681E/149/13

Reporting Date: 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/13	Sampling Start Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	12/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	14/06/2025
Sample Description:	AQC01: Pit office (Near Drilling & Blasting)	Analysis start- End Date:	14/06/2025-20/06/2025
Env. Cond.-Sampling:	Temp - 30°C / Humidity - 42%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	75.07	µg/m3	IS 5182- Part 23	250
2	Sulphur Dioxide (SO2)	22.57	µg/m3	IS 5182-Part 2	120
3	Oxides of Nitrogen	27.21	µg/m3	IS 5182- Part 6	120
4	Suspended Particulate Matter	312.10	µg/m3	IS 5182- Part 4	500

Norms As Per CTO

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/681E/149/14

Reporting Date: 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/14	Sampling Start Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	12/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	14/06/2025
Sample Description:	AQC02: Jena Road (Near Dumping Area)	Analysis start- End Date:	14/06/2025-20/06/2025
Env. Cond.-Sampling:	Temp - 30°C / Humidity - 42%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	72.36	µg/m ³	IS 5182- Part 23	250
2	Sulphur Dioxide (SO ₂)	21.16	µg/m ³	IS 5182 Part 2	120
3	Oxides of Nitrogen	28.69	µg/m ³	IS 5182- Part 6	120
4	Suspended Particulate Matter	286.44	µg/m ³	IS 5182- Part 4	500

Norms As Per CTO

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/681E/149/15

Reporting Date: 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/15	Sampling Start Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	12/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	14/06/2025
Sample Description:	AQC03: At Bellora Village (Near Haul Road)	Analysis start- End Date:	14/06/2025-20/06/2025
Env. Cond.-Sampling:	Temp - 30°C / Humidity - 42%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	68.94	µg/m ³	IS 5182- Part 23	250
2	Sulphur Dioxide (SO ₂)	20.31	µg/m ³	IS 5182-Part 2	120
3	Oxides of Nitrogen	26.18	µg/m ³	IS 5182- Part 6	120
4	Suspended Particulate Matter	265.72	µg/m ³	IS 5182- Part 4	500

Norms As Per CTO

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions:

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/681E/149/16

Reporting Date: 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/681E/149/16	Sampling Start Date:	11/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	12/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	14/06/2025
Sample Description:	AQC04: At Workshop (Near Coal Transportation Road)	Analysis start- End Date:	14/06/2025-21/06/2025
Env. Cond.-Sampling:	Temp - 30°C / Humidity - 42%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	75.34	µg/m3	IS 5182- Part 23	250
2	Sulphur Dioxide (SO2)	20.31	µg/m3	IS 5182-Part 2	120
3	Oxides of Nitrogen	28.22	µg/m3	IS 5182- Part 6	120
4	Suspended Particulate Matter	320.60	µg/m3	IS 5182- Part 4	500

Norms As Per CTO

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/681E/149/17

Reporting Date: 23/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By Hasanali Roshanali Sunasara

Sampling Date: 11/06/2025
Sample Description: Ambient Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/681E/14 9/17A	ANC01: Pit office (Near Drilling & Blasting)	Day Time	dB(A)Leq	IS 9989	72.9	75
2	Lab/PN/681E/14 9/17B	ANC02: Jena Road (Near Dumping Area)	Day Time	dB(A)Leq	IS 9989	71.5	75
3	Lab/PN/681E/14 9/17C	ANC03: At Bellora Village (Near Houl Road)	Day Time	dB(A)Leq	IS 9989	71.0	75
4	Lab/PN/681E/14 9/17D	ANC04: At Workshop (Near Coal Transportation Road)	Day Time	dB(A)Leq	IS 9989	72.7	75
5	Lab/PN/681E/14 9/17A	ANC01: Pit office (Near Drilling & Blasting)	Night Time	dB(A)Leq	IS 9989	67.5	70
6	Lab/PN/681E/14 9/17B	ANC02: Jena Road (Near Dumping Area)	Night Time	dB(A)Leq	IS 9989	66.2	70
7	Lab/PN/681E/14 9/17C	ANC03: At Bellora Village (Near Houl Road)	Night Time	dB(A)Leq	IS 9989	61.8	70
8	Lab/PN/681E/14 9/17D	ANC04: At Workshop (Near Coal Transportation Road)	Night Time	dB(A)Leq	IS 9989	65.0	70

Norms as per the Noise Pollution (Regulation and control) Rules,2000; Day Time:75 dB(A) Leq & Night Time: 70 dB(A) Leq for Industrial Area.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/726E/149/01

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/01	Sampling Start Date:	16/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	17/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	19/06/2025
Sample Description:	AQB01:Near Kiloni village North-West (Buffer zone)	Analysis start- End Date:	19/06/2025-24/06/2025
Env. Cond.-Sampling:	Temp - 29°C / Humidity -62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	71.67	µg/m3	IS 5182- Part 23	100
2	Suspended Particulate Matter	193.49	µg/m3	IS 5182- Part 4	NS
3	Particulate Matter (PM2.5)	36.24	µg/m3	GGMPL/SOP/AA/60	60
4	Sulphur Dioxide (SO2)	17.29	µg/m3	IS 5182-Part 2	80
5	Oxides of Nitrogen	25.50	µg/m3	IS 5182- Part 6	80
6	Carbon Monoxide (CO)	1.11	mg/m3	IS 5182- Part 10	4

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/726E/149/01A

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra

SAMPLE DETAILS


Lab ID:	Lab/PN/726E/149/01	Sampling Start Date:	16/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	17/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	19/06/2025
Sample Description:	AQB01:Near Kiloni village North-West (Buffer zone)	Analysis start- End Date:	19/06/2025-24/06/2025
Env. Cond.-Sampling:	Temp - 29°C / Humidity -62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters*	Results	Unit	Test Method	Norms
1	Hydrocarbon(HC)	3.1	ppm	IS 5182-Pt 21	NS

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---

Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/726E/149/02

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/02	Sampling Start Date:	16/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	17/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	19/06/2025
Sample Description:	AQB02:Near Takali village North (Buffer zone)	Analysis start- End Date:	19/06/2025-24/06/2025
Env. Cond.-Sampling:	Temp - 29°C / Humidity - 62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	70.71	µg/m3	IS 5182- Part 23	100
2	Suspended Particulate Matter	186.04	µg/m3	IS 5182- Part 4	NS
3	Particulate Matter (PM2.5)	35.83	µg/m3	GGMPL/SOP/AA/60	60
4	Sulphur Dioxide (SO2)	19.40	µg/m3	IS 5182-Part 2	80
5	Oxides of Nitrogen	26.24	µg/m3	IS 5182- Part 6	80
6	Carbon Monoxide (CO)	1.12	mg/m3	IS 5182- Part 10	4

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/726E/149/03

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/03	Sampling Start Date:	16/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sampling End Date:	17/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	19/06/2025
Sample Description:	AQB03:Near Grampanchayat Jena village (Buffer zone)	Analysis start- End Date:	19/06/2025-24/06/2025
Env. Cond.-Sampling:	Temp - 29°C / Humidity - 62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM10)	72.40	µg/m3	IS 5182- Part 23	100
2	Suspended Particulate Matter	181.41	µg/m3	IS 5182- Part 4	NS
3	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
4	Sulphur Dioxide (SO2)	16.12	µg/m3	IS 5182-Part 2	80
5	Oxides of Nitrogen	23.67	µg/m3	IS 5182- Part 6	80
6	Carbon Monoxide (CO)	1.15	mg/m3	IS 5182- Part 10	4

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/726E/149/03A

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra

SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/03	Sampling Start Date:	16/06/2025
Sample Drawn By:	Hasanali Ruslanali Surasara	Sampling End Date:	17/06/2025
Sample Type:	Ambient Air	Sample Receipt Date:	19/06/2025
Sample Description:	AQB03:Near Grampanchayat Jena village (Buffer zone)	Analysis start- End Date:	19/06/2025-24/06/2025
Env. Cond.-Sampling:	Temp - 29°C / Humidity - 62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters*	Results	Unit	Test Method	Norms
1	Hydrocarbon(HC)	3.1	ppm	IS 5182-Pt 21	NS

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

Head Office & Lab

Dayal Estate, National Highway No.8, Opp APMC Market Gate-1, Jetalpur, District-Ahmedabad-382426
Gujarat. INDIA

Mobile No : +91-7069072001

Email Id : lab@gogreenmechanisms.com

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/726E/149/04

Reporting Date: 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Sampling Instrument : Sound Level Meter

Sampling Date:

16/06/2025

Sample By Hasanali Roshanali Sunasara

Sample Description:

Ambient Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/726E/14 9/04A	ANB01:Near Kiloni village North-West (Buffer zone)	Day Time	dB(A)Leq	IS 9989	53.09	55
2	Lab/PN/726E/14 9/04B	ANB02:Near Takali village North (Buffer zone)	Day Time	dB(A)Leq	IS 9989	54.20	55
3	Lab/PN/726E/14 9/04C	ANB03:Near Grampanchayat Jena village (Buffer zone)	Day Time	dB(A)Leq	IS 9989	53.8	55
4	Lab/PN/726E/14 9/04A	ANB01:Near Kiloni village North-West (Buffer zone)	Night Time	dB(A)Leq	IS 9989	44.07	45
5	Lab/PN/726E/14 9/04B	ANB02:Near Takali village North (Buffer zone)	Night Time	dB(A)Leq	IS 9989	43.50	45
6	Lab/PN/726E/14 9/04C	ANB03:Near Grampanchayat Jena village (Buffer zone)	Night Time	dB(A)Leq	IS 9989	43.8	45

Norms as per the Noise Pollution (Regulation and control) Rules,2000; Day Time:55 dB(A) Leq & Night Time: 45 dB(A) Leq for Residential Area.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---

Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/726E/149/05

Reporting Date : 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/05	Sampling Date:	17/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	19/06/2025
Sample Type:	Waste Water	Analysis Start Date:	19/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	24/06/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.40	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	0.67	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	650.00	mg/L	APHA 24th Edn 2540 C	-
5	Total Suspended Solids (TSS)	30.0	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	36.0	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	1.12	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	170.0	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	11.60	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Gyanvati Shukla & Dr. Haragobinda
Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGML/PN/726E/149/05

Reporting Date : 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/05	Sampling Date:	17/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	19/06/2025
Sample Type:	Waste Water	Analysis Start Date:	19/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	24/06/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	-

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla & Dr. Haragobinda
Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGML/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/726E/149/06

Reporting Date : 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/726E/149/06	Sampling Date:	17/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	19/06/2025
Sample Type:	Waste Water	Analysis Start Date:	19/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	24/06/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.15	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	0.56	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	620.00	mg/L	APHA 24th Edn 2540 C	NS
5	Total Suspended Solids (TSS)	14.00	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	24.00	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	0.84	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	143.00	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	7.42	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0


Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla & Dr. Haragobinda
Srichandan





Reviewed & Authorized by
Payal Patel

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/726E/149/06

Reporting Date : 25/06/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS


Lab ID:	Lab/PN/726E/149/06	Sampling Date:	17/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	19/06/2025
Sample Type:	Waste Water	Analysis Start Date:	19/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	24/06/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	NS

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla & Dr. Haragobinda
Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.



TABLE OF CONTENTS		
SECTION	CONTENT	PAGE
1.0	INTRODUCTION	1
2.0	PURPOSE OF REPORT	1
3.0	IDENTIFICATION OF PROJECT AND PROJECT PROPONENT	1
3.1	Identification of Project	1
3.2	Identification of the Project Proponent	2
4.0	ENVIRONMENT SETTINGS	2
5.0	SCOPE OF THE STUDY	5
6.0	FLORA AND FAUNA STUDIES	5
6.1	General Description of the Project area	5
6.2	Vegetation and Flora of the Mine Lease Area (Core Area)	5
6.3	Terrestrial Fauna of the Mine Lease Area or Core Area	11
7.0	VEGETATION AND FLORA OF THE STUDY AREA	13
7.1	Ecology and Biodiversity of the study area	19
7.2	Terrestrial Fauna of the study area	20
7.3	Aquatic Flora and Fauna of the study area	20
8.0	TADOBA ANDHARI TIGER RESERVE (TATR)	22
8.1	Distance b/w the Tadoba Andhari Tiger Reserve (TATR) and the boundary of the mine lease	23
8.2	Birding in Tadoba Andhari Tiger Reserve	29
8.3	Impact of the proposed coal mine on the RET and Schedule I Fauna	35
9.0	CONSERVATION PLAN FOR THE SCHEDULE-I SPECIES WITHIN CORE ZONE	37
9.1	Conservation of Monitor Lizard (<i>Varanus bengalensis</i>)	37
9.2	Conservation Plan for Indian Peafowl (<i>Pavo cristatus</i>)	40
10.0	STRATEGIES FOR MANAGEMENT OF SCHEDULE-I SPECIES OUTSIDE THE CORE AREA	43

10.1	Conservation of Sloth Bear (<i>Melursus ursinus</i>)	43
10.2	Indian Rock Python (<i>Python molurus</i>) Conservation Plan	46
10.3	Conservation of Tiger (<i>Panthera tigris</i>)	48
10.4	Conservation of Leopard (<i>Panthera pardus fusca</i>)	50
10.5	Conservation of Indian Gaur or Indian Bison (<i>Bos gaurus gaurus</i>)	52
10.6	Conservation of Indian Wolf (<i>Canis lupus pallipes</i>)	54
10.7	Strategies for Management of Schedule-I species outside the core area	57

LIST OF FIGURES

FIGURE	TITLE	PAGE
1	STUDY AREA MAP (10KM RADIUS)	4
2	COTTON AND RED GRAM FIELDS IN THE MINE LEASE AREA	6
3	PADDY FIELDS IN THE MINE LEASE AREA	7
4	PLANTATION AND TREES FOUND IN THE MINE LEASE AREA	9
5	ECO-SENSITIVE MAP OF THE MINE LEASE AREA	24
6	MAP SHOWING THE CORE AREA, BUFFER ZONE AND THE ECO-SENSITIVE ZONE (ESZ) AROUND THE TATR	25
7	MAP SHOWING THE MINE LEASE AREA AND THE TATR WITH 16 KM CIRCLE	26
8	MONITOR LIZARD (<i>Varanus bengalensis</i>)	37
9	INDIAN PEA FOWL (<i>Pavo Cristatus</i>)	40
10	SLOTH BEAR (<i>Melursus ursinus</i>)	43
11	ROCK PYTHON (<i>Python molurus</i>)	46
12	TIGER (<i>Panthera Tigris</i>)	48
13	LEOPARD (<i>Panthera pardus fusca</i>)	50
14	INDIAN BISON (<i>Bos Gaurus Gaurus</i>)	52
15	INDIAN WOLF (<i>Canis lupus pallipes</i>)	55

LIST OF TABLES

TABLE	TITLE	PAGE
1	ENVIRONMENTAL SETTING OF THE MINE LEASE AREA	3
2	LIST OF TRESS, SHRUBS AND CLIMBERS FOUND IN THE MINE LEASE AREA	7
3	LIST OF ALL GRASSES, HERBS AND HERBACEOUS SPECIES LOCATED IN MINE LEASE AREA	10
4	LIST OF MAMMALS, REPTILES, AMPHIBIANS AND BIRDS EITHER SPOTTED OR REPORTED OR RECORDED FROM THE CORE AREA.	12
5	LIST OF TREES, SHRUBS AND PERENNIAL CLIMBERS FOUND IN THE BUFFER ZONE OF THE MINE LEASE AREA	13
6	LIST OF HERBS AND HERBACEOUS SPECIES INCLUDING GRASSES FOUND DURING THE RAINY SEASON IN BUFFER ZONE	17
7	LIST OF FORESTS AND WATERBODIES PRESENT IN THE STUDY AREA	19
8	LIST OF PLANT AQUATIC AND SEMIAQUATIC MACROPHYTE FOUND IN THE STUDY AREA	20
9	LIST OF FISHES REPORTED FROM THE PENGANGA RIVER	21
10	LIST OF MAMMALS REPORTED FROM TATR BY PRADHAN (2006)	27
11	LIST OF BIRDS REPORTED FROM TATR AND IT'S STATUS IN STUDY AREA	30
12	LIST OF RET AND SCHEDULE-I SPECIES OF FAUNA REPORTED FROM TATR AND THEIR STATUS IN CORE/BUFFER ZONE	36
13	SITE-SPECIFIC INTEGRATED WILDLIFE CONSERVATION PLAN	58

1.0 INTRODUCTION

Takli Jena Bellora (North) and Takli Jena Bellora (South) coal mine located in Wardha coal field in Chandrapur District of Maharashtra State which has been allocated to M/s. Aurobindo Realty and Infrastructure Private Limited (ARIPL). The Mine was allotted to M/s Aurobindo Realty and Infrastructure Private Limited (ARIPL) in 2020-21 auction process initiated by Govt of India. After fulfilling all vesting conditions as mentioned in the Coal Mine Development and Production Agreement, the office of the nominated authority, MoC, GoI has issued the vesting order to M/S Aurobindo Realty and Infrastructure Private Limited with effect from 03rd March 2021 vide vesting order No. 104/19/2020-NA dated 03rd March 2021 for a total area of 936.00 Ha.

Takli Jena Bellora coal mine block having an area of 936.00 Ha is located in villages Pandwadala, Takli, Bellora, Jena Niwali, Asthi Rith, Gotala Rith, Govardip Rith, Khandala Rith, Kiloni, Dongargaon Khardi and Somnala in Bhadravati tehsil, Chandrapur District in Maharashtra State.

2.0 PURPOSE OF REPORT

As per Environmental Impact Assessment (EIA) Notification dated 14th September 2006, proposed project falls under Schedule Mining of Minerals-'1(a)' of Category-'A' and requires prior Environmental Clearance (EC) to be obtained from Ministry of Environment, Forest & Climate Change (MoEF&CC).

MOEF&CC has accorded Terms of Reference (TOR) for EIA Study vide its letter No. IA-J-11015/62/2021-IA-II(M) dated 04th October 2021.

As per the Terms of Reference (TOR) owing to the presence of Schedule-I species of flora & fauna in the 10 km radius of the buffer zone and considering the possibility of schedule -I species movement in buffer zone from TATR (Tadoba Andhari Tiger Reserve) located at 19.7 Km towards North-East direction, the Wildlife Conservation Plan needs to be prepared. The requirement is mentioned in MOEF&CC ToR No. IA-J-11015/13/2020/IA-II(M) issued dated 02.10.2020, considering point VII of Point A, Generic TOR, which necessitates that Wild Life Conservation Plan needs to be prepared for the scheduled I fauna species recorded in the study area.

The lease boundary of project does not fall under corridors of any National Park and Wildlife Sanctuary. Further, the scheduled I species are not recorded in core zone but the same are recorded in buffer zone of the study area. Therefore, a Wildlife Conservation Plan has been prepared for submission to Chief Wildlife Warden for approval.

3.0 IDENTIFICATION OF PROJECT AND PROJECT PROPONENT

3.1 Identification of Project:

Takli Jena Bellora (North) and Takli Jena Bellora (South) Coal Mine Block located in Wardha coalfield in Chandrapur district of state of Maharashtra, has been allocated to Aurobindo Realty & Infrastructure Private Limited (ARIPL), a subsidiary of Aurobindo Pharma Limited a leading pharmaceutical manufacturing company. This block is allotted for commercial mining for supply of coal in the region of Maharashtra and Andhra Pradesh and that of the country to the extent

of production planned from the mine. The block is allocated for the purpose of sale of coal, including sale to affiliates and related parties, utilization of coal for any purpose including but not limited to captive consumption, coal gasification, coal liquefaction and export of coal. The entire coal produced from this mine is proposed to be sold in the market.

Coal production is proposed through shovel – dumper combination and drill blast for Overburden. For Underground mining a combination of Continuous miner + LHD/SDL combination is proposed.

Mining Plan for this block was prepared by M/s. DMT consulting Pvt. Ltd, Kolkata based on systematic prospecting of coal by Directorate of Geology and Mining, Maharashtra. The mining plan envisages a production of peak rated capacity of 1.5 MTPA.

3.2 Identification of the Project Proponent:

Aurobindo Realty and Infrastructure Private Limited ("ARIPL") is a private limited company incorporated on August 11, 2016 in India under the Companies Act, 2013 with corporate identity number U45500TG2016PTC111433, having registered office at 1-121/1, Survey. No.66 (Part) & 67 (Part), Miyapur Hyderabad, Telangana 500049, India and corporate address at TITANIUM, Plot No. 1-98/8/75-A & 75-B, Jubilee Enclave, Madhapur, Hyderabad, Telangana 500081, India. ARIPL was formed keeping in view the potential growth of infrastructure segment to handle rapidly growing construction business.

ARIPL has presence across commercial, retail and residential property development and has an impressive portfolio of EPC contracts for several upcoming projects. Working with a pool of talented professionals, the company has developed strong technical expertise by integrating state-of-art technology to specifically address the end users' needs with the timely execution of quality work as its core competence. The strict quality control measures, innovative concepts and adhering to strict delivery schedules will form ARIPL one of the most trusted name in the industry.

ARIPL has been allocated 2 coal mines through auction by Govt of India i.e., Urma Paharitola Coal Mine and Takli Jena Bellora (North & South) Coal Mine in 2020-21 auction process.

The Coal produced from Takli Jena Bellora (North & South) Coal Mine is proposed to be sold to nearby consumers.

4.0 ENVIRONMENT SETTINGS

The environmental setting of the proposed coal-mining project is given in the following **Table-1**.

TABLE-1
ENVIRONMENTAL SETTING OF THE MINE LEASE AREA

Sr. No.	Particulars	Details		
		Points	Latitude	Longitude
1	Coordinates	A	20°11'56.906" N	79°04'14.017" E
		B	20°11'35.737" N	79°05'1.639" E
		C	20°10'40.097" N	79°06'14.939" E
		D	20°09'22.299" N	79°06'15.803" E
		E	20°09'16.815" N	79°05'53.662" E
		F	20°10'56.81 " N	79°04'25.202" E
		G	20°11'17.432" N	79°03'41.301" E
		H	20°11'40.754" N	79°03'50.653" E
		I	20°11'39.944" N	79°04'8.462" E
2	Toposheets	55 P/4 (1:50,000)		
3	Elevation above MSL	190- 215 m above Mean Sea Level		
4	Present land use	Opencast and Underground coal mine(Industrial)		
5	Nearest highway	SH-264 (0.7 Km, SW); SH-233 (5.8 Km, W)		
6	Nearest railway station	Majri Railway station (12 Km)		
7	Nearest airport	Nagpur (97Km, N)		
8	Nearest town/city	Bhadravati town (5 km, S)		
9	Nearest villages	Kiloni, Ekarjuna, Dhanoli, Manora Tanda, Baranj Mokasa, Kandoli, Wislon		
10	Villages within M L area	Pandwadala, Takli, Bellora, Jena Niwali, Asthi Rith, Gotala Rith, Govardip Rith, Khandala Rith, Kiloni, Dongargaon Khardi and Somnala		
11	Archaeologically important places	Nil within 10 km radius		
12	National parks/ wildlife sanctuaries	Nil within 10 km radius		
13	Reserved / protected forest	• Bhandak R.F (4.0 Km, SE) • Salori R.F (4.9 Km, N) • Shegaon R.F (7.3 Km, N)		
14	State, national boundaries	Nil within 10 Km radius		
15	Streams/rivers	• Khandala Nala (Within ML area) • Tikri Nala (Within ML area) • Bellora Nala (Within ML area) • Kondha Nala (Adjacent) • Shirnai Nadi (2.9 Km, W) • Wagjai Nala (6.6 Km, N) • Wardha River (9.5 Km, SW)		
16	Defence installations	Ordinance Factory (5.6 Km, SE)		
17	Seismicity	The mine lease area falls under seismic zone-III as per IS: 1893 (Part1): 2002		
18	List of major other industries and mines	• Karnataka EMTA coal mine ltd (KEMTA) (0.1Km, SE) • WCL Mine (7.2 Km, SSW) • Navin Kunada Mine (7.6 Km, SSW) • Junad Open Coal Mine (10.0 Km, SSW)		

Note: Aerial distances are taken into consideration

The study area map (10 km radius) of the proposed mining project is shown in **Figure-1**.




FIGURE-1
STUDY AREA MAP (10KM RADIUS)

5.0 SCOPE OF THE STUDY

Field studies were conducted for a period of three months (01.10.2021 to 31.12.2021) representing winter season. The scope of this study broadly includes the following:

- To conduct primary field survey and collect secondary published data and literature review pertaining to 10-km radius study area;
- To Identify Scheduled –I flora & fauna, if any in 10 km radius of the study area from the proposed mine lease boundary; and
- To prepare a Wildlife Conservation Plan.

6.0 FLORA AND FAUNA STUDIES

6.1 General Description of the Project area

The project area has a mildly undulating topography with altitudes ranging between 190 m and 205 m above MSL. General slope of the ground is towards south and south west. The project area has a mildly undulating topography with altitudes varying between 192 m and 207 m above MSL. General slope of the ground is towards Konda nallah which is a seasonal tributary of Wardha River and flows in South-Westerly direction at the southern end of the block.

The proposed vested block area is free of any forest land. Most of the land is owned by locals, whose main source of livelihood is agriculture. Land is cultivated for Cotton, Jowar and Soyabean. Vegetation is scanty and scattered. Trees like Mohua, Babul and Tamarind are seen in the area.

There are operating mines/industries like Karnataka EMTA coal mine Ltd (KEMTA) (0.1 km, SE), WCL mine (7.2 km, SSW), Navin Kunada mine (7.6 km, SSW), Junad open coal mine (10.0 km, SSW).

The total mine lease area is 936 Ha out of which 893 Ha (95.4% of total mine lease) is Agriculture land or cropland. The rest is under human habitation, old mine pits, old overburden dump etc as shown in Table 1. It is evident from the above that no forestland is involved in the mine lease and hence no forest clearance is required

There are no eco-sensitive areas such as the National Parks. Wildlife Sanctuaries or Biosphere Reserves, tiger or elephant corridors or Ramsar Wetlands or Important bird areas (IBAs) or Nature heritage sites within the mine lease area or within study area of 10 km radius. However, Tadoba Andhari Tiger Reserve (TATR) located at 19.8 km NE from the coal block.

6.2 Vegetation and Flora of the Mine Lease Area (Core Area)

There are no forests in the mine lease area. Essentially, there are three types of wild vegetation in the core area. The weed flora associated with dry or rainfed crops like Cotton, Red gram, Sunflower, Chillies etc., the weeds associated paddy fields and the wild vegetation in wastelands including residential areas. Besides the above, there are cultivated plants including avenue trees, timber, fruit and pulpwood plants. But there are no plantations or agroforests in the mine lease

area. A list of trees, shrubs and climbers found in the mine lease area during the rainy season in the mine lease area is given in **Table 2**. A list of weeds and herbaceous plants found in the mine lease is given in **Table 3**. However, aquatic and semiaquatic weeds are included in the list of aquatic and semiaquatic macrophytes.



FIGURE-2
COTTON AND RED GRAM FIELDS IN THE MINE LEASE AREA



FIGURE-3
PADDY FIELDS IN THE MINE LEASE AREA

TABLE-2
LIST OF TREES, SHRUBS AND CLIMBERS FOUND IN THE MINE LEASE AREA

Scientific Name	Common / Local Name	Family
<i>Abrus precatorius</i>	Gunja	Fabaceae
<i>Acacia catechu</i>	Khair	Mimosaceae
<i>Acacia leucophloea</i>	Gohira	Mimosaceae
<i>Acacia nilotica</i>	Babul	Mimosaceae
<i>Aegle marmelos</i>	Bel / Bilva	Rutaceae
<i>Agave americana</i>	Kalabanda	Agavaceae
<i>Ailanthus excelsa</i>	Maha neem	Simaroubaceae
<i>Alangium salvifolium</i>	Akol	Alangiaceae
<i>Alhagi camelorum</i>	Camel thorn	Fabaceae
<i>Annona squamosa</i>	Seethaphal	Annonaceae
<i>Azadirachta indica</i>	Nimboni	Meliaceae
<i>Breynia retusa</i>	Dalfodi	Phyllanthaceae
<i>Breynia vitis-idaea</i>	Indian Snowberry	Phyllanthaceae
<i>Butea monosperma</i>	Palash	Fabaceae
<i>Calotropis gigantea</i>	Safed Aak	Asclepiadaceae
<i>Calotropis procera</i>	Aak	Asclepiadaceae
<i>Canthium parviflorum</i>	Katbor	Rubiaceae
<i>Carissa spinarum</i>	Karvand	Apocynaceae
<i>Cassia fistula</i>	Sunari / Rela	Caesalpiniaceae
<i>Cassia auriculata</i>	Tinner's Cassia	Caesalpiniaceae
<i>Chromolaena odorata</i>	Seam weed	Asteraceae
<i>Dalbergia sissoo</i>	Shisham / Sissoo	Fabaceae

Scientific Name	Common / Local Name	Family
<i>Dolichandrone falcata</i>	Medhsinghi	Bignoniceae
<i>Erythrina suberosa</i>	Balthia(Paldhua)	Fabaceae
<i>Eucalyptus tereticornis</i>	Eucalyptus	Myrtaceae
<i>Ficus benghalensis</i>	Wad / Banyan	Moraceae
<i>Ficus religiosa</i>	Pipal	Moraceae
<i>Hemidemus indicus</i>	Indian Sarsaparilla	Periplocaceae
<i>Holoptelia integrifolia</i>	Dauranja	Ulmaceae
<i>Ipomoea carnea</i>	Besharam	Convolvulaceae
<i>Ixora pavetta</i>	Maakadi	Rubiaceae
<i>Lantana camara</i>	Ghaneri	Verbanaceae
<i>Limonia acidissima</i>	Kawat	Rutaceae
<i>Mangifera indica</i>	Amba	Anacardiaceae
<i>Morinda tinctoria</i>	Achu	Rubiaceae
<i>Opuntia elatior</i>	Nagphani	Cactaceae
<i>Phoenix Sylvestris</i>	Khajuri	Areaceae
<i>Pithecellobium dulce</i>	Chichbilai	Mimosaceae
<i>Syzygium cumunii</i>	Jambhul	Myrtaceae
<i>Tamarindus indica</i>	Chinch / Tentuli	Caesalpiniaceae
<i>Tectona grandis</i>	Teak	Verbenaceae
<i>Terminalia arjuna</i>	Arjun	Combretaceae
<i>Vitex penducularis</i>	Chadaigudi	Verbenaceae
<i>Wrightia tinctoria</i>	Kala kuda	Apocynaceae
<i>Ziziphus nummularia</i>	Ber	Rhamnaceae



FIGURE-4
PLANTATION AND TREES FOUND IN THE MINE LEASE AREA

TABLE-3
LIST OF ALL GRASSES, HERBS AND HERBACEOUS SPECIES LOCATED IN MINE LEASE AREA

Scientific Name	Family
<i>Abutilon crispum</i>	Malvaceae
<i>Abutilon indicum</i>	Malvaceae
<i>Acalypha indica</i>	Euphorbiaceae
<i>Achyranthes aspera</i>	Amaranthaceae
<i>Adhatoda vasica</i>	Acanthaceae
<i>Aerva lanata</i>	Amaranthaceae
<i>Aerva tomentosa</i>	Amaranthaceae
<i>Ageratum conyzoides</i>	Asteraceae
<i>Alloteropsis cimicina</i>	Poaceae
<i>Amaranthus spinosus</i>	Amaranthaceae
<i>Andropogon jwarancusa</i>	Poaceae
<i>Argemone mexicana</i>	Papaveraceae
<i>Aristida depressa</i>	Poaceae
<i>Aristida hystrix</i>	Poaceae
<i>Aristida setacea</i>	Poaceae
<i>Aristolochia bracteata</i>	Aristolochiaceae
<i>Boerhaavia diffusa</i>	Nyctaginaceae
<i>Bothriochloa pertusa</i>	Poaceae
<i>Brachiaria cruciformis</i>	Poaceae
<i>Brachiaria distachya</i>	Poaceae
<i>Brachiaria mutica</i>	Poaceae
<i>Brachiaria reptans</i>	Poaceae
<i>Bulbostylis barbata</i>	Cyperaceae
<i>Cassytha filiformis</i>	Lauraceae
<i>Cenchrus ciliaris</i>	Poaceae
<i>Chloris barbata</i>	Poaceae
<i>Chrysopogon fulvus</i>	Poaceae
<i>Cissus quadrangularis</i>	Ampelidaceae
<i>Citrullus vulgaris</i>	Cucurbitaceae
<i>Cleome aspera</i>	Capparidaceae
<i>Cleome gynandra</i>	Capparidaceae
<i>Conyza stricta</i>	Asteraceae
<i>Crinum asiaticum</i>	Amaryllidaceae
<i>Crotalaria verrucosa</i>	Fabaceae
<i>Croton bonplandianum</i>	Euphorbiaceae
<i>Cymbopogon coloratus</i>	Poaceae
<i>Cymbopogon caesius</i>	Poaceae
<i>Cynodon dactylon</i>	Poaceae
<i>Cyperus rotundus</i>	Cyperaceae
<i>Datura metel</i>	Solanaceae
<i>Desmodium gangeticum</i>	Fabaceae

Scientific Name	Family
<i>Desmodium triflorum</i>	Fabaceae
<i>Dichanthium annulatum</i>	Poaceae
<i>Dichanthium caricosum</i>	Poaceae
<i>Eremopogon faveolatus</i>	Poaceae
<i>Evolvulus alsinoides</i>	Convolvulaceae
<i>Evolvulus nummularis</i>	Convolvulaceae
<i>Heteropogon contortus</i>	Poaceae
<i>Hibiscus micranthus</i>	Malvaceae
<i>Hyptis suaveolens</i>	Lamiaceae
<i>Indigofera enneaphylla</i>	Fabaceae
<i>Neptunia triquetra</i>	Mimosaceae
<i>Oldenlandia umbellata</i>	Rubiaceae
<i>Parthenium hysterophorus</i>	Asteraceae
<i>Polycarpaea corymbosa</i>	Caryophyllaceae
<i>Ruellia tuberosa</i>	Acanthaceae
<i>Rungia repens</i>	Acanthaceae
<i>Scilla indica</i>	Liliaceae
<i>Senna uniflora</i>	Caesalpiniaceae
<i>Sida acuta</i>	Malvaceae
<i>Sida cordifolia</i>	Malvaceae
<i>Tragia involucrata</i>	Euphorbiaceae
<i>Trainthema portulacastrum</i>	Ficoidaceae
<i>Tridax procumbens</i>	Asteraceae
<i>Urginea congesta</i>	Liliaceae
<i>Urginea coromandeliana</i>	Liliaceae
<i>Waltheria indica</i>	Sterculiaceae
<i>Withania somnifera</i>	Solanaceae

6.3 Terrestrial Fauna of the Mine Lease Area or Core Area

From the point of fauna of the mine lease area and its surroundings, there is very little reliable published or documented information. Hence, photos of all the Schedule-I species that are likely to occur in the area were shown to the local teachers and the cattle grazers to know, whether they had seen them at any point of time. According to the information given to the survey team, there were no Elephants or tigers or leopards or wolves or sloth bears or blackbucks lizard or Python in the core area, However Peacock and Bengal Monitor Lizard are found in the core zone. Other than common rodents, reptiles and amphibians, there was nothing special about the fauna of the mine lease. Two Schedule-I species was found in the mine lease area i.e., Bengal monitor lizard (*Varanus bengalensis*) & Peacock (*Pavo cristatus*). A list of mammals, reptiles and amphibians either spotted or reported from the mine lease area is given in **Table-4**.

TABLE-4
LIST OF MAMMALS, REPTILES, AMPHIBIANS AND BIRDS EITHER SPOTTED OR
REPORTED OR RECORDED FROM THE CORE AREA.

Scientific Name	Common Name	IUCN / WPA
MAMMALS		
<i>Bandicota bengalensis</i>	Indian Mole Rat	LC / V
<i>Bandicota indica</i>	Large Bandicoot Rat	LC / V
<i>Cynopterus sphinx</i>	Short-nosed fruit bat	LC /IV
<i>Funambulus palmarum</i>	3 stripped palm squirrels	LC / IV
<i>Golunda ellioti</i>	Indian Bush Rat	LC / V
<i>Herpestes auropunctatus</i>	Small Indian mongoose	LC / II
<i>Herpestes edwardsi</i>	Common mongoose	LC / II
<i>Hipposideros fulvus</i>	Fulvous Leaf-nosed bat	LC /IV
<i>Macaca mulatta</i>	Rhesus monkey	LC / II
<i>Mus booduga</i>	Little Indian Field Mouse	LC / V
<i>Mus musculus</i>	House Mouse	LC / V
<i>Petaurista philippensis</i>	Common giant flying squirrel	NT / II
<i>Pipistrellus ceylonicus</i>	Pipistrelle bat	LC /IV
<i>Pipistrellus tenuis</i>	Least Pipistrelle	LC /IV
<i>Rattus rattus</i>	Rat	LC/ IV
<i>Rousettus leschenaulti</i>	Fulvous fruit bat	LC /IV
<i>Scotophilus kuhlii</i>	Asiatic Lesser Yellow House bat	LC /IV
<i>Suncus etruscus</i>	Pygmy Shrew	LC /IV
<i>Suncus murinus</i>	House shrew	LC /IV
<i>Sus scrofa</i>	Wild boar	LC / III
REPTILES		
<i>Calotes versicolor</i>	Garden lizard	LC / IV
<i>Hemidactylus flaviviridis</i>	Indian wall lizard	LC / IV
<i>Ptyas mucosa</i>	Rat snake	LC / II
<i>Typhlops diardii</i>	Blind Snake	LC / II
<i>Varanus bengalensis</i>	Bengal Monitor Lizard	VU / I
AMPHIBIANS		
<i>Bufo melonosticatus</i>	Common Indian Toad	LC / IV
<i>Euphlyctis hexadactylus</i>	Green pond frog	LC / IV
<i>Hoplobatrachus tigerinus</i>	Tiger Frog	LC / IV
<i>Polypedates maculatus</i>	Tree frog	LC / IV
BIRDS		
<i>Acridotheres tristis</i>	Common Myna	LC /IV
<i>Alcedo atthis</i>	Small blue kingfisher	LC /IV
<i>Bubulcus ibis</i>	Cattle Egret	LC /IV
<i>Ceryle rudis</i>	Lesser pied Kingfisher	LC /IV
<i>Columba livia</i>	Blue Rock Pigeon	LC /V

Scientific Name	Common Name	IUCN / WPA
<i>Corvus splendens</i>	House crow	LC /V
<i>Dicrurus macrocercus</i>	Black drongo	LC /IV
<i>Egretta garzetta</i>	Little egret	LC /IV
<i>Lonchura punctulate</i>	Munia spotted	LC /IV
<i>Megalaima haemacephala</i>	Copper smith Barbet	LC /IV
<i>Mesophoyx intermedia</i>	Median egret	LC /IV
<i>Milvus migrans</i>	Black kite	LC /IV
<i>Passer domesticus</i>	House sparrow	LC /IV
<i>Prinia socialis</i>	Ashy prinia	LC /IV
<i>Psittacula kramera</i>	Rose-Ringed Parakeet	LC /IV
<i>Saxicolodius fulicata</i>	Indian robin	LC /IV
<i>Upupa epops</i>	Common hoopoe	LC /IV
<i>Pavo cristatus</i>	Peacock	LC/I

7.0 **VEGETATION AND FLORA OF THE STUDY AREA**

Except for a small area towards the east and north of the mine lease, there are no forests or plantations in the buffer zone of the mine lease. The reserved forests (Bhandak R.F., Salori R.F and Shegaon R.F) present in the buffer zone are mostly open and they belong to the Tropical dry deciduous type. Within the 10 Km buffer zone, there are open degraded scrub jungles and moderately closed teak mixed forests. As can be observed from the map of the study area (**Figure - 1**), most part of the buffer zone is under cultivation of seasonal crops. A list of trees, shrubs and perennial climbers found in the buffer zone is given in **Table-5**.

TABLE-5
LIST OF TREES, SHRUBS AND PERENNIAL CLIMBERS FOUND IN THE
BUFFER ZONE OF THE MINE LEASE AREA

Scientific Name	Common / Local Name	Family	Habit
<i>Abelmoschus crinitus</i>	Van Bhindi	Malvaceae	Shrub
<i>Abrus prestatorius</i>	Gugchi ratti	Fabaceae	Shrub
<i>Acacia caesia</i>	Gurar	Mimosaceae	Climber
<i>Acacia catechu</i>	Khair	Mimosaceae	Tree
<i>Acacia ferruginea</i>	Safedkhair	Mimosaceae	Tree
<i>Acacia leucophloea</i>	Reunja	Mimosaceae	Tree
<i>Acacia nilotica</i>	Babul	Mimosaceae	Tree
<i>Acacia pennata</i>	Raoni	Mimosaceae	Climber
<i>Adhatoda vasia</i>	Adusa	Acanthaceae	Shrub
<i>Aegle marmelos</i>	Be/ /Bael	Rutaceae	Tree
<i>Ailanthus excelsa</i>	Maharukh	Simaroubaceae	Tree
<i>Alangium salvifolium</i>	Akol	Cornaceae	Tree
<i>Albizia lebbeck</i>	Gurar	Mimosaceae	Tree

Scientific Name	Common / Local Name	Family	Habit
<i>Albizia odoratissima</i>	Chichola	Mimosaceae	Tree
<i>Albizia procera</i>	Chichwa / Gurar	Mimosaceae	Tree
<i>Ampelosissus latifolia</i>	Dokarbel	Vitaceae	Climber
<i>Annona squamosa</i>	Sitaphal	Anonaceae	Shrub
<i>Anogeissus latifolia</i>	Dhau / Dhaora	Combretaceae	Tree
<i>Azadirachta indica</i>	Neem	Meliaceae	Tree
<i>Bauhinia acuminata</i>	Dwarf white Orchid Tree	Caesalpiniaceae	Tree
<i>Bauhinia purpurea</i>	Keolar	Caesalpiniaceae	Tree
<i>Bauhinia racemosa</i>	Astura of Asta	Caesalpiniaceae	Tree
<i>Bauhinia vahlii</i>	Mahul	Caesalpiniaceae	Climber
<i>Bauhinia variegata</i>	Kachnar	Caesalpiniaceae	Tree
<i>Bombax ceiba</i>	Semal	Bombacaceae	Tree
<i>Boswellia serrata</i>	Salai	Burseraceae	Tree
<i>Bridelia retusa</i>	Kasai	Euphorbiaceae	Tree
<i>Buchanania lanzan</i>	Char	Anacardiaceae	Tree
<i>Buchanania latifolia</i>	Achar	Anacardiaceae	Tree
<i>Butea monosperma</i>	Palas	Fabaceae	Tree
<i>Calotropis gigantea</i>	Aak	Asclepiadeacea	Shrub
<i>Calycopteris floribunda</i>	Kukranji	Combretaceae	Climber
<i>Careya arborea</i>	Kumbhi	Lecythidaceae	Tree
<i>Casearia graveolens</i>	Tondri	Salicaceae	Tree
<i>Casearia tomentosa</i>	Gilchi	Salicaceae	Tree
<i>Cassia auriculata</i>	Tarwair	Caesalpiniaceae	Shrub
<i>Cassia fistula</i>	Amaltas	Caesalpiniaceae	Tree
<i>Cassia tora</i>	Panwar	Caesalpiniaceae	Shrub
<i>Celastrus paniculata</i>	Malkangni	Celastraceae	Climber
<i>Chloroxylon swietenia</i>	Ghiria or Bhirra	Rutaceae	Tree
<i>Clerodendron infortunatum</i>	Bhant	Verbenaceae	Shrub
<i>Cochlospermum religiosum</i>	Ganiar of Galgal	Bixaceae	Tree
<i>Colebrookia oppositifolia</i>	Kalabansa	Lamiaceae	Shrub
<i>Combretum decandrum</i>	Piwar bel	Combretaceae	Climber
<i>Cordia dichotoma</i>	Seelu /Lasora	Borgianaceae	Tree
<i>Cordia myxa</i>	Daiyar	Boraginaceae	Tree
<i>Crataeva religiosa</i>	Barna	Capparaceae	Tree
<i>Crotolaria albida</i>	Jangli san	Fabaceae	Shrub
<i>Cryptolepis buchanani</i>	Nagbel	Asclepiadaceae	Climber
<i>Cuscuta reflexa</i>	Amarbel	Convolvulaceae	Climber
<i>Dalbergia latifolia</i>	Shisham	Fabaceae	Tree
<i>Dalbergia paniculata</i>	Dhobin / Phansi	Fabaceae	Tree
<i>Dalbergia sissoo</i>	Sissoo	Fabaceae	Tree
<i>Desmodium pulchellum</i>	Chipti	Fabaceae	Shrub
<i>Dillenia pentagyan</i>	Suarukh / Kalla	Dilleniaceae	Tree

Scientific Name	Common / Local Name	Family	Habit
<i>Diospyros melanoxylon</i>	Tendu	Ebenaceae	Tree
<i>Dioscorea bulbifera</i>	Agitha	Dioscoreaceae	Climber
<i>Dioscorea daemonia</i>	Baichandi	Dioscoreaceae	Climber
<i>Dodonea visocosa</i>	Kharenta	Sapinfaceae	Shrub
<i>Elephantopus scaber</i>	Van Tambakhu	Asteraceae	Shrub
<i>Emilia sonchifolia</i>	Hirankhuri	Asteraceae	Shrub
<i>Erythrina suberosa</i>	Panger	Fabaceae	Tree
<i>Euphorbia nerifolia</i>	Thuar	Euphorbiaceae	Shrub
<i>Ficus benghalensis</i>	Bad	Moraceae	Tree
<i>Ficus glomerata</i>	Gular	Moraceae	Tree
<i>Ficus infectoria</i>	Pakar	Moraceae	Tree
<i>Ficus religiosa</i>	Pipal	Moraceae	Tree
<i>Flacourtia indica</i>	Kakai	Salicaceae	Tree
<i>Flemingia semialata</i>	Van Rahar	Fabaceae	Shrub
<i>Gardenia latifolia</i>	Papra	Rubiaceae	Tree
<i>Gardenia resenifera</i>	Dikamali	Rubiaceae	Tree
<i>Gardenia turgida</i>	Phetra of Chamarkarar	Rubiaceae	Tree
<i>Garuga pinnata</i>	Kekad	Burseraceae	Tree
<i>Gmelina arborea</i>	Sewan / Gamari	Verbenaceae	Tree
<i>Grewia hirsuta</i>	Gursakri	Tiliaceae	Shrub
<i>Grewia tiliaefolia</i>	Dhaman	Tiliaceae	Tree
<i>Gymenma sylvestris</i>	Gudmar	Asclepiadaceae	Climber
<i>Gymnosporia montans</i>	Baikal	Celastraceae	Shrub
<i>Haldina cordifolia</i>	Haldu	Rubiaceae	Tree
<i>Hardwickia binata</i>	Anjan	Caesalpiniaceae	Tree
<i>Helicteres isora</i>	Mororphali	Sterculiaceae	Shrub
<i>Holarrhena antidysenterica</i>	Kurchi	Apocynaceae	Shrub
<i>Holoptelea integrifolia</i>	Chirol	Ulmaceae	Tree
<i>Ichnocarpus frutescens</i>	Dhimarbel	Apocynaceae	Climber
<i>Indigofera pulchella</i>	Neel	Leguminosae	Shrub
<i>Jasminum multiflorum</i>	Jangli Chameli	Oleaceae	Shrub
<i>Kydia calycina</i>	Barange / Pula	Malvaceae	Tree
<i>Lagerstroemia parviflora</i>	Lendia	Lythraceae	Tree
<i>Lannea grandis</i>	Gunja or Moyan	Anacardiaceae	Tree
<i>Lantana camara</i>	Raimunia	Verbinaceae	Shrub
<i>Leea macrophylla</i>	Hathikand	Vitaceae	Shrub
<i>Litsea glutinosa</i>	Maidalakri	Lauraceae	Tree
<i>Madhuca latifolia</i>	Mahua	Sapotaceae	Tree
<i>Mallotus phillippensis</i>	Sindhuri Kunjuna	Euphorbiaceae	Tree
<i>Mangifera indica</i>	Aam	Anacardiaceae	Tree
<i>Manilkara hexandra</i>	Kirni / Milk Tree	Sapotaceae	Tree
<i>Miliusa tomentosa</i>	Kari	Anonaceae	Tree

Scientific Name	Common / Local Name	Family	Habit
<i>Milletia auriculata</i>	Gauj	Fabaceae	Climber
<i>Millettia extensa</i>	Gulhari	Fabaceae	Shrub
<i>Mimnsops elengii</i>	Khirhi	Sapotaceae	Tree
<i>Mimosa hamata</i>	Chilati	Momosaceae	Climber
<i>Mimosa rubicanus</i>	-	Leguminoseae	Shrub
<i>Mitragyna parvifolia</i>	Kaim / Mundi	Rubiaceae	Tree
<i>Morinda tinctoria</i>	Aal	Rubiaceae	Tree
<i>Mucuna pruriens</i>	Kewanch	Fabaceae	Climber
<i>Murraya exotica</i>	Madhukamini	Rutaceae	Tree
<i>Murraya keonigi</i>	Mithinim	Rutaceae	Tree
<i>Murraya paniculata</i>	Madhukamni	Rutaceae	Shrub
<i>Nyctanthes arbor-tristis</i>	Harsinghar	Oleaceae	Tree
<i>Opuntia dillenii</i>	Nagphani	Cactaceae	Shrub
<i>Ougeinia oojeinensis</i>	Tinsa	Fabaceae	Tree
<i>Phoenix sylvestris</i>	Wild date Palm	Arecaceae	Shrub
<i>Phyllanthus emblica</i>	Aonla	Phyllanthaceae	Tree
<i>Pongamia pinnata</i>	Karanj	Fabaceae	Tree
<i>Pterocarpus marsupium</i>	Bija	Fabaceae	Tree
<i>Randia dumatorum</i>	Mainphal	Rubiaceae	Tree
<i>Randia uliginosa</i>	Bhaxidar katul	Rubiaceae	Tree
<i>Rhus parviflora</i>	Khatua	Ancardiaceae	Shrub
<i>Rubia cordifolia</i>	Raktavirar	Rubiaceae	Shrub
<i>Sapindus emerginatus</i>	Ritha	Sapindaceae	Tree
<i>Schleichera oreosa</i>	Kusum	Oleaceae	Tree
<i>Schrebera swietenoides</i>	Ghato / Mokha	Oleaceae	Tree
<i>Securinega leucopyrus</i>	Panchadhara	Phyllanthaceae	Shrub
<i>Semecarpus anacardium</i>	Bhilma	Anacardiaceae	Tree
<i>Smilax zeylanica</i>	Ramdaton	Liliaceae	Climber
<i>Soymida febrifuga</i>	Rohan	Meliaceae	Tree
<i>Sterculia urens</i>	Kullu / Kulu	Sterculiaceae	Tree
<i>Stereospermum chelonoides</i>	Padar / Padri	Bignoniaceae	Tree
<i>Stereospermum personatum</i>	Padri / Padari	Bignoniaceae	Tree
<i>Strobilanthesauriculatus</i>	Maruadona	Labiatae	Shrub
<i>Syzygium cuminii</i>	Jamuan	Myrtaceae	Tree
<i>Tamarindus indica</i>	Imli	Caesalpiniaceae	Tree
<i>Tectona grandis</i>	Sagwan /Sagon	Verbenaceae	Tree
<i>Terminalia arjuna</i>	Arjun	Combataceae	Tree
<i>Terminalia bellerica</i>	Bahera	Combretaceae	Tree
<i>Terminalia chebula</i>	Harra	Combataceae	Tree
<i>Terminalis tomentosa</i>	Saja	Combretaceae	Tree
<i>Thespesia lampas</i>	Vankapas	Malvaceae	Shrub
<i>Trema orientalis</i>	Potrush	Cannabinaceae	Tree

Scientific Name	Common / Local Name	Family	Habit
<i>Urginea indica</i>	Jangli Pyaj	Aspragaceae	Shrub
<i>Vallisneria spiralis</i>	Dudhbel	Apocynaceae	Climber
<i>Vitex negundo</i>	Nirgundi	Verbenaceae	Shrub
<i>Waltheria indica</i>	Dhawai	Sterculiaceae	Shrub
<i>Woodfordia fruticosa</i>	Halduli	Lythraceae	Shrub
<i>Wrightia tinctoria</i>	Dudhi	Apocynaceae	Tree
<i>Xanthium strumarium</i>	Common cocklebur	Tiliaceae	Shrub
<i>Ziziphus mauritiana</i>	Ber	Rhamnaceae	Tree
<i>Ziziphus oenobila</i>	Makor	Rhamnaceae	Shrub
<i>Ziziphus rotundifolia</i>	Jharberi	Rhamnaceae	Shrub
<i>Ziziphus rugosa</i>	Churan	Rhamnaceae	Shrub
<i>Ziziphus xylopyra</i>	Ghaotr Chatber	Rhamnaceae	Tree

TABLE-6
LIST OF HERBS AND HERBACEOUS SPECIES INCLUDING GRASSES FOUND
DURING THE RAINY SEASON IN BUFFER ZONE

Scientific Name	Common / Local Name	Family
<i>Abelmoschus ficulneus</i>	Jangli Bhindi	Malvaceae
<i>Acanthospermum hispidum</i>	Starbur	Acanthaceae
<i>Achyranthes aspera</i>	Chirchira, Latjira, Aadhajhad	Solanaceae
<i>Alternanthera philoxerodes</i>	Alligator weed	Solanaceae
<i>Alternanthera sessilis</i>	Bada gathua	Solanaceae
<i>Andrographis echinoides</i>	False waterwillow	Acanthaceae
<i>Andrographis paniculata</i>	Kadu Chirayta	Acanthaceae
<i>Andropogon muricatum</i>	Palwan, Palwal	Poaceae
<i>Andropogon aciculatus</i>	Chhuriya	Poaceae
<i>Andropogon citratus</i>	Nibu ghans	Poaceae
<i>Andropogon pertusus</i>	Palwan, Palwal	Poaceae
<i>Anisochilus carnosus</i>	Jangli Salviya	Lamiaceae
<i>Apuda mutica</i>	Pholhara, Phooli	Poaceae
<i>Aristida depressa</i>	Lamb	Poaceae
<i>Aristida setacea</i>	Sarai	Poaceae
<i>Arundo donax</i>	Barru	Poaceae
<i>Cassia tora</i>	Chirota, Panwar Puwar	Caesalpinaceae
<i>Cenchrus ciliaris</i>	Anjan, Dhaman	Poaceae
<i>Chloris barbata</i>	Swollen finger grass	Poaceae
<i>Chloris tenella</i>	Kandi, Kandai	Poaceae
<i>Cynodon dactylon</i>	Doob	Poaceae
<i>Cyperus alternifolius</i>	Pahari Gondra	Poaceae
<i>Cyperus rotundus</i>	Gondra	Poaceae
<i>Cyperus squarrosus</i>	Nagarmotha	Poaceae

Scientific Name	Common / Local Name	Family
<i>Desmodium dichotomum</i>	Lipti	Fabaceae
<i>Desmodium pulchellum</i>	Chipti	Fabaceae
<i>Desmostachya bipinnata</i>	Kusa, kush	Poaceae
<i>Dichanthium annulatum</i>	Kail	Poaceae
<i>Echinops echinatus</i>	Uont Katara	Asteraceae
<i>Eclipta prostrata</i>	Bhrangraj	Asteraceae
<i>Eragrostis ciliaris</i>	Gophertail Love grass	Poaceae
<i>Eragrostis gangetica</i>	Phuljhadi	Poaceae
<i>Eragrostis interrupta</i>	Chhoti Bhurbhusi	Poaceae
<i>Eragrostis plumosa</i>	Phaljhadi, Chitchiti	Poaceae
<i>Eragrostis tenella</i>	Japanese Love grass	Poaceae
<i>Eranthemum purpurascens</i>	Van tulsi	Acanthaceae
<i>Eulaliopsis binata</i>	Baber, Sabai	Poaceae
<i>Euphorbia hirta</i>	Badi dudhai	Euphorbiaceae
<i>Hemidesmus indicus</i>	Anantmool	Apocynaceae
<i>Heteropogon contortus</i>	Sukal, Kural	Poaceae
<i>Imperata cylindrica</i>	Chhir	Poaceae
<i>Indigofera tinctoria</i>	Neel	Fabaceae
<i>Ischaemum pilosum</i>	Sheda, Senar	Poaceae
<i>Ischaemum rugosum</i>	Saramolla grass	Poaceae
<i>Ischaemum sulcatus</i>	Kunda	Poaceae
<i>Iseilema laxum</i>	Chirai chara	Poaceae
<i>Lucas aspera</i>	Bhondki	Lamiaceae
<i>Ocimum canum</i>	Jangli tulsi (Chhoti)	Lamiaceae
<i>Panicum antidotale</i>	Ghamor, gharrum	Poaceae
<i>Panicum distichum</i>	Knot grass	Poaceae
<i>Panicum repens</i>	Kuri	Poaceae
<i>Panicum sanguinale</i>	Takri	Poaceae
<i>Parthenium hysterophorus</i>	Gajar ghans	Asteraceae
<i>Paspalum scrobiculatum</i>	Kodon	Poaceae
<i>Pennisetum cenchroides</i>	Anjan, Dhaman	Poaceae
<i>Pennisetum hohenackeri</i>	Moya, Mavai	Poaceae
<i>Pennisetum pedicillatum</i>	Deenanath	Poaceae
<i>Pharagamites karka</i>	Naal	Poaceae
<i>Portulaca oleracea</i>	Badi Lona	Portulacaceae
<i>Saccharum munja</i>	Mooz	Poaceae
<i>Saccharum bengalensis</i>	Sirpati	Poaceae
<i>Saccharum spontaneum</i>	Chaumukhi	Poaceae
<i>Sehima nervosum</i>	Museli, Muchhel	Poaceae
<i>Sehima sulcatum</i>	Pavoriya	Poaceae
<i>Setaria glauca</i>	Bandra, Kotul	Poaceae
<i>Sida acuta</i>	Wire weed	Malvaceae
<i>Sida cordifolia</i>	Flannel weed	Malvaceae
<i>Sida rhombifolia</i>	Mahabla	Malvaceae

Scientific Name	Common / Local Name	Family
<i>Solanum nigrum</i>	Bhatkataiya	Solanaceae
<i>Sorghum halepense</i>	Johnson grass	Poaceae
<i>Sporobolous indicus</i>	Chiriya ka dana	Poaceae
<i>Sporobolus coromandelianus</i>	Chhoti Bhurbhunsi	Poaceae
<i>Sporobolus pulchellus</i>	Bhurbhunsi	Poaceae
<i>Sporobolus tenuissimus</i>	Usar ki ghas, Palanji	Poaceae
<i>Tephrosia purpurea</i>	Bajradanti	Fabaceae
<i>Themeda arundinacea</i>	Dekhna	Poaceae
<i>Themeda caudata</i>	Gunhar	Poaceae
<i>Themeda quadrivalvis</i>	Poaceae Gunher	Poaceae
<i>Themeda triandra</i>	Bhand, Guner	Poaceae
<i>Themeda quadrivalvis</i>	Grader Grass	Poaceae
<i>Thysanolaena maxima</i>	Deobahari, Phulbahari	Poaceae
<i>Tribulus terrestris</i>	Gokharu	Zygophyllaceae
<i>Vernonia cinerea</i>	Sahdevi	Asteraceae

7.1 Ecology and Biodiversity of the Study Area

Proposed Takli Jena Bellora (North & South) Opencast cum Underground Coal Block of Production capacity (1.1 MTPA Opencast; 1.0 MTPA Underground) located at Wardha Valley Coalfield, Maharashtra, India. The Wardha Valley Coalfield covering an area of about 7500 sq. Km. lies in the Yavatmal and Chandrapur district of Maharashtra. It is bounded by Latitude 20° 29' 06" to 20°48'22" and Longitudes 79°09'15" to 79°26'39" and located in the central part of India. The coalfield area is covered under Survey of India toposheet no. 55L/15, 55L/16, 55P/3, 55P/4, 55P/8, 56I/13, 56M/5, 56M, and 55p/7 on RF 1:50000. This coalfield holds a premier position in India for having the considerable share of reserve of thermal grades non-coking coal for catering the demand of coal in the western part of country. The reserved forests in the Wardha Valley coalfield are Tadoba, Balharsha and Bhandak in the western side, Rajura in the southern side, Satna, Raikot, Pardi and Borgaon in the eastern side. The details of the forests and waterbodies present in the study area is provided in **Table-7**.

TABLE-7
LIST OF FORESTS AND WATERBODIES PRESENT IN THE STUDY AREA

Sr.No	Name of the Forest	Direction	Distance in (Km)
1	Bhandak R.F	Southeast	4.0
2	Salori R.F	North	4.9
3	Shegaon R.F	North	7.3
Tiger Reserve			
4	Tadoba Andhari Tiger Reserve	Northeast	15 from the ESZ
Waterbodies			
5	Tanks	Within ML Area	0.0
6	Takli Nala	Within ML Area	0.0
7	Nala passing in Bellora	Within ML Area	0.0
8	Kondha Nala	Southeast	Adjacent
9	Nala	West	Passing through

Sr.No	Name of the Forest	Direction	Distance in (Km)
			the mine lease
10	Shirnai Nadi	West	2.9
11	Wagjai Nala	North	6.6
12	Wardha River	South southwest	9.1
13	Upasa Nala	East	12.6
14	Daiwal Nadi	Northwest	14.9

7.2 Terrestrial Fauna of the Study Area

There are no National Parks, Wildlife Sanctuaries or Biosphere reserves or Important Bird Areas (IBAs) or Ramsar Wetlands or any other protected areas except reserve forests within 10 Kms. But because of the presence of wild habitats like reserve forests, some common wild animals have been reported from the study area.

It may be noted from the data that there are no Rare or endangered or threatened (RET) species or Schedule I species with the exception of Common Indian Monitor (*Varanus bengalensis*) and the Peacock (*Pavo cristatus*). However, *Varanus bengalensis* and *Pavo cristatus* are not listed under any of the Red categories of the IUCN. They belong to Least concern (LC) category and there is no threat to the species. The main threat to *Varanus bengalensis* is hunting for meat and skin. There are strong scientific indications that the populations of Peacock have not only more than doubled during the past couple of years and they also expanded to Kerala State where Peacocks were absent earlier. The main threat to the Peacocks is poaching for meat and feathers; and the use of pesticide treated seeds in agriculture. Management plan for both the Common Monitor lizard and the Peacock is given under the EMP.

7.3 Aquatic Flora and Fauna of the Study Area

There are also a large number of small irrigation tanks but no perennial reservoirs. During the study period, most of the lotic and lentic bodies located in the study area had good amount of water. A list of aquatic and semiaquatic macrophytes found in the waterbodies including paddy fields is given in Table-5. A list of fishes either added or caught or reported from the water bodies is given in Table-6. As per the fish database, there are no RET species.

TABLE-8
LIST OF PLANT AQUATIC AND SEMIAQUATIC
MACROPHYTE FOUND IN THE STUDY AREA

Scientific Name	Family
<i>Acanthus ilicifolius</i>	Acanthaceae
<i>Alternanthera philoxeroides</i>	Amaranthaceae
<i>Ammannia baccifera</i>	Lythraceae
<i>Arundo donax</i>	Poaceae
<i>Azolla pinnata</i>	Azollaceae
<i>Brachiaria mutica</i>	Poaceae
<i>Chrysopogon aciculatus</i>	Poaceae
<i>Commelina bengalensis</i>	Commelinaceae

Scientific Name	Family
<i>Cyperus diffusus</i>	Cyperaceae
<i>Cyperus brevifolius</i>	Cyperaceae
<i>Cyperus compressus</i>	Cyperaceae
<i>Cyperus exaltatus</i>	Cyperaceae
<i>Cyperus iria</i>	Cyperaceae
<i>Cyperus rotundus</i>	Cyperaceae
<i>Cyperus triceps</i>	Cyperaceae
<i>Echinochloa crusgalli</i>	Poaceae
<i>Echinochloa colona</i>	Poaceae
<i>Eclipta prostrata</i>	Asteraceae
<i>Eichhornia crassipes</i>	Pontederiaceae
<i>Fimbristylis dichotoma</i>	Cyperaceae
<i>Fimbristylis miliacea</i>	Cyperaceae
<i>Fimbristylis ovata</i>	Cyperaceae
<i>Fimbristylis umbellata</i>	Cyperaceae
<i>Hydrilla verticillata</i>	Hydrocharitaceae
<i>Imperata cylindrica</i>	Poaceae
<i>Ipomoea aquatica</i>	Convolvulaceae
<i>Kyllinga triceps</i>	Cyperaceae
<i>Malachra capitata</i>	Malvaceae
<i>Marsilea quadrifolia</i>	Marsileaceae
<i>Marsilea minuta</i>	Marsiliaceae
<i>Nelumbo nucifera</i>	Nelumbonaceae
<i>Nymphaea nauchali</i>	Nymphaeaceae
<i>Nymphaea stellata</i>	Nymphaeaceae
<i>Nymphoides indica</i>	Nymphaeaceae
<i>Ottelia alismoides</i>	Hydrocharitaceae
<i>Oxalis corniculata</i>	Oxalidaceae
<i>Panicum sanguinale</i>	Poaceae
<i>Paspalidium geminatum</i>	Poaceae
<i>Pistis stratioides</i>	Araceae
<i>Schoenoplectus articulatus</i>	Cyperaceae
<i>Scirpus supinus</i>	Cyperaceae
<i>Typha angustata</i>	Typhaceae
<i>Vallisneria spiralis</i>	Hydrocharitaceae

TABLE-9
LIST OF FISHES REPORTED FROM THE PENGANGA RIVER

Name of Species	Common Name	Family
<i>Catla catla</i>	Catla	Cyprinidae
<i>Chanda nama</i>	Elongate glassy Perchlet	Ambassidae
<i>Channa gachua</i>	Dwarf Snakehead	Channidae
<i>Channa striata</i>	Snakehead murrel	Channidae
<i>Cirrhinus cirrhosus</i>	Mrigal carp	Cyprinidae

Name of Species	Common Name	Family
<i>Clarias dussumieri</i>	Cat fish	Clariidae
<i>Cyprinus carpio</i>	Common carp	Cyprinidae
<i>Garra mullya</i>	Mullya Garra	Cyprinidae
<i>Glossogobius giuris</i>	Tank goby or bar-eyed goby	Gobiidae
<i>Labeo bata</i>	Minor Carp	Cyprinidae
<i>Labeo boga</i>	Boga Labeo	Cyprinidae
<i>Labeo calbasu</i>	Orange fin Labeo	Cyprinidae
<i>Labeo fimbriatus</i>	Fringed-lipped Peninsula carp	Cyprinidae
<i>Labeo potail</i>	Deccan labeo	Cyprinidae
<i>Labeo rohita</i>	Rohu	Cyprinidae
<i>Mastacembelus armatus</i>	Tire track eel	Mastacembelidae
<i>Ompok bimaculatus</i>	Butter Catfish	Siluridae
<i>Oreochromis mossambicus</i>	Mozambique tilapia	Cichlidae
<i>Oreochromis niloticus</i>	Nile tilapia	Cichlidae
<i>Osteobrama belangeri</i>	Peninsular osteobrama	Cyprinidae
<i>Osteobrama vigorsii</i>	Bheema osteobrama	Cyprinidae
<i>Parambassis ranga</i>	Indian glassy fish	Ambassidae
<i>Puntius chola</i>	Swamp barb or chola barb,	Cyprinidae
<i>Puntius dorsalis</i>	Long snouted barb	Cyprinidae
<i>Puntius sophore</i>	Pool Barb	Cyprinidae
<i>Puntius ticto</i>	Ticto Barb or Two spot Barb	Cyprinidae
<i>Rasbora daniconius</i>	Slender Rasbora	Cyprinidae
<i>Rita gogra</i>	Bagrid Catfish	Bagridae
<i>Rita kuturnee</i>	Bagrid Catfish	Bagridae
<i>Silonia childreni</i>	Schilbid catfish	Schilbeidae
<i>Sperata aor</i>	Long-whiskered catfish	Bagridae
<i>Wallago attu</i>	Fresh Water shark	Siluridae

8.0 **TADOBA ANDHARI TIGER RESERVE (TATR)**

Notably Maharashtra's oldest and largest National Park, the "Tadoba National Park", also known as the "Tadoba Andhari Tiger Reserve" is one of India's 47 project tiger reserves existing in India. It lies in the Chandrapur district of Maharashtra state. The total area of the tiger reserve is 1,727 Sq.km, which includes the Tadoba National Park, created in the year 1955. The Andhari Wildlife Sanctuary was formed in the year 1986 and was amalgamated with the park in 1995 to establish the present Tadoba Andhari Tiger Reserve. The word 'Tadoba' is derived from the name of God "Tadoba" or "Taru," which is praised by local tribal people of this region and "Andhari" is derived from the name of Andhari River that flows in this area. Map of the Tadoba Andhari Tiger Reserve and its buffer zone is shown in Fig 2.

On May 5, 2010, the MoEF&CC Government notified 1,103.34 sq. km Tadoba Buffer zone. It includes 125 sq.km area under Forest Development Corporation of

Maharashtra (FDCM); 901.66 Sq.km under Chandrapur Forest Division; 76.17 sq.km under Brahmapuri Forest Division. According to the latest Tadoba Eco-sensitive Zone Notification of 11th September 2019, the total ESZ area is 1347 sq.km including the TATR area of 625 sq.km. Thus, the area of the ESZ (722 sq.km) is more than the area of the TATR (625 sq.km)

According to the Tiger Status Report of 2018, out of a total of 106 Tigers in the TATR area, 83 are in the TATR and 23 are in the areas outside the TATR. Though, Tigers were not spotted in the study area, pug marks of a Tiger were found in a temporary wetland (tank) of the buffer zone. Similarly, stray cases of movement of Leopard had been reported from the buffer zone. Along with these carnivores a few other Mammals, Birds and reptiles belonging to Schedule I of the wildlife (Protection) Act, 1972 were reported from the forests of the buffer zone. Hence, a site-specific integrated wildlife Management plan has been submitted to the State Forest and Wildlife Department.

8.1 Distance b/w the Tadoba Andhari Tiger Reserve (TATR) and the boundary of the mine lease

The Eco-sensitive Zone (ESZ) of the Tadoba Andhari Tiger Reserve was notified on 11th September 2019 by the MoEF&CC. The nearest distance between the mine lease and Eco-sensitive Zone of Tadoba Andhari Tiger Reserve (TATR) is 15 km as shown in **Figure-4**. But Bhandak, Salori and Shegaon Reserve Forests extend in to the 10 km buffer zone of the mine lease as shown in Table 2. These Reserve Forests are contiguous with the TATR. But there are no wildlife corridors within the 10 km study area.

The map from the notification is shown as **Figure-5**. As shown in **Figure-4** the shortest distance between the ESZ of TATR and the boundary of the mine lease area is 15 Km (vide **Figure-1**). A circle of 16 Km radius from the center of the mine lease is shown by the side of the TATR. Thus, from the documentary evidence, the nearest distance between the mine lease and the buffer zone of the TATR is 15 Km. The Wildlife corridor towards the south east of the mine lease is more than 25 Km. Similarly, the Tapeswar wildlife sanctuary located towards the southwest of mine lease is about 50 Km. Thus, it is clear that there are no wildlife sanctuaries or tiger reserves or national parks or other eco-sensitive areas within 10 km from the mine lease.




FIGURE-4
ECO-SENSITIVE MAP OF THE MINE LEASE AREA

उपबर्ध-111

प्रमुख अवस्थानों के अक्षांश और देशांतर के साथ ताडोबा-अंधेरी बाघ रिज़र्व के पारिस्थितिकी संवेदी जोन को दर्शाने वाला भूमि उपयोग मानचित्र




FIGURE-5
MAP SHOWING THE CORE AREA, BUFFER ZONE AND
THE ECO-SENSITIVE ZONE (ESZ) AROUND THE TATR




FIGURE-6
MAP SHOWING THE MINE LEASE AREA AND THE TATR WITH 16 KM CIRCLE

Tadoba Andhari Tiger Reserve (TATR) in Tadoba is a predominantly southern tropical dry forest with dense woodlands comprising about 87 per cent of the protected area. The most popular species of the trees are Teak (*Tectona grandis*) and Bamboo (*Dendrocalamus strictus*) in this forest. Other trees include Ain or Crocodile bark tree (*Terminalia elliptica*), Bija (*Pterocarpus marsupium*), Dhauda, (*Anogeissus latifolia*), Hald (*Haldina cardifolia*) Salai (*Boswellia serrata*) and Semal (*Bombax ceiba*)., Tendu (*Diospyros melanoxylon*). Beheda, (*Terminalia chebula*), Hirda, (*Terminalia bellirica*) Karaya Gum (*Sterculia urens*), Mahua (*Madhuca longifolia*), Crepe myrtle (*Lagerstroemia indica*,) and *Lannea coromandelica* are other common species. Ceylon satinwood or East Indian satinwood (*Chloroxylon swietenia*) is a fire-resistant species growing here. Palas or flame of the forest (*Butea monosperma*) adds vibrant colour to the forest. Black plum trees (*Syzygium cumini*) and Arjun (*Terminalia arjuna*) grow in the riparian habitat around the lake. At the waterhole at Panchadhara, huge Arjun trees are seen. Grass is found throughout the reserve. Bamboo thickets grow throughout the reserve. The climber Kach Kujali or Velvet bean (*Mucuna pruriens*) found here is a medicinal plant used to treat Parkinson's disease.

The TATR is rich in fauna. The Zoological survey of India (ZSI) brought a book (Conservation Series 25) in 2006 on the fauna of the TATR. Apart from this the list of animals noted in this part include, Tigers, Indian leopards, Sloth bears, Gaur, Nilgai, Dhole, Striped Hyena, Small Indian Civet, Jungle Cats, Sambar, Spotted Deer, Barking Deer, Chital, Marsh Crocodile, Indian Python, Indian Cobra, Grey-headed Fish Eagle, Crested Serpent Eagle, Peacock, Jewel Beetles, Wolf Spiders. It houses 195 species of birds, including a wide variety of water birds, raptors, and endangered species and 74 species of butterflies, including the pansies, monarch, Mormons, and swordtails. It gives life to many insect species, including the endangered danaid egg-fly and great egg fly and dragonflies, jewel beetles, signature spider, giant wood spider, wolf spiders, crab spiders, and lynx spiders.

There are certain night animals too which make their presence felt specially during night like, the ratel, Indian Pangolins, porcupines, four horned antelopes, and gaurs

Zoological Survey of India brought out Conservation Area Series 25 on Fauna of Tadoba - Andhari Tiger Reserve, Maharashtra in 2006. It provides checklists of all Mammals, Birds, Reptiles and Amphibians basing on extensive and intensive primary survey and research findings of different investigators. These checklists thus cover all seasons and decades of research. Pradhan (2006) compiled a checklist of 80 Mammals from TATR as shown in **Table- 10**.

TABLE-10
LIST OF MAMMALS REPORTED FROM TATR BY PRADHAN (2006)

Scientific Name	Common Name	Family	IUCN / WPA
<i>Anathana ellioti</i>	Indian/Madras Tree Shrew	Tupaiaidae	LC /IV
<i>Antelope cervicapra</i> *	Blackbuck	Bovidae	VU / I
<i>Axis axis</i> *	Spotted Deer	Cervidae	LC / IV
<i>Bandicota bengalensis</i> *	Indian Mole Rat	Murida	LC / V
<i>Bandicota indica</i> *	Large Bandicoot Rat	Murida	LC / V
<i>Bos gaurus</i> *	Indian Gaur / Bison	Bovidae	VU / I
<i>Boselaphus tragocamelus</i> *	Blue Bull / Nilgai	Bovidae	LC / III

Scientific Name	Common Name	Family	IUCN / WPA
<i>Canis aureus</i> *	Golden Jackal	Canidae	LC / II
<i>Canis lupus pallipes</i> *	Indian Wolf	Canidae	VU / I
<i>Cervus unicolor</i> *	Sambar	Cervidae	LC / III
<i>Cremnomys blanfordi</i>	Blanford's Rat	Murida	LC / V
<i>Cuon alpinus</i>	Indian Wild Dog	Canidae	NT / II
<i>Cynopterus sphinx</i> *	Short-nosed fruit bat	Pteropodinae	LC / IV
<i>Felis chaus</i> *	India Jungle Cat	Felidae	NT / II
<i>Felis silvestris</i>	Indian Desert Cat	Felidae	EN / I
<i>Funambulus palmarum</i> *	Three striped Squirrel	Sciuridae	LC / IV
<i>Funambulus pennanti</i> *	Five striped Squirrel	Sciuridae	LC / IV
<i>Golunda ellioti</i> *	Indian Bush Rat	Murida	LC / V
<i>Herpestes edwardsii</i> *	Indian Grey Mongoose	Herpestidae	LC / II
<i>Herpestes smithii</i>	Indian ruddy mongoose	Herpestidae	DD / II
<i>Hipposideros ater</i>	Dusky Leaf-nosed bat	Hipposideridae	LC / IV
<i>Hipposideros fulvus</i> *	Fulvous Leaf-nosed bat	Hipposideridae	LC / IV
<i>Hipposideros galeritus</i>	Cantor's Leaf-nosed bat	Hipposideridae	NT / IV
<i>Hipposideros lankadiva</i>	KeJaart's Leaf-nosed bat	Hipposideridae	LC / IV
<i>Hipposideros speoris</i>	Schneider's Leaf-nosed bat	Hipposideridae	LC / IV
<i>Hyaena hyaena</i> *	Striped Hyaena	Hyaenidae	DD / III
<i>Hystrix indica</i> *	Indian crested porcupine	Hystricida	LC / IV
<i>Lepus nigricollis</i> *	Indian Hare	Leporidae	LC / IV
<i>Lutragale perspicillata</i>	Smooth-coated Indian Otter	Mustelidae	NE / II
<i>Macaca mulatta</i> *	Rhesus macaq	Cercopithecidae	LC / II
<i>Manis crassicaudata</i>	Pangolin	Pholidota	EN / I
<i>Megaderma lyra</i> *	Indian false vampire bat	Megadermatidae	LC / IV
<i>Megaderma spasma</i>	Lesser false vampire bat	Megadermatidae	LC / IV
<i>Mellivora capensis</i>	Honey Badger	Mustelidae	DD / I
<i>Melursus ursinus</i> *	Sloth Bear	Ursidae	VU / I
<i>Millardia meltada</i>	Soft-furred Metad	Murida	LC / V
<i>Miniopterus schreibersi</i>	Schreiber's Long-fingered bat	Vespertilionidae	LC / IV
<i>Moschiola meminna</i> *	Mouse Deer	Tragulidae	VU / I
<i>Muntiacus muntjak</i> *	Barking Deer	Cervidae	LC / III
<i>Mus booduga</i> *	Little Indian Field Mouse	Murida	LC / V
<i>Mus musculus</i> *	House Mouse	Murida	LC / V
<i>Mus phillipsi</i> *	Wroughton's small spiny Mouse	Murida	LC / V
<i>Mus platythrix</i>	Indian Brown spiny mouse	Murida	LC / V
<i>Panthera pardus</i> *	Leopard	Felidae	VU / I
<i>Panthera tigris</i> *	Tiger	Felidae	EN / I
<i>Paradoxurus hermaphroditus</i>	Common Palm civet	Viverridae	LC / II
<i>Petaurista philippensis</i> *	Common giant flying squirrel	Sciuridae	NT / II
<i>Pipistrellus dormeri</i>	Dormer's bat	Vespertilionidae	LC / IV
<i>Pipistrellus ceylonicus</i> *	Pipistrelle bat	Vespertilionidae	LC / IV
<i>Pipistrellus coromandra</i>	Coromandel Pipistrelle	Vespertilionidae	LC / IV
<i>Pipistrellus tenuis</i> *	Least Pipistrelle	Vespertilionidae	LC / IV
<i>Prionailurus bengalensis</i>	Leopard Cat	Felidae	NT / I
<i>Pteropus giganteus</i> *	Indian flying fox	Pteropodinae	LC / IV
<i>Rattus rattus</i> *	House Rat	Murida	LC / V
<i>Ratufa indica</i>	Indian Giant squirrel	Sciuridae	VU / II
<i>Rhinolophus lucius</i>	Great Eastern Horseshoe bat	Rhinolophidae	NT / IV
<i>Rhinolophus rouxii</i>	Roux's Horseshoe bat	Rhinolophidae	NT / IV
<i>Rhinopoma hardwickei</i>	Mouse-tailed bat	Rhinopomatidae	LC / IV
<i>Rhinopoma microphyllum</i>	Mouse-tailed bat	Rhinopomatidae	LC / IV

Scientific Name	Common Name	Family	IUCN / WPA
<i>Rousettus leschenaulti</i> *	Fulvous fruit bat	Pteropodinae	LC /IV
<i>Scotophilus heathi</i> *	Asiatic Greater Yellow House bat	Vespertilionidae	LC /IV
<i>Scotophilus kuhlii</i> *	Asiatic Lesser Yellow House bat	Vespertilionidae	LC /IV
<i>Semnopithecus entellus</i> *	Hanuman Langur	Cercopithecidae	LC / II
<i>Suncus etruscus</i> *	Pygmy Shrew	Soricidae	LC /IV
<i>Suncus murinus</i> *	House shrew	Soricidae	LC /IV
<i>Suncus stoliczkanus</i> *	Anderson's shrew	Soricidae	LC /IV
<i>Sus scrofa</i> *	Wild boar	Suidae	LC / III
<i>Tadarida aegyptiaca</i>	Egyptian Free-tailed bat	Molossidae	LC /IV
<i>Tadarida plicata</i>	Wrinkle-lipped Free-tailed bat	Molossidae	LC /IV
<i>Taphozous melanopogon</i>	Black-bearded tomb bat	Emballonuridae	LC /IV
<i>Taphozous saccolaimus</i>	Pouch bearing bat	Emballonuridae	LC /IV
<i>Taphozous melanopogon</i>	Long-winged tomb bat	Emballonuridae	LC /IV
<i>Taphozous nudiventris</i>	Naked-rumped tomb bat	Emballonuridae	LC /IV
<i>Tatera indica</i>	Indian Antelope Rat	Murida	LC / V
<i>Tetracerus quadrieornis</i>	Four Horned Antelope	Bovidae	VU / I
<i>Vandeleuria oleracea</i>	Indian Long-tailed Tree Mouse	Murida	LC / V
<i>Viverricula indica</i> *	Small Indian civet	Viverridae	NT / II
<i>Vulpes bengalensis</i> *	Bengal Fox	Canidae	LC / II

(Species either spotted or reported from the reserve forests of the buffer zone are indicated by *)

8.2 Birding in Tadoba Andhari Tiger Reserve

The existence of River Andhari inside the Tadoba National Park gives way to a wide diversity of water birds, and raptors. There are approximately 195 species of birds that have been recorded in the park, including three endangered species, including the grey-headed fish eagle, the crested serpent eagle, and the changeable hawk-eagle. The Tadoba is one of the finest birding destinations in Maharashtra with dense forest zones, bamboo zones, grasslands, and wetlands that suits both the forest and the wetland birds.

The interesting species of birds in the reserve, including the migrants are- Orange-headed Thrush, Indian Pitta, Crested Treeswift, Stone Curlew, Crested Honey Buzzard, Paradise Flycatcher, Bronze-winged Jacana, Lesser Golden-backed Woodpecker, Warblers, Black-naped Blue Flycatcher, Oriental Honey Buzzard, White-eyed Buzzard, Pariah Kite, Eurasian Sparrow Hawk, Black Shouldered Kite, Shikra, Short-toed Snake Eagle, Bonelli's Eagle, Common Kestrel, Open Bill Stork, Black Ibis, Bar Headed Goose, Black Stork, Lesser Adjutant Stork, Brahminy Duck, Comb Duck, Little Grebe, Grey Heron, Large Egret, Median Egret, Indian Shag, Purple Heron, Banded Bay Cuckoo, White-breasted Water Hen, Green Sandpiper, Wood Sandpiper, Common Sandpiper, River Tern, Painted Sand Grouse, Jungle Bush Quail, Indian Peafowl, Spotted Owlet, Forest Wagtail, Grey Wagtail, White Wagtail, House Sparrow, Indian Robbin, Indian Roller, Ruby Throat, Blue Throat, Black Redstart, Grey Tit, Common Stonechat, Brahminy Myna, Asian Pied Starling, House Crow, Large-billed Crow, and many more.

A checklist of 192 species of birds from the TATR was prepared by Mahabal (2006). The inventory of birds of Tadoba-Andhari Reserve comprises 192 species, of which about 60% species have been mainly observed by Mahabal (2006) during the survey period in October 1997, whereas the rest of the bird species

have been compiled on the basis of published / unpublished literature including personal communications. In Tadoba-Andhari Tiger Reserve, areas like Panchdhara, Kala Alnb, Tadoba Lake side, Teli Daln, Kolsa Tank were found to be good spots for bird community. It may however be stated that the list is quite old considering the rapid changes that have taken place on account of mining and other developmental activities. Hence, an attempt was made to figure out which of the birds listed by Mahabal (2006) could be found in the study area. Most of the resident aquatic birds reported by Mahabal (2006) have been found in the study area. A checklist of the Avifauna of TATR and their status with respect to the study area has been given in **Table 11**. The main limitation of the data is that Mahabal (2006) himself admits that he had seen only 60% of the species and there is no quick way to verify the data through primary survey for reasons such as (1) An extensive and intensive survey in a tiger sanctuary is not permitted and (2) it is beyond the scope of the EIA.

TABLE-11
LIST OF BIRDS REPORTED FROM TATR AND IT'S STATUS IN STUDY AREA

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
<i>Accipiter badius</i>	Shikra	Accipitridae	LC / I	Yes
<i>Accipiter nisus</i>	Eurasian Sparrow Hawk	Accipitridae	LC / I	No
<i>Acridotheres tristis</i>	Common Myna	Sturnidae	LC / IV	No
<i>Actitis hypoleucos</i>	Common Sandpiper	Scolopacidae	LC / IV	Yes
<i>Aegithina tiphia</i>	Common Iora	Irenidae	LC / IV	No
<i>Alauda gulgula</i>	Small Skylark	Alaudidae	LC / IV	Yes
<i>Alcedo atthis</i>	Small Blue Kingfisher	Alcedinidae	LC / IV	Yes
<i>Amandava amandava*</i>	Red Munia	Eastrildidae	LC / IV	Yes
<i>Amandava Formosa*</i>	Green Munia	Eastrildidae	LC / IV	Yes
<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	Rallidae	LC / IV	Yes
<i>Anas acuta</i>	Northern Pintail	Anatidae	LC / IV	No
<i>Anas clypeata</i>	Northern Shoveler	Anatidae	LC / IV	No
<i>Anas crecca</i>	Common Teal	Anatidae	LC / IV	Yes
<i>Anas poecilorhyncha</i>	Spot-billed Duck	Anatidae	LC / IV	No
<i>Anas lomus oscitans</i>	Asian Open Bill Stork	Ciconiidae	LC / IV	Yes
<i>Anhinga melanogaster*</i>	Darter/Snake Bird	Anhingidae	LC / IV	Yes
<i>Anthus rufulus*</i>	Paddy-field Pipit	Motacillidae	LC / IV	Yes
<i>Apus affinis</i>	Indian House Swift	Apodidae	LC / IV	Yes
<i>Aquila rapax</i>	Twany Eagle	Accipitridae	LC / I	No
<i>Ardea cinerea*</i>	Grey Heron	Ardeidae	LC / IV	Yes
<i>Ardea purpurea*</i>	Purple Heron	Ardeidae	LC / IV	Yes
<i>Ardeola grayii*</i>	Indian Pond Heron	Ardeidae	LC / IV	Yes
<i>Athene brama</i>	Spotted Owlet	Strigidae	LC / IV	No
<i>Aythya fuligula</i>	Tufted Pochard	Anatidae	LC / IV	Yes

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
<i>Aythya nyroca</i>	Ferruginous Pochard	Anatidae	LC / IV	Yes
<i>Bubo bubo</i>	Eurasian Eagle Owl	Strigidae	LC / IV	No
<i>Bubulcus ibis</i> *	Cattle Egret	Ardeidae	LC / IV	Yes
<i>Burhinus oedichemus</i>	Stone-Curlew	Burhinidae	LC / IV	Yes
<i>Butastur teesa</i>	White-eyed Buzzard	Accipitridae	LC / I	No
<i>Cacomantis passerinus</i>	Plaintive Cuckoo	Cuculidae	LC / IV	Yes
<i>Caprimulgus asiaticus</i>	Common Indian Nightjar	Caprimulgidae	LC / IV	No
<i>Caprimulgus indicus</i>	Indian Jungle Nightjar	Caprimulgidae	LC / IV	No
<i>Casmerodius albus</i>	Eastern Large Egret	Ardeidae	LC / IV	Yes
<i>Celeus brachyurus</i>	Rufous Woodpecker	Capitonidae	LC / IV	Yes
<i>Centropus sinensis</i>	Greater Coucal	Cuculidae	LC / IV	No
<i>Ceryle rudis</i>	Lesser Pied Kingfisher	Alcedinidae	LC / IV	Yes
<i>Charadrius dubius</i> *	Little -Ringed Plover	Charadriidae	LC / IV	Yes
<i>Chloropsis aurifrons</i>	Gold-fronted Chloropsis	Irenidae	LC / IV	No
<i>Chloropsis cochinchinensis</i>	Jerdon's Chloropsis	Irenidae	LC / IV	No
<i>Chrysomma sinense</i>	Yellow-eyed Babbler	Timaliina	LC / IV	Yes
<i>Ciconia episcopus</i>	White-necked Stork	Ciconiidae	LC / IV	Yes
<i>Circaetus gallicus</i>	Short-toed Snake Eagle	Accipitridae	LC / I	No
<i>Circus aeruginosus</i>	Western Marsh harrier	Accipitridae	LC / I	No
<i>Circus macrourus</i>	Pal lied Harrier	Accipitridae	LC / I	No
<i>Cisticola juncidis</i>	Streaked Fantail Warbler	Sylviinae	LC / IV	Yes
<i>Clamator jacobinus</i>	Pied-Crested Cuckoo	Cuculidae	LC / IV	Yes
<i>Columba livia</i> *	Blue Rock Pigeon	Columbidae	LC / IV	Yes
<i>Copsychus saularis</i> *	Oriental Magpie-Robin	Muscicapidae	LC / IV	Yes
<i>Coracias benghalensis</i> *	Indian Roller	Coraciidae	LC / IV	Yes
<i>Coracina macei</i>	Large Cuckoo Shrike	Campephagidae	LC / IV	Yes
<i>Corvus macrorhynchos</i> *	Indian Jungle Crow	Corvidae	LC / IV	Yes
<i>Corvus splendens</i> *	Indian House Crow	Corvidae	LC / V	Yes
<i>Coturnix coromandelica</i>	Rain Quail	Phasianidae	LC / IV	Yes
<i>Coturnix coturnix</i>	Common Quail	Phasianidae	LC / IV	Yes
<i>Cuculus canorus</i> *	Common Cuckoo	Cuculidae	LC / IV	Yes
<i>Cuculus micropterus</i>	Indian Cuckoo	Cuculidae	LC / IV	Yes
<i>Culicicapa ceylonensis</i>	Grey-headed Flycatcher	Muscicapinae	LC / IV	No
<i>Cyornis tickelliae</i>	Tickell's Blue-Flycatcher	Muscicapinae	LC / IV	No
<i>Cypsiurus batasiensis</i>	Palm Swift	Apodidae	LC / IV	Yes
<i>Dendrocitta</i>	Indian Tree Pie	Corvidae	LC / IV	No

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
<i>vagabunda</i>				
<i>Dendrocopos mahrattensis</i>	Yellow fronted Pied Woodpecker	Capitonidae	LC / IV	Yes
<i>Dendrocopos nanus</i>	Brown-capped Pygmy Woodpecker	Capitonidae	LC / IV	Yes
<i>Dendrocygna javanica</i>	Lesser Whistling Duck	Anatidae	LC / IV	Yes
<i>Dicaeum agile</i>	Thick-billed Flowerpecker	Dicaeidae	LC / IV	No
<i>Dicaeum erythrorhynchos</i>	Tickell's Flowerpecker	Dicaeidae	LC / IV	No
<i>Dicrurus caeruleus</i>	Indian White-bellied Drongo	Dicruridae	LC / IV	No
<i>Dicrurus macrocercus*</i>	Black Drongo	Dicruridae	LC / IV	Yes
<i>Dinopium1 benghalense</i>	Lesser Golden-backed Woodpecker	Capitonidae	LC / IV	Yes
<i>Dumetia hyperythra</i>	Rufous bellied Babbler	Timaliina	LC / IV	Yes
<i>Egretta garzetta*</i>	Little Egret	Ardeidae	LC / IV	Yes
<i>Elanus caeruleus</i>	Black -shouldered Kite	Accipitridae	LC / I	No
<i>Eremopterix grisea</i>	Ashy-crowned Sparrow Lark	Alaudidae	LC / IV	Yes
<i>Eudynamys scolopacea*</i>	Asian Koel	Cuculidae	LC / IV	Yes
<i>Eumyias thalassina</i>	Verditer Flycatcher	Muscicapinae	LC / IV	No
<i>Falco tinnunculus</i>	Common Kestrel	Falconidae	LC / IV	Yes
<i>Ficedula superciliaris</i>	Ultramarine Flycatcher	Muscicapinae	LC / IV	No
<i>Flaco peregrinus</i>	Peregrine Falcon	Falconidae	LC / I	No
<i>Francolinus pictus</i>	Painted Francolin	Phasianidae	LC / IV	Yes
<i>Francolinus pondicerianus</i>	Grey Francolin	Phasianidae	LC / IV	Yes
<i>Fulica atra</i>	Common Coot	Rallidae	LC / IV	Yes
<i>Galerida cristata</i>	Crested Lark	Alaudidae	LC / IV	Yes
<i>Galerida deva</i>	Sykes's Crested Lark	Alaudidae	LC / IV	Yes
<i>Gallicrex cinerea</i>	Water Cock	Rallidae	LC / IV	Yes
<i>Gallinago gallinago</i>	Common Snipe	Scolopacidae	LC / IV	Yes
<i>Gallinula chloropus*</i>	Common Moorhen	Rallidae	LC / IV	Yes
<i>Galloperdix spadicea</i>	Red Spur-Fowl	Phasianidae	LC / IV	Yes
<i>Gallus sonneratii</i>	Grey Jungle Fowl	Phasianidae	LC / IV	Yes
<i>Grus antigone</i>	Sarus Crane	Gruidae	VU / I	No
<i>Gyps bengalensis</i>	Indian White Backed - Vulture	Accipitridae	CR / I	No
<i>Halcyon capensis</i>	Stork-billed Kingfisher	Alcedinidae	LC / IV	Yes
<i>Halcyon smyrnensis</i>	White-breasted Kingfisher	Alcedinidae	LC / IV	Yes
<i>Haliastur indus</i>	Brahminy Kite	Accipitridae	LC / I	No
<i>Hemiprocne coronata</i>	Crested Tree Swift	Hemiprocidae	LC / IV	Yes

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
<i>Hierococcyx varius</i>	Brainfever Bird	Cuculidae	LC / IV	Yes
<i>Himantopus himantopus</i>	Black-winged Stilt	Recurvirostridae	LC / IV	Yes
<i>Hirundo concolor</i>	Dusky Crag Martin	Hirudinidae	LC / IV	Yes
<i>Hirundo daurica</i>	Red rumped Swallow	Hirudinidae	LC / IV	Yes
<i>Hirundo fluviicola</i>	Streak -throated Swallow	Hirudinidae	LC / IV	Yes
<i>Hirundo rusttea</i>	Common Swallow	Hirudinidae	LC / IV	Yes
<i>Hirundo smithii</i>	Wire-tailed Swallow	Hirudinidae	LC / IV	Yes
<i>Hydrophasianus chirurgus *</i>	Pheasant-tailed Jacana	Jacanidae	LC / IV	Yes
<i>Ammomanes phoenicurus</i>	Rufous-tailed Finch-Lark	Alaudidae	LC / IV	Yes
<i>Lanius excubitor</i>	Great Grey Shrike	Lanidae	LC / IV	No
<i>Lanius schach</i>	Rufous-backed Shrike	Lanidae	LC / IV	No
<i>Lanius vittatus</i>	Bay-backed Shrike	Lanidae	LC / IV	No
<i>Ichthyophaga ichthyaetus</i>	Greater Grey-headed Fish Eagle	Accipitridae	LC / I	No
<i>Lonchura malabarica</i>	White-throated Munia	Estrildidae	LC / IV	No
<i>Lonchura punctulata</i>	Spotted Munia	Estrildidae	LC / IV	Yes
<i>Lonchura striata</i>	White-rumped Munia	Estrildidae	LC / IV	No
<i>Megalaima haemacephala</i>	Coppersmith Barbet	Capitonidae	LC / IV	Yes
<i>Megalaima zeylanica</i>	Brown-headed Barbet	Capitonidae	LC / IV	Yes
<i>Merops orientalis</i>	Small Bee- eater	Meropidae	LC / IV	Yes
<i>Merops philippinus</i>	Blue-Tailed bee-eater	Meropidae	LC / IV	Yes
<i>Mesophoyx intermedia*</i>	Median Egret	Ardeidae	LC / IV	Yes
<i>Metopidius indicus</i>	Bronze-winged Jacana	Jacanidae	LC / IV	Yes
<i>Milvus migrans*</i>	Black kite	Accipitridae	LC/ IV	Yes
<i>Motacilla alba*</i>	White Wagtail	Motacillidae	LC / IV	Yes
<i>Motacilla cinerea*</i>	Grey Wagtail	Motacillidae	LC / IV	Yes
<i>Motacilla citreola</i>	Citrine Wagtail	Motacillidae	LC / IV	No
<i>Motacilla jlava</i>	Yellow Wagtail	Motacillidae	LC / IV	No
<i>Motacilla maderaspatensis</i>	Large Pied Wagtail	Motacillidae	LC / IV	Yes
<i>Muscicapa daurica</i>	Asian Brown Flycatcher	Muscicapinae	LC / IV	Yes
<i>Nectarinia asiatica</i>	Indian Purple Sunbird	Nectarinida	LC / IV	Yes
<i>Nectarinia zeylonica</i>	Purple-rumped Sunbird	Nectarinida	LC / IV	No
<i>Neophron percnopterus</i>	Egyptian Vulture	Accipitridae	EN/ I	No
<i>Nettapus coromandelianus</i>	Cotton Teal	Anatidae	LC / IV	Yes
<i>Numenius arquata</i>	Curlew	Scolopacidae	LC / IV	Yes
<i>Ocyrceros birostris</i>	Indian Grey Hornbill	Bucerotidae	LC / IV	Yes
<i>Oriolus oriolus</i>	Eurasian Golden Oriole	Oriolidae	LC / IV	No

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
<i>Oriolus xanthornus</i>	Black-headed Oriole	Oriolidae	LC / IV	No
<i>Orthotomus sutorius</i>	Indian Tailor Bird	Sylviinae	LC / IV	Yes
<i>Parus major</i>	Great Tit	Paridae	LC / IV	No
<i>Passer domesticus*</i>	Indian House Sparrow	Passeridae	LC / IV	Yes
<i>Pavo cristatus</i>	Peacock	Phasianidae	LC / I	Yes
<i>Perdica asiatica</i>	Jungle Bush Quail	Phasianidae	LC / IV	Yes
<i>Pericrocotus cinnamomeus</i>	Small Minivet	Campephagidae	LC / IV	Yes
<i>Pericrocotus lammeus</i>	Scarlet Minivet	Campephagidae	LC / IV	Yes
<i>Phaenicophaeus leschenaulti</i>	Sirkeer Malkoha	Cuculidae	LC / IV	No
<i>Phalacrocorax niger</i>	Little Cormorant	Phalacrocoracidae	LC / IV	Yes
<i>Phoenicurus ochruros</i>	Black Redstart	Muscicapidae	LC / IV	No
<i>Phylloscopus collybita</i>	Common Chiff Chaff	Sylviinae	LC / IV	Yes
<i>Pitta brachyura</i>	Indian Pitta	Pittidae	LC / IV	Yes
<i>Platalea leucorodia</i>	Eurasian Spoonbill	Threskiornithidae	LC / I	No
<i>Ploceus philippinus*</i>	Baya Weaver	Passeridae	LC / IV	Yes
<i>Podiceps cristatus</i>	Great Crested Grebe	Podicipedidae	LC / IV	No
<i>Porphyrio porphyrio*</i>	Purple Moorhen	Rallidae	LC / IV	Yes
<i>Prinia hodgsonii</i>	Franklin's Prinia	Sylviinae	LC / IV	No
<i>Prinia inornata</i>	Plain Prinia	Sylviinae	LC / IV	No
<i>Prinia socialis*</i>	Ashy Prinia	Sylviinae	LC / IV	Yes
<i>Prinia sylvatica</i>	Jungle Prinia	Sylviinae	LC / IV	No
<i>Pseudibis papillosa</i>	Black Ibis	Threskiornithidae	LC / IV	No
<i>Psittacula cyanocephala</i>	Plum-headed Parakeet	Psittacidae	LC / IV	No
<i>Psittacula eupatria</i>	Alexandrine Parakeet	Psittacidae	LC / IV	No
<i>Psittacula krameri*</i>	Rose-Ringed Parakeet	Psittacidae	LC / IV	Yes
<i>Pterocles indicus</i>	Painted Sandgrouse	Pteroclididae	LC / IV	Yes
<i>Pycnonotus cafer</i>	Red-vented Bulbul	Pycnonotidae	LC / IV	Yes
<i>Pycnonotus jocosus</i>	Red-whiskered Bulbul	Pycnonotidae	LC / IV	Yes
<i>Rhipidura albicollis</i>	White-throated Fantail Flycatcher	Muscicapinae	LC / IV	Yes
<i>Rhipidura aureola</i>	White-browed Fantail Flycatcher	Muscicapinae	LC / IV	Yes
<i>Rhodonessa rujina</i>	Red-crested Pochard	Anatidae	LC / IV	Yes
<i>Rostratula benghalensis</i>	Greater Painted Snipe	Rostratulidae	LC / IV	Yes
<i>Sarkidiornis melanotus</i>	Comb Duck	Anatidae	LC / IV	Yes
<i>Saxicola caprata</i>	Pied Bushchat	Muscicapidae	LC / IV	Yes
<i>Saxicoloides julicata</i>	Indian Robin	Muscicapidae	LC / IV	Yes
<i>Sireptopelia decaocto*</i>	Eurasian Collared Dove	Columbidae	LC / IV	Yes
<i>Sitta castanea</i>	Chestnut-bellied	Sittidae	LC / IV	No

Scientific Name	Common Name	Family	IUCN / WPA	Status in study area
	Nuthatch			
<i>Spilornis cheela</i>	Lesser Crested Serpent Eagle	Accipitridae	LC / I	No
<i>Spizaetus cirrhatus</i>	Changeable Hawk Eagle	Accipitridae	LC / I	No
<i>Sterna aurantia</i>	River Tern	Laridae	VU / IV	Yes
<i>Streptopelia chinensis</i>	Spotted dove	Columbidae	LC / IV	Yes
<i>Streptopelia senegalensis</i>	Little brown Dove	Columbidae	LC / IV	Yes
<i>Sturnus contra</i>	Asian Pied Starling	Sturnidae	LC / IV	No
<i>Sturnus pagodarum</i>	Brahminy Starling	Sturnidae	LC / IV	Yes
<i>Tactybaptus ruficollis</i>	Little Grebe	Podicipedidae	LC / IV	Yes
<i>Tadorna ferruginea</i>	Brahminy Shelduck	Anatidae	LC / IV	Yes
<i>Tephrodornis pondicerianus</i>	Common Wood shrike	Campephagidae	LC / IV	Yes
<i>Terpsiphone paradisi</i>	Asian Paradise-Flycatcher	Muscicapinae	LC / IV	Yes
<i>Threskiornis melanocephalus</i>	Oriental White Ibis	Threskiornithidae	NT / IV	No
<i>Treron phoenicoptera</i>	Yellow -legged green pigeon	Columbidae	LC / IV	No
<i>Tringa glareola</i>	Wood Sandpiper	Scolopacidae	LC / IV	Yes
<i>Tringa nebularia</i>	Common Green Shank	Scolopacidae	LC / IV	Yes
<i>Tringa ochropus</i>	Green Sandpiper	Scolopacidae	LC / IV	Yes
<i>Tringa totanus</i>	Common Red Shank	Scolopacidae	LC / IV	Yes
<i>Turdoides caudatus</i>	Common Babbler	Timaliina	LC / IV	Yes
<i>Turdoides malcolmi</i>	Large Grey Babbler	Timaliina	LC / IV	Yes
<i>Turdoides striatus</i>	Peninsular Jungle Babbler	Timaliina	LC / IV	Yes
<i>Turnix suscitator</i>	Common Buttonquail	Turnicidae	LC / IV	Yes
<i>Upupa epops</i>	Common Hoopoe	Upupida	LC / IV	Yes
<i>Vanellus indicus*</i>	Red -wattled Lapwing	Charadriidae	LC / IV	Yes
<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	Charadriidae	LC / IV	Yes
<i>Zoothera citrina</i>	Orange-headed Thrush	Muscicapidae	LC / IV	Yes
<i>Zosterops palpebrosa</i>	Oriental White Eye	Zosteropida	LC / IV	Yes

8.3 Impact of the proposed coal mine on the RET and Schedule I Fauna

A list of all Schedule-I species reported from the TATR and their status in the core area (Mine lease) and its buffer zone of 10 km radius is presented in Table 12. It may be noted from the Table 12 that there are only two Schedule I species in the core (mine lease) area. They are represented by the Peacock (*Pavo cristatus*) and Common Monitor lizard (*Varanus bengalensis*). But in case of the reserve forest areas of the buffer zone, Blackbuck (*Antilope cervicapra*), Indian Gaur or Bison (*Bos gaurus*), Sloth Bear (*Melursus ursinus*), Mouse Deer (*Moschiola meminna*), Leopard (*Panthera pardus*), Tiger (*Panthera tigris*) and Four Horned Antelope

(*Tetracerus quadrieornis*) among Mammals; Shikra (*Accipiter badius*) and Peacock (*Pavo cristatus*) among the birds were either spotted or reported. Among the Reptiles, Common monitor Lizard (*Varanus bengalensis*) and Python (*Python molurus*) have been recorded or reported from the forest areas of the buffer zone.

TABLE-12
LIST OF RET AND SCHEDULE-I SPECIES OF FAUNA REPORTED
FROM TATR AND THEIR STATUS IN CORE/BUFFER ZONE

Scientific Name	Common Name	IUCN/ WPA	Whether found in	
			Core	Buffer
	Mammals			
<i>Antelope cervicapra</i>	Blackbuck	VU / I	No	Yes
<i>Bos gaurus</i>	Indian Gaur / Bison	VU / I	No	Yes
<i>Canis lupus pallipes</i>	Indian Wolf	VU / I	No	Yes
<i>Felis silvestris</i>	Indian Desert Cat	EN / I	No	No
<i>Manis crassicaudata</i>	Pangolin	EN / I	No	No
<i>Mellivora capensis</i>	Honey Badger	DD / I	No	No
<i>Melursus ursinus</i>	Sloth Bear	VU / I	No	Yes
<i>Moschiola meminna</i>	Mouse Deer	VU / I	No	Yes
<i>Panthera pardus</i>	Leopard	VU / I	No	Yes
<i>Panthera tigris</i>	Tiger	EN / I	No	Yes
<i>Prionailurus bengalensis</i>	Leopard Cat	NT / I	No	No
<i>Tetracerus quadrieornis</i>	Four Horned Antelope	VU / I	No	Yes
	Birds			
<i>Accipiter badius</i>	Shikra	LC / I	No	Yes
<i>Accipiter nisus</i>	Eurasian Sparrow Hawk	LC / I	No	No
<i>Aquila rapax</i>	Twany Eagle	LC / I	No	No
<i>Butastur teesa</i>	White-eyed Buzzard	LC / I	No	No
<i>Circaetus gallicus</i>	Short-toed Snake Eagle	LC / I	No	No
<i>Circus aeruginosus</i>	Western Marsh harrier	LC / I	No	No
<i>Circus macrourus</i>	Pal lied Harrier	LC / I	No	No
<i>Elanus caeruleus</i>	Black -shouldered Kite	LC / I	No	No
<i>Flaco peregrinus</i>	Peregrine Falcon	LC / I	No	No
<i>Grus antigone</i>	Sarus Crane	VU / I	No	No
<i>Gyps bengalensis</i>	Indian White Backed -Vulture	CR / I	No	No
<i>Haliastur indus</i>	Brahminy Kite	LC / I	No	No
<i>Ichthyophaga ichthyaetus</i>	Greater Grey-headed Fish Eagle	LC / I	No	No
<i>Neophron percnopterus</i>	Egyptian Vulture	EN/ I	No	No
<i>Pavo cristatus</i>	Peacock	LC / I	Yes	Yes
<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC / I	No	No
<i>Spilornis cheela</i>	Lesser Crested	LC / I	No	No

Scientific Name	Common Name	IUCN/ WPA	Whether found in	
	Serpent Eagle			
<i>Spizaetus cirrhatus</i>	Changeable Hawk Eagle	LC / I	No	No
	Reptiles			
<i>Crocodylus palustris</i>	Marsh Crocodile	VU / I	No	No
<i>Lissemys punctata</i>	Southern flap-shelled turtle	NT / I	No	No
<i>Python molurus</i>	Rock Python	VU / I	No	Yes
<i>Varanus bengalensis</i>	Bengal Monitor Lizard	VU / I	Yes	Yes

8.0 **CONSERVATION PLAN FOR THE SCHEDULE-I SPECIES WITHIN CORE ZONE**

8.1 **Conservation of Monitor Lizard (*Varanus bengalensis*)**



FIGURE-7
MONITOR LIZARD (*Varanus bengalensis*)

Classification:

Kingdom	Animalia
Phylum	Chordata
Class	Reptilia
Order	Squamata
Family	Varanidae
Genus	Varanus
Subgenus	Empagusia
Species	<i>V. bengalensis</i>
Binomial Name	<i>Varanus bengalensis</i>

Conservation Status of Monitor Lizard:

Conservation:

While it is assessed LC (Least Concern) by the IUCN 2009, the assessment currently requires updating. The Bengal monitor is listed as Appendix I of CITES and Schedule I of the 1972 Wildlife Protection Act. The wild population is decreasing as it is hunted for both consumption and medicinal purposes. As it is

adaptable to a range of habitats, the threat of habitat degradation is relatively less prominent and is superseded by the threat of agricultural pollution, as pesticides reduce the availability of prey.

General Description:

Varanus bengalensis or the Indian monitor lizard is found all over India. This lizard is ground dwelling and prefers the shady places and builds nests in sand dunes and mud tunnels. Due to ever expanding urbanization, habitat loss of this species is on rise and because of that this animal is entering the households where people kill it due to several orthodox beliefs. According to IUCN Red List, *Varanus bengalensis* is considered as the least concerned species in terms of conservation priorities but its population size is decreasing at an alarming rate. The primary reason for population decline, according to Sharma et al (2018), is the killing of this animal by local people due to lack of awareness about the importance of this lizard. People hunt the *Varanus bengalensis* for meat consumption as well as for skin sale. They also discovered several false beliefs among local peoples which cause immense harm to these monitors. Rural people believe that if a tongue of a land monitor is eaten by inserting in a ripe banana, it will give super memory to the child. Another common belief is that chewing the tail of a land monitor strengthens the gums and the flesh of a land monitor is a remedy for convalescents. Since the land monitor rarely drinks water from the water outlet, people believe that if a person eats the flesh of a land monitor, he will never suffer from wheeze. The oil of *Varanus bengalensis*, extracted from the fat bodies of lizard is used for the treatment for failing vision, arthritis, rheumatism, piles and muscular pains and for cooking purpose in extreme winters. Apart from the above, *Varanus bengalensis* are also killed while crossing the roads by vehicles and dogs.

Distribution & Habitat:

The species ranges from Iran to Java, among the most widely distributed of varanid lizards as they are eurytopic and adaptable to a range of habitats. It is found in river valleys in eastern Iran, Afghanistan, India, Nepal, Sri Lanka, Pakistan, Burma and Bangladesh.

Ecology and Behaviour:

Bengal monitors are usually solitary and usually found on the ground, although the young are often seen on trees. Bengal monitor prefers forest over agricultural areas. Bengal monitors shelter in burrows they dig or crevices in rocks and buildings. Bengal monitors, like other varanids, show true sleep at night and are diurnal, becoming active around 6 AM and bask in the morning sun. During winter, in the colder parts of their distribution range, they may take shelter and go through a period of reduced metabolic activity. They are not territorial and may change their range seasonally in response to food availability.

They are usually shy and avoid humans. They have keen eyesight and can detect human movement nearly 250 m away. When caught, a few individuals may bite, but rarely do so. Although they are found on agricultural land, they prefer forests with large trees. Generally, high ground cover with large trees are favorable areas. Captives have been known to live for nearly 22 years. Predators of adults include pythons, mammalian predators and birds.

The species is distributed mainly in the lower elevations, and is found both in dry semiarid desert habitats to moist forest. They are often found in agricultural areas.

Ecological Role

Monitor lizards perform an essential function in agricultural and forest ecosystems by feasting on insects, rodents, bird eggs, snakes, fish, and crabs, thereby regulating their populations. In some regions, they are also a source of food for other predators. Monitor lizards are also scavengers and play a significant role in biomass decomposition and recycling. They clear carrion and help in controlling the spread of disease.

Feeding

Bengal monitors tend to remain active the whole day. Large adults may ascend vertical tree trunks, where they sometimes stalk and capture roosting bats. The species is a generalist, and feeds on a varied diet of invertebrates and vertebrates. Hares and rodents such as Indian bandicoot rats are often caught by digging them out of their nests. Bengal monitors will also scavenge carrion, and sometimes congregate when feeding on large carcasses such as that of deer. In areas where livestock are common, they often seek out dung to forage for beetles and other insects.

Conservation status

According to the IUCN Red List of Threatened Species, *Varanus bengalensis* is a species of Least Concern. This is based on its wide geographic range. However, there are increasing pressures on the species. They are hunted for their meat, skins, and for use in medicine. Due to expanding human habitation and urbanization, the range threats to their population are likely to increase in the future. (Papenfuss, et al., 2010).

Conservation Efforts

1. Awareness among the local peoples for its conservation is prime important as mostly the lizards are being hunted for Meat, skin and medicine.
2. Illegal trade to meet the demand for skin, and consumption of monitor lizard meat is a current challenge and therefore consumer-centric awareness campaigns will be crucial.
3. The ongoing demand for Hatha Jodi and the myths and misconceptions associated with its use clearly highlight the need to develop a robust enforcement strategy to protect the species from poaching and trafficking. Further, the demand for Hatha Jodi has also been observed online, which underlines the significance of employing effective measures to combat wildlife cybercrime.
4. Loss of habitat and expansion of human settlements have increased the pressure on monitor lizard populations in India, hence the need for habitat restoration programmes in their confined geographical regions.

8.2 Conservation Plan for Indian Peafowl (*Pavo cristatus*)



FIGURE-10
INDIAN PEA FOWL (*Pavo Cristatus*)

Classification

Kingdom:	Animalia
Phylum:	Chordata
Class:	Aves
Order:	Galliformes
Family:	Phasianidae
Genus:	Pavo
Species:	Pavo cristatus
Vernacular name:	Indian Peafowl

Introduction:

A detailed biological survey of the core zone (Project site) and buffer zone (10 km radius from periphery of the project) was carried out giving details of flora and fauna. However, peacock which belongs to Schedule-I of the Wildlife (Protection) Act 1972 are commonly found in the buffer zone of study area.

The Indian Peafowl appears so frequently in religion, folklore, art and craft, that it is possibly the most recognised bird across India. Internationally as well, the peafowl (perhaps alongside the tiger) is immediately associated with India. Having been declared the national bird in 1963, the species also finds itself under the highest level of legal protection in the country, being placed in Schedule-I of the Wildlife (Protection) Act, 1972 and further amendments.

Distribution:

Peafowl are spread across the plains and hills of India, except in extremely dry or wet regions. The abundance trend is that of a general increase, both in the long term and currently. This trend appears to result from a combination of range expansion, and a population increase virtually throughout its distribution. The protection (and associated penalties for poaching and poisoning) afforded by being in Schedule-I may also have contributed to increase. Some parts of the country report greater levels of crop damage by peafowl, a trend that calls for careful conflict assessment and management. According to the State of India's Birds 2020 Report, Peacock population more than doubled in India during the past one decade. In the neighbouring Sri Lanka, is assumed the proportions of a

pest. According to the IUCN Red list, Peacock is in the least concern (LC) category.

Peacock or Indian peafowl (*Pavo cristatus*) is a familiar and universally known large pheasant. It is a National Bird of India, belongs to Schedule-I of the Wildlife (Protection) Act 1972 was reported from some villages of the study area. The male has a spectacular glossy green long tail feathers that may be more than 60 percent of the bird's total body length. These feathers have blue, golden green and copper colored ocelli (eyes). The long tail feathers are used for mating rituals like courtship displays. The feathers are arched into a magnificent fan shaped form across the back of the bird and almost touching the ground on both sides. Females do not have these graceful tail feathers. They have the fan like crest with whitish face and throat, chestnut brown crown and hind neck, metallic green upper breast and mantle, white belly and brown back rump and tail.

Habitat

Body length: 180-230 cm

Weight: 2750-6000 gm

Habitat: In the undergrowth in deciduous forests near streams, Tall trees for roosting Size of the male tail feathers, its coloration and numbers of eyes presents determine the dominance of the male in peacock hierarchy. The females are believed to be attracted towards the male with longest and most colorful tail feathers.

Conservation Status ICUN:

Least Concern IOWA: Schedule I CITES: Not listed, Peacocks are gregarious by nature. In the breeding season they are usually seen in small parties of one male with three to five females whereas in the non breeding season they remain in separate parties of adult males and females with juveniles. Peacocks roost in tall trees and emerge from the dense thickets to feed in fields and openings in forests and fields.

Life Cycle

Breeding: April-September (Project area)

Nest site: On ground in undergrowth (wild) On buildings by semi-feral birds in villages.

Habitat Use

All the direct sightings of the peacock were located near the human dominated areas. This species is well adapted to natural village environment setting. According to the villagers, peacock is present in both, village and forest areas. Day time they temporarily move towards the surrounding agriculture areas for feeding while during night time roosts on the trees present in the village.

Food Habits

Peafowls are omnivores, eating plant parts, flower petals, seed heads, insects and other arthropods, reptiles and amphibians. In the study area, dense tree canopy cover supports good insect diversity which is very common food for peafowl. A total of 15 nos. peafowl observed at 4 locations within buffer area (10 km radius

from periphery of project site) of project site. Present survey of the peafowl in study area cleared that; peafowl is using both, village adjacent habitats. However, the following points can give an insight on the overall status of peafowl in the study area and thereby plan for better management strategies related to proposed activities. People of the surveyed villages were well aware of the habits and habitats of peafowl in the study area. Moreover, local people are against hunting and poaching of the Peacocks. In the study area peafowl uses agriculture (adjacent to village) as a feeding and breeding ground. Some of the peacocks are taking shelter in the village adjacent habitats while some prefer to forest habitats.

Conservation Plan:

Peacock is a large and beautiful flying bird and rightly crowned as the National Bird. It occurs all over India both in forest and non-forest areas. The Peacocks worshipped as the Vahana/ carriers of Karthikeya / Subrahmanya Swamy/ Murugan in India, Nepal and Sri Lanka. Hence, there is no threat from locals. In the project under consideration, Peacocks were found in the buffer zone mainly in local temples where they are protected. They were not found in the project site or core area.

There are two major kinds of threats to Peacock. One is illegal poaching for meat and feathers and the other is due to consumption of pesticide treated seeds sown by farmers. In spite of the above, there are healthy populations according to the State of India's Birds 2020 Report and there is no risk of extinction. If allowed to domesticate, Peacocks shall become pet birds and their numbers can increase very rapidly.

Conservation Efforts:

- I. Encourage afforestation activities in consultation with forest department. The selection of plant species should be in consultation with local forest department based on requirements of avifauna roosting, food (Grains, Pulses, fruiting trees etc.) and shelter.
- II. Small Grove of Trees (a group of trees that grow close together, generally without many bushes or other plants) will be planted in habituated areas of villages and school compounds located in buffer area in consultation with local forest department. Groves are small patches of vegetation will be protected in traditional manner.
- III. Organize seminar, conferences, nature club, poster presentation at school and Gram Panchayat level around the bird habitation area. Local population will be made aware to do not kill birds for meat, feathers.
- IV. Train the staff & laborers involved in project activities and make them aware of sensitive avifauna status as National Bird of India, and Schedule-I species protected under Indian Wildlife Protection Act, 1972 and related knowledge.
- V. Wildlife Signage containing information about environment, wildlife, forest conservation, about wildlife animals along with photographs will be displayed in core and buffer areas to create awareness among the local people.

- VI. Wildlife Environment Day and Wildlife Week (1st to 07th Oct) will be celebrated together with forest department and involving local population to create awareness among the people for the conservation of peafowl avifauna species.

9.0 STRATEGIES FOR MANAGEMENT OF SCHEDULE-I SPECIES OUTSIDE THE CORE AREA:

Though there are plans and strategies for Management of each and every Schedule I species, it is not feasible to conserve any species in isolation under the natural conditions since every organism is interlinked and interconnected to every other organism by innumerable invisible links. The very fundamental ecological principle underlines that no organism lives in isolation if separated from its environment and the environment includes the abiotic and biotic components and their interactions.

The word Management is deliberately chosen here instead of the widely popular word conservation since conservation could mean preservation. Management should be holistic and comprehensive and should not be sectorial. That is why, great emphasis and stress is laid on integrated wildlife management but not conservation of Schedule I species alone. Hence, separate conservation plan for every schedule I species reported from the buffer zone and the TATR is not given.

9.1 Conservation of Sloth Bear (*Melursus ursinus*)



FIGURE-9
SLOTH BEAR (*Melursus ursinus*)

Classification:

Kingdom:	Animalia
Phylum:	Chordata
Class:	Mammalia
Order:	Carnivora
Family:	Ursidae
Genus:	Melursus
Species:	M. ursinus

Distribution:

It is endemic to Indian sub-continent, and it has discontinuous distribution. Sloth Bear populations have declined, and its range has shrunk over the past century, primarily due to habitat loss. However, even fundamental information on distribution and present status is lacking for most of its range. We collated recent information from literature and by distributing questionnaires to wildlife researchers, managers, and naturalists in India.

Description:

Long, shaggy typically black pelage, the fur being particularly long around the neck and back of the head. Adaptations for digging and consuming ants and termites include long (6cm to 8cm) slightly curved front claws with inward turning front paw, a broad palate, protrusible lips, and the lack of the two upper middle incisors. Adult males generally weigh 80kg to 145kg, and adult females 55kg to 95kg.

Populations and status

New IUCN criteria for categorizing species by degree of threat rely on estimates of abundance (total numbers and rate of decline), distribution (total occupied area and degree of fragmentation), and probability of extinction (IUCN 1996). Under these criteria, the sloth bear is listed as Vulnerable (IUCN 1996), although much of these data are not available for sloth bears, and it is questionable.

Range: Patchy distribution throughout the Indian sub-continent, mainly in forested areas. Not found in the mountain regions of Himachal Pradesh and Jammu and Kashmir, the northwestern deserts of Rajasthan, and the non-forested area of southern India.

Habitat: Common sloth bears are found in forests, scrub areas and, during the dry season, grasslands.

Status: Protected under Schedule I of the Indian Wildlife Protection Act which prohibits hunting but allows bears to be killed in self-defense or, in special circumstances, where damage has been caused. The population appears to be falling and sloth bears are described as "vulnerable" in the IUCN Red List.

Life span: Up to 40 years in captivity, likely to be significantly less in the wild.

Food: The bears are omnivorous and fruit and termites form major parts of their diet. In those areas where bears eat greater quantities of fruit (up to 90 percent of their diet) human land use and presence may well be causing them to avoid termite colonies. They also eat other insects and larvae, leaves, flowers, honey, eggs, small mammals and carrion.

Behaviour: Mainly nocturnal common sloth bears often sleep in caves during the day. Whilst sloth bears do not hibernate, they are much less active during the rainy season. They are excellent climbers. Although they have a keen sense of

smell their eyesight and hearing seem relatively poor. Whilst generally solitary except for mothers with cubs and during mating, there is some evidence that the bears are not territorial and will sometimes associate with one another. Males have been observed in the company of females with cubs. Mating commonly occurs during May to July but does vary by region. Research indicates that in India mating most commonly occurs in June. Most births occur from September to January following a six- or seven-month gestation period. Females usually give birth in a cave or in a shelter built on the ground, usually to one or two cubs but sometimes to three. Cubs remain with their mother for 18 months to two years, during which time she will not become pregnant again.

Threats: Habitat loss and poaching are the major threats to the common sloth bear. Historically bears have been poached to be used as captive dancing bears but this is declining and in 2012 it was announced that all Kalandar tribesmen had ceased the practice of keeping dancing bears. Poaching still occurs to obtain bear parts for use in medicine and bears are also hunted and killed due to their reputation for aggression towards humans and for crop destruction

Though, it is in the lower risk category of the IUCN, its numbers are declining mainly due to loss of habitat. Efforts are going of mapping the sloth bear habitats and to sustain the healthy populations. Daroji Sloth Bear Sanctuary near Hampi in Karnataka, Agra Bear Rescue Facility in U.P and the Jessore Sloth Bear Sanctuary are the three main sanctuaries with special facilities for rescue and rehabilitation established in India.

A preliminary survey of literature reveals that it is not possible to conserve them in isolation. There is no way to conserve the Sloth Bear in the project site as the habitat is not suitable and hence an integrated wildlife management plan needs to be put in place by the Wildlife department with assistance of the project proponent.

Conservation efforts:

1. With the help of Local People and employees of the company watch will be kept on the wild life as well as illegal tree felling. Forest and forest department will be informed if such an incident occurs to take legal action against the offenders if necessary help of forest department will be taken to see by any such stranded animals, particularly sloth bear if it strays to the Railway Line area to a safer area. Fruit trees, like Mahua (*Madhuca latifolia*) Tendu (*Diospyros melanoxylon*) and Jamun (*Syzygium cumini*) etc will be planted for sloth bear.
2. Providing Food and Fodder through enrichment of floral Components: Massive tree planting activities will be taken up through Forest Development corporation/Forest Department in the adjoining area of forest Land as well as Revenue Land of Villages. The fruit bearing tree and flowering trees will be given preference to the benefit of wild life and human being as well.
3. Encourage Local Villages to Grow Trees On Their Field Bunds/Court Yard etc: In Consultation with Forest Department, the Company will provide some saplings of tree species important for wood, timber and fuel will be distributed to the Villagers. Bamboo will be another important species with environmental & economic value. This no doubt, will help reduce Dependence on Forest, as a result the ecological condition of the area will improve and they will be attracted to this area.
4. For The Benefit Of Sloth Bear:- If any bear is either stranded in Danger, with the help of Forest Department will be translocated to a place, that the

department will chose. the local people of the area with the financial help from the company will be taught how to deal with the beer so as to avoid the danger to each other. Company will provide the necessary financial support to the Forest deptt for training programme.

9.2 Indian Rock Python (*Python molurus*) Conservation Plan



FIGURE-12
ROCK PYTHON (*Python molurus*)

Classification

Phylum	Chordata
Class	Reptila
Order	Squiamata
Suborder	Surpentes
Family	Pithonidae
Genus	Python
Species	Python molurus

General Description:

A large snake generally reaching up to 6 meters and in extreme cases up to 9 metres, the Indian Python inhabits lowland forests. It is adept at both swimming and climbing trees. As with other pythons, it kills its prey which are mainly small mammals by the process of constriction and suffocation (Guptha, 2013).

The Indian Rock Python is thick-bodied and smooth scaled, head broader than neck, eye has vertical pupil and upper surface of head has large scales of different shapes and average length of 18ft. The overall colour of the rock Python varies from body full of irregular shaped patches with main dorsal colour white mixed with yellow, grey or brown; colour of patch mostly dark brown or blackish, between these patches yellowish-brown colour exists.

A python may live more than 20 years. They are solitary creatures, but males and females seek each other out to mate. The female coils about her eggs to incubate them. Young pythons have many natural enemies, including eagles, crocodiles, large cats such as leopards and tigers, and hyenas.

This is a non-venomous snake and can grow up to 4m and weigh 45 kg. The colour is dark brown and yellowish white in a blotched pattern. They are very good swimmers and take to water when disturbed but on land, they hiss and

remain motionless. The species is oviparous and lay up to 100 eggs in a clutch protected and incubated by the female. Being exothermic, python basks in open but can also raise body temperature by muscular contractions.

Python occurs in wide range of habitats viz. rocky foothills, grass lands, marshes, swamps, wood lands, open jungle. At times, they take refuge in mammal burrows, hollow trees etc. It has also been reported close to habitation and crop fields. The snake feeds on mammals, birds and reptiles but prefers the first. Chital deer, fawns, hares, mouse deer, jungle fowl are natural food. It can swallow prey bigger than its size as the jaw bones are not hinged. The prey is constricted to death by muscular movement and swallows head first. Once held in jaw, prey cannot escape because of inward bent teeth.

Pythons are protected by Law under Schedule I of the Wildlife (Protection) Act. They are killed due to ignorance or out of fear when they enter habitation and capture goats or poultry. They are also silently poached for their ornamental skin. Road kills is another tragedy for Pythons as they cross roads slowly they are crushed to death by fast moving vehicles.

The presence of Python in the buffer zone is recorded based on the information given by the people working in the Coal mines located in the buffer zone. It was a onetime occurrence. Subsequently, nobody knows anything about this reptile. Pythons are neither confined to the project site and its buffer zone nor are they common everywhere. They are rarely seen in most parts of India and in the neighbouring countries. They are not killed for meat but for skin in India. The main threat is due to fear of snakes. They are also killed when they attack sheep or goats etc. According to the IUCN data, there is no immediate threat to the Pythons and hence they are placed in the lower risk category of NT. The project site and its buffer zone are extensively disturbed it is not a suitable habitat for their conservation in situ. The vehicle drivers shall be instructed to ensure safe road crossing by Pythons since road kills is one of the causes for the death of Pythons.

Conservation Efforts:

1. Identify critical python habitat and map the priority sites.
2. Design sign boards showing presence of Pythons in the area
3. Provision of veterinary care and Rescue for the species when it there is a direct encounter with the local residents
4. Local snake rescue teams should be informed whenever there is a direct encounter with the Python
5. Conduct awareness campaigns in schools on protected species, anti-poaching and conservation laws.
6. Distribution of pamphlets, handouts comprising a list of Do's and Don'ts when encountered a Python must be carried out among the people.

9.3 Conservation of Tiger (*Panthera tigris*):



Classification:

Kingdom: Animalia
Phylum: Chordata
Class: Mammalia
Order: Carnivora
Suborder: Feliformia
Family: Felidae
Subfamily: Pantherinae
Genus: *Panthera*
Species: *P. tigris*

Distribution& Habitat:

The tiger is essentially associated with forest habitats. Tiger populations thrive where populations of wild cervids, bovids and suids are stable. Records in Central Asia indicate that it occurred foremost in Tugay riverine forests along the Atrek, Amu Darya, Syr Darya, Hari, Chu and Ili Rivers and their tributaries. In the Caucasus, it inhabited hilly and lowland forests. Historical records in Iran are known only from the southern coast of the Caspian Sea and adjacent Alborz Mountains. In the Amur-Ussuri region, it inhabits Korean pine and temperate broadleaf and mixed forests, where riparian forests provide food and water, and serve as dispersal corridors for both tiger and ungulates. On the Indian subcontinent, it inhabits mainly tropical and subtropical moist broadleaf forests, moist evergreen forests, tropical dry forests and the swamp forests of the Sundarbans. In the Eastern Himalayas, tigers were documented in temperate forest up to an elevation of 4,200 m (13,800 ft) in Bhutan and of 3,630 m (11,910 ft) in the Mishmi Hills. In Thailand, it lives in deciduous and evergreen forests. In Laos, 14 tigers were documented in semi-evergreen and evergreen forest interspersed with grassland in Nam Et-Phou Louey National Protected Area during surveys from 2013 to 2017. In Sumatra, tiger populations range from lowland peat swamp forests to rugged montane forests.

General Description:

The tiger has a muscular body with powerful forelimbs, a large head and a tail that is about half the length of its body. Its pelage is dense and heavy, and colouration varies between shades of orange and brown with

white ventral areas and distinctive vertical black stripes; the patterns of which are unique in each individual. Stripes are likely advantageous for camouflage in vegetation such as long grass with strong vertical patterns of light and shade. The tiger is one of only a few striped cat species; it is not known why spotted patterns and rosettes are the more common camouflage pattern among felids. The orange colour may also aid in camouflage as the tiger's prey are dichromats, and thus may perceive the cat as green and blended in with the vegetation.

A tiger's coat pattern is still visible when it is shaved. This is not due to skin pigmentation, but to the stubble and hair follicles embedded in the skin. It has a mane-like heavy growth of fur around the neck and jaws and long whiskers, especially in males. The pupils are circular with yellow irises. The small, rounded ears have a prominent white spot on the back, surrounded by black. These spots are thought to play an important role in intraspecific communication.

The tiger's skull is similar to a lion's skull, with the frontal region usually less depressed or flattened, and a slightly longer postorbital region. The lion skull shows broader nasal openings. Due to the variation in skull sizes of the two species, the structure of the lower jaw is a reliable indicator for their identification. The tiger has fairly stout teeth; its somewhat curved canines are the longest among living felids with a crown height of up to 90 mm (3.5 in).

Conservation Measure:

India accords topmost priority for conservation of Tigers. Project Tiger is a tiger conservation programme launched in April 1973 by the Government of India during Prime Minister Indira Gandhi's tenure. The National Tiger Conservation Authority (NTCA) was established in December 2005, following a recommendation of the Tiger Task Force, constituted by the Prime Minister of India for reorganised management of Project Tiger and the many Tiger Reserves in India. **All India Tiger Estimations are made once in every four years and the Status of the Tiger Report is released on Global Tigers day (29th July). The NTCA comes out every with Annual Plan of operation (APO).**

1. As per the section 38 v (3) of the Wildlife Protection Act, 1972 The State Government shall prepare a Tiger Conservation Plan including staff development and deployment plan for the proper management of each area referred to in sub-section (1), so as to ensure—
2. (a) Protection of tiger reserve and providing tiger reserve specific habitat inputs for maintaining a viable population of tigers, co-predators and prey animals.
3. (b) Ecologically compatible land uses in tiger reserves and areas linking one Protected Area (PA) with another PA or tiger reserve for providing dispersal habitat and corridors.
4. (c) Forestry operations of regular forest divisions and divisions adjoining tiger reserves are not incompatible with the needs of tiger conservation.
5. Out of 50 tiger reserves, the TCPs of following 35 tiger reserves have been approved by NTCA and rest are under preparation / scrutiny. TATR is one among the 35 Tiger Reserves approved by the NTCA.

Any plan for tiger conservation should be in accordance with the guidelines of the NTCA. There is no chance of conserving the Tigers in areas outside the protected areas.

9.4 Conservation of Leopard (*Panthera pardus fusca*)



Classification:

Kingdom: Animalia
Phylum: Chordata
Class: Mammalia
Order: Carnivora
Suborder: Feliformia
Family: Felidae
Sub Family: Pantherinae
Genus: Panthera
Species: P.pardus

Distribution and Habitat:

The leopard has the largest distribution of all wild cats, occurring widely in Africa, the Caucasus and Asia, although populations are fragmented and declining. It is considered to be extirpated in North Africa. It inhabits foremost savanna and rainforest, and areas where grasslands, woodlands, and riverine forests remain largely undisturbed. In sub-Saharan Africa, it is still numerous and surviving in marginal habitats where other large cats have disappeared. There is considerable potential for human-leopard conflict due to leopards preying on livestock. Some leopard populations in the country live quite close to human settlements and even in semi-developed areas. Although adaptable to human disturbances, leopards require healthy prey populations and appropriate vegetative cover for hunting for prolonged survival and thus rarely linger in heavily developed areas.

Description:

The leopard's fur is generally soft and thick, notably softer on the belly than on the back. Its skin colour varies between individuals from pale yellowish to dark golden with dark spots grouped in rosettes. Its belly is whitish and its ringed tail is shorter than its body. Its pupils are round. Leopards living in arid regions are pale cream, yellowish to ochraceous and rufous in colour; those living in forests and mountains are much darker and deep golden. Spots fade toward the white underbelly and the insides and lower parts of the legs. Rosettes are circular in East African leopard populations, and tend to be squarish in Southern African and larger in Asian leopard populations. The fur tends to be grayish in colder climates,

and dark golden in rain forest habitats. The pattern of the rosettes is unique in each individual. This pattern is thought to be an adaptation to dense vegetation with patchy shadows, where it serves as camouflage.

Conservation measures:

According to the final report of Wildlife Institute of India 2016 on "Status and Distribution of Major Mammalian Fauna in the State of Madhya Pradesh," Leopard (*Panthera pardus*) has had the reputation of being one of the least studied of the large carnivores despite being the most abundant have widest geographic distribution of all felids and achieve this feat by their flexibility of habitat choice and having a varied diet. The sparse information on leopards in the Indian subcontinent has mostly come from studies that focused on the tiger. The Indian subspecies, *Panthera pardus fusca*, is found in all forested habitats in the country, absent only in the arid deserts and above the timber line in the Himalayas.

The leopard is quite adaptable with respect to habitat and food requirements, being found in intensively cultivated and inhabited areas as well as near urban development. There are frequent reports of leopards from many human dominated landscapes across India where it is involved in severe human-wildlife conflicts. Leopards may not be as adversely affected as tigers under deteriorating habitat conditions of continual loss of habitat and intense poaching for illegal trade in body parts has caused a decline in their population. It is listed as a species of vulnerable by the IUCN red list. In India, however, it is listed in Schedule I of the Indian Wildlife (Protection) Act, 1972, under the highest level of protection. This is because poaching for skins, bones and claws, habitat destruction, loss of wild prey and poisoning carcasses of livestock killed by leopards are a significant threat to the species.

Leopards are frequently spotted in recent times in cities like Bangalore, Hyderabad and many other areas. They seem to venture out of jungles in search of prey and water. Habitat conservation is considered to be important for conservation of Leopards.

Conservation Status: IUCN Status: Vulnerable (VU) and Wildlife (Protection) Act Schedule I.

9.5 Conservation of Indian Gaur or Indian Bison (*Bos gaurus gaurus*)



Classification:

Kingdom: Animalia
Phylum: Chordata
Class: Mammalia
Order: Artiodactyla
Family: Bovidae
Subfamily: Bovinae
Genus: *Bos*
Species: *B.gaurus*

Description:

The gaur is the largest extant bovid. It is a strong and massively built bovine with a high convex ridge on the forehead between the horns, which protrudes anteriorly, causing a deep hollow in the profile of the upper part of the head. There is a prominent ridge on the back. The ears are very large. In the old bulls, the hair becomes very thin on the back. The adult male is dark brown, approaching black in very old individuals. The upper part of the head, from above the eyes to the nape of the neck, is ashy grey, or occasionally dirty white. The muzzle is pale coloured, and the lower part of the legs are pure white or tan. The cows and young bulls are paler, and in some instances have a rufous tinge, which is most marked in groups inhabiting dry and open areas. The tail is shorter than in the typical oxen, reaching only to the hocks. They have a distinct ridge running from the shoulders to the middle of the back; the shoulders may be as much as 12 cm (4.7 in) higher than the rump. This ridge is caused by the great length of the spinous processes of the vertebrae of the fore-part of the trunk as compared with those of the loins. The hair is short, fine and glossy; the hooves are narrow and pointed.

The gaur does not have a distinct dewlap on the throat and chest. Both sexes have horns, which grow from the sides of the head, curving upwards. Between the horns is a high convex ridge on the forehead. At their bases they present an elliptical cross-section, a characteristic that is more strongly marked in bulls than in cows. The horns are decidedly flattened at the base and regularly curved

throughout their length, and are bent inward and slightly backward at their tips. The colour of the horns is some shade of pale green or yellow throughout the greater part of their length, but the tips are black. The horns, of medium size by large bovid standards, grow to a length of 60 to 115 cm (24 to 45 in). The cow is considerably lighter in colour than the bull. Her horns are more slender and upright, with more inward curvature, and the frontal ridge is scarcely perceptible. In young animals, the horns are smooth and polished. In old bulls they are rugged and dented at the base.

The gaur has a head-and-body length of 250 to 330 cm (8 ft 2 in to 10 ft 10 in) with a 70 to 105 cm (28 to 41 in) long tail, and is 142 to 220 cm (4 ft 8 in to 7 ft 3 in) high at the shoulder, averaging about 168 cm (5 ft 6 in) in females and 188 cm (6 ft 2 in) in males. At the top of its muscular hump just behind its shoulder, an average adult male is just under 200 cm (6 ft 7 in) tall and the male's girth at its midsection (behind its shoulders) averages about 277 cm (9 ft 1 in). Males are about one-fourth larger and heavier than females.

Body mass ranges widely from 440 to 1,000 kg (970 to 2,200 lb) in adult females and 588 to 1,500 kg (1,296 to 3,307 lb) in adult males. In general measurements are derived from gaurs surveyed in India. Indian gaur males averaged about 1,500 kg (3,300 lb) (in a sample of 13) and females weigh a median of approximately 700 kg (1,500 lb). In China, the shoulder height of gaurs ranges from 165 to 220 cm (5 ft 5 in to 7 ft 3 in), and bulls weigh up to 1,500 kg (3,300 lb).

Distribution and Habitat

Gaur historically occurred throughout mainland South and Southeast Asia, including Vietnam, Cambodia, Laos, Thailand, Peninsular Malaysia, Myanmar, India, Bangladesh, Bhutan, China and Nepal. Today, the range of the species is seriously fragmented, and it is regionally extinct in Sri Lanka.

Gaur are largely confined to evergreen forests or semi-evergreen and moist deciduous forests, but also occur in deciduous forest areas at the periphery of their range. Gaur habitat is characterized by large, relatively undisturbed forest tracts, hilly terrain below an altitude of 1,500 to 1,800 m (4,900 to 5,900 ft), availability of water, and an abundance of forage in the form of grasses, bamboo, shrubs, and trees. Their apparent preference for hilly terrain may be partly due to the earlier conversion of most of the plains and other low-lying areas to croplands and pastures.

In India, the population was estimated to be 12,000–22,000 in the mid-1990s. The Western Ghats and their outflanking hills in southern India constitute one of the most extensive extant stronghold of Gaur, in particular in the Wayanad-Nagarhole-Mudumalai-Bandipur complex.

Conservation Measures

Indian gaur or Indian bison (*Bos gaurus gaurus*) is a wild bovid. It is categorized as vulnerable in the IUCN Red list of threatened species, 2009 and listed in schedule-1 of Indian wildlife (Protection), Act, 1972. The gaur is a bovid with a

strong and massive build with a convex ridge on the forehead. It juts out anteriorly causing a deep hollow profile on the upper part of the head. It has large ears and a prominent ridge along its back. The adult male is dark brown and changes to black when it gets older. The hair is short, fine and glossy with narrow and pointed hooves, Indian bison are found on the forested hills and grassy areas.

They are largely confined to evergreen forests or semi-evergreen and moist deciduous forests, but also occur in deciduous forest areas at the periphery of their range. Weight of adult male is between 600 kg to 1500 kg., and the weight of adult female is between 400 kg to 1000 kg. Size between 240 cm to 340 cm. and the length of tail is between 70 cm to 105 cm. Both sexes carry horns, which grow from the sides of the head. Length of the horns is between 60 to 110 cm. They are social animals, and live-in small groups. They reach sexual maturity between 2 to 3.5 years. Breeding takes place year-round, but it is mainly between December and June. They reach sexual maturity between 2 to 3.5 years. One calf, after a gestation period of about 275 days.

Gaurs are found in evergreen forests or semi-evergreen and deciduous forests. A typical gaur habitat consists of large, almost undisturbed forest tracts, hilly terrain, availability of water and a large presence of forage such as bamboo, shrubs and trees. Due to its immense size the gaur has few natural predators. The exceptions are tigers, crocodiles and humans. It's difficult to take down a fully-grown gaur hence predators go for either sick animals or young calves.

The gaur has been thriving in protected areas. The Gaur population in India was estimated to be at 12000-22000 in the mid-1990s. They are primarily found in hilly regions of South India like Wayanad, Nagarhole, Mudumalai and Bandipur. There is a thriving population of about 2000 individuals in the Nagarhole and Bandipur National Parks and about 1000 in the Tadoba Andhari Tiger Project. An estimation exercise carried out in the Nilgiris Forest division in 2020 found about 2000 individuals.

Gaurs are especially threatened due to poaching along with opportunistic hunting. They are sought after for their meat, leather and trophies. From the above account it is clear that the Indian Bison just needs a safe and sustainable forest habitat and protection from Hunting or poaching. The integrated wildlife management plan suggested takes care of the needs of Bison and offers adequate protection.

9.6 Conservation of Indian Wolf (*Canis lupus pallipes*)



Classification:

Kingdom: Animalia
Phylum: Chordata
Class: Mammalia
Order: Carnivora
Family: Canidae
Genus: Canis
Species: *C.lupus*

Description:

The Indian wolf is similar in structure to the Eurasian wolf, but is smaller, more slightly built, and has shorter fur with little to no underfur. It is typically around 57–72 cm (22–28 in) at shoulder height, with males ranging from 19 to 25 kg (42–55 lb) and females 17–22 kg (37–49 lb) in weight. Its length ranges from 103 to 145 cm (41–57 in) from nose to tail. Like the Arabian wolf, it has short, thin fur in summer, though the hair on the back remains long even in summer, an adaptation thought to be against solar radiation. The fur is generally greyish-red to reddish-white with grey tones. The hairs are grizzled with black, particularly on the back, which sports a dark V-shaped patch around the shoulders. The limbs are paler than the body, and the underparts are almost completely white. Pups are born sooty-brown, with a milk-white patch on the chest that fades with age.

Its habits are similar to those of other grey wolf subspecies, though the Indian wolf generally lives in smaller packs rarely exceeding 6–8 individuals, and is relatively less vocal, having rarely been known to howl.

Distribution and Habitat:

The northern regions of Afghanistan and Pakistan are important strongholds for the wolf. It has been estimated that there are about 300 wolves in approximately 60,000 km² (23,000 sq mi) of Jammu and Kashmir in northern India, and 50 more in Himachal Pradesh. Hindus traditionally considered the hunting of wolves, even dangerous ones, as taboo, for fear of causing a bad harvest. The Santals, however, considered them fair game, as with every other forest-dwelling animal.

During British rule in India, wolves were not considered game species, and were killed primarily in response to them attacking game herds, livestock, and people. In 1876, in the North-West Provinces and Bihar State, 2,825 wolves were killed in response to 721 fatal attacks on humans. Two years later, 2,600 wolves were killed in response to attacks leaving 624 humans dead. By the 1920s, wolf extermination remained a priority in the NWP and Awadh. Overall, over 100,000 wolves were killed for bounties in British India between 1871 and 1916. In modern India, the Indian wolf is distributed across the states of Gujarat, Rajasthan, Haryana, Uttar Pradesh, Madhya Pradesh, , it is estimated that there are around 2000–3000 Indian wolves in the country.

They are mainly found outside of protected reserves and feed mainly on domestic animals, such as goats or sheep. However, in areas where natural prey is still abundant, for example in Velavadar National Park or Panna Tiger Reserve, natural prey species are still preferred. Although protected since 1972, Indian wolves are classed as Endangered, with many populations lingering in low numbers or living in areas increasingly used by humans. Although present in Bhutan, there is no information on the wolves occurring there.

Conservation measures

The Indian wolf (*Canis lupus pallipes*) is a subspecies of grey wolf inhabiting semi-arid and arid areas. It has a wide distribution range that extends from the Indian subcontinent to Israel. High levels of conflict are reported from human dominated landscapes with incidents of livestock lifting attributed to them. According to the National Study book of Indian Wolf (*Canis lupus pallipes*) 2017, The Indian wolf inhabits areas dominated by scrub, grasslands and semi-arid pastoral agro-ecosystems (Jhala, 2013); however, in the eastern parts of its range extending across parts of Odisha, Bihar and West-Bengal they are known to inhabit moister low-density forested habitats. The availability of undisturbed patches that offer shade during the day and protection for whelping, denning and play areas for pups are crucial for habitat selection (Jhala 2013).

Jahla (2013) states that the Wolves (*Canis lupus pallipes*) inhabit thorn forests, scrub-lands, arid and semi-arid grassland habitats in India. It is one of the common large carnivores found in the agro-pastoral regions of semi-arid India. Majority of the 2000-3000 strong wolf population of India survives outside of protected areas and in close proximity with people. These wolves primarily subsist on livestock. Rural India supports a very large cattle population and most people do not consume beef in several regions of India. The tendency of discarding cattle and buffalo carcasses that die of disease, old age, and starvation around villages, sustains high densities of carnivores like wolves, hyenas (*Hyaena hyaena*) and jackals (*Canis aureus*). Besides scavenging the wolf also predaes livestock like goats, sheep and cattle calves. Wolf predation severely affects the economy of the pastoral communities (nomadic and resident) that barely manage to etch out a living from the highly over grazed and degraded landscape of semi-arid India. The pastoral community invests significantly in measures to protect sheep and goats from wolf predation. These measures include night vigils, maintaining guard dogs, building thorn corrals, and bringing the stock back to the village each night.

Threats to Wolves in India:

Apart from the well-known causes such as of habitat loss; shrinkage and fragmentation of habitat the attitude of people who consider them as their enemies since they are known to attack sheep, goats, calves of cattle, Chicken etc during night time. Indian wolf (*Canis lupus pallipes*) continues to face threats to their long-term survival in their natural habitats across their distribution range in India and are accordingly listed in Schedule I of the Wildlife (Protection) Act of India 1972. The factors responsible for their decline remain operational and the populations across their range are showing declining trend. Further recent genomics studies have clearly demonstrated them to be genetically distinct from other populations of the sub-species. Maintenance of demographically stable and

genetically viable ex-situ populations is thus crucial for ensuring the continued survival of the species.

Measures suggested for conservation of Wolf.

In areas where the wolf's major prey were wild ungulates, people tended to view wolves with less hostility and rarely were wolves directly persecuted. Whereas, in areas where wolves subsist on livestock, people's attitudes were extremely hostile and most of the wolf mortality observed was human related. This analysis suggests that some form of economic compensation for wolf damage would help improve public attitudes towards the wolf in India. Accordingly, the project proponent offers to compensate any loss of account of Wolf attack on livestock within the 10 Km buffer zone, if it is established that it is due to Wolf. Similarly, the forest and wildlife Department should strictly enforce measures under the Wildlife (Protection) Act, 1972 for the conservation of Wolves.

9.7 Strategies for Management of Schedule-I species outside the core area:

Though there are plans and strategies for Management of each and every Schedule I species, it is not feasible to conserve any species in isolation under the natural conditions since every organism is interlinked and interconnected to every other organism by innumerable invisible links. The very fundamental ecological principle underlines that no organism lives in isolation if separated from its environment and the environment includes the abiotic and biotic components and their interactions.

The word Management is deliberately chosen here instead of the widely popular word conservation since conservation could mean preservation. Management should be holistic and comprehensive and should not be sectorial. That is why, great emphasis and stress is laid on integrated wildlife management but not conservation of Schedule I species alone. Hence, separate conservation plan for every schedule I species reported from the buffer zone and the TATR is not given.

The main components of the integrated wildlife plan are:

- Generation of baseline data through intensive and extensive survey to identify the status of the wildlife; inventorization of resources; identification of the limits and impediments to development; identification of threats and opportunities through SWOT (strengths, weaknesses, opportunities and threats) analysis.
- Prioritization of developmental plans and actions
- Implementation of sustainable habitat improvement plans in a holistic manner
- Monitoring and review of plans of action from time to time for necessary modifications and changes if needed
- Management group comprising of the State Forest and Wildlife department as the nodal agency; the project proponent as the funding agency; experts from WII and dedicated volunteers from NGOs for effective planning, implementation, monitoring and review.

Areas / activities identified for funding by the Project proponent:

As an ad-hoc measure the following areas and activities are identified for funding. However, these are only suggestive and there can be revision and internal adjustments for effective utilization. The project proponent undertakes to pay Rs.1,00,00,000 every year for the first 5 years to the state forest and wildlife department for implementation of different activities within the protected areas including the reserve forests of the buffer zone. Thereafter, Rs.50,00,000/- per year shall be paid for the next five years for maintenance and further development. Thus, it comes to a total of Rs.7,50,00,000/- in 10 years. Within the mine lease area, another Rs.10 crores will be sent during the life of the mine under the EMP.

A statement of responsibilities and roles of the State Forest and Wildlife Department and the Project proponent in wildlife Management in the study area and its surroundings is given in **Table-13**. Proposed budget and funding pattern for wildlife conservation is shown in **Table 14**.

TABLE-13
SITE-SPECIFIC INTEGRATED WILDLIFE CONSERVATION PLAN

Sr.No	Plan	Action	Role		Location	Age- ncy	Fun- ding	Timeline	
			PP	FD				ST	LT
1	Habitat Conservation and Management	Conservation and Protection of Scrubland, patches of grassland and the wildlife habitats	X	√	RFs	FD	PP	X	√
		Protection and enhancement of reserved forests	X	√	RFs	FD	PP	X	√
2	Habitat Improvement & Manipulation	Water supply, Salt licks, Fruits. Fodder development	√	√	RFs & CA	FD & PP	PP	√	√
		Development of grassland and scrubland and control of invasive weeds	√	√	RFs & CA	FD & PP	PP	√	√
3	Protection of home range and movement corridor	Protection and management of the home range in the RFs and NSWs	X	√	RFs	FD	NA	√	√
4	Reduction of mortality due to Traffic	Vehicular traffic and speed should be minimised to check the chance of accidents along the highways	√	√	Traffic	Roads	NA	√	√

Sr.No	Plan	Action	Role		Location	Age- ncy	Fun- ding	Timeline	
			PP	FD				ST	LT
		passing the Pas.							
5	Research and Monitoring	Regular Monitoring of Wildlife population to understand their population dynamics.	√	√	RFs	FD & WII	PP	√	√
		Research should include resource inventory, habitat carrying capacity	√	√	RFs	FD & WII	PP	√	√
6	Public awareness and involvement	Organization of Nature & Wildlife Education Program and Wildlife tours	√	√	Public institutions	PP, FD & Media	PP	√	√
		Creation of public awareness through public and social media; NGOs; Eco-clubs; Nature lovers .	√	√	Public institutions	PP, FD & Media	PP	√	√
		Fixing of signages with wild animal Paintings along the highways where wildlife cross	X	√	Wildlife road crossing areas	FD	PP	√	√
7	Enhancing cooperation	Interdepartmental cooperation, public private partnership, NGOs, Institutions and local community relationship	√	√	X	FD	PP	√	√
8	Payment of compensation	In case of any conflict with wildlife within the zone of impact, compensation should be paid	√	√	Project impact zone	PP	PP	√	√
9	Pollution Control	Control of air (dust), water and noise pollution due to mining	√	X	Mine lease area & Crusher	PP	PP	√	√

TABLE-14
PROPOSED BUDGET AND FUNDING PATTERN FOR WILDLIFE CONSERVATION

Plan	Action	Annual budget in Lakhs		Total payable by the PP in 10 years
		First year	Next 9 years	
Monitoring and Assessment	Wildlife and resource assessment and mapping	50.00	-	50.00
Developmental plans	Plans for integrated / holistic wildlife management / wildlife rescue items			
Habitat improvement	Fodder development, weed management habitat development	250.00	100.00	350.00
Forest development	Afforestation (Miyawaki) reforestation and forest development	140.00	60.00	200.00
Surveillance	Prevention of poaching, hunting, trade of wildlife etc.	50.00	10.00	60.00
Welfare of forest dependent communities	Training and engagement in forest development and non-forest activities	30.00	-	30.00
Creation of Public awareness	Mass education, creation of public awareness and motivation for wildlife conservation	-	25.00	25.00
Monitoring and review	Monitoring and review starts only after 3 years	-	25 during 4 th year only	25.00
Documentation	Creation of data base about the wildlife	-	10 during the last year	10.00
Total :-				750.00

(Prashant Khade)
Divisional Forest Officer,
Chandrapur Forest Division,
Chandrapur



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:		Takli Jena Bellora (north) And Takli Jena Bellora (south) Coal Mine					
Project Address:		Village: Belora, Tehsil: Bhadrawati, Chandrapur					
Village:		Belora		Block:		Bhadrawati	
District:		Chandrapur		State:		Maharashtra	
Pin Code:							
Communication Address:		Auro Infra Pvt. Ltd., 2nd Floor, Balaji Apartments,, Behind Nayara Petrol Bunk,, Bhadrawati, Chandrapur, Maharashtra - 442902					
Address of CGWB Regional Office :		Central Ground Water Board Central Region, N.s. Building, Civil Lines, Nagpur, Maharashtra - 440001					

1. NOC No.:	CGWA/NOC/MIN/REN/1/2025/11499	2. Date of Issuance	24/04/2025										
3. Application No.:	21-4/8012/MH/MIN/2022	4. Category: (GWRE 2024)	Safe										
5. Project Status:	Existing Ground Water	6. NOC Type:	Renewal										
7. Valid from:	31/08/2024	8. Valid up to:	30/08/2026										
9. Ground Water Abstraction Permitted:													
Fresh Water		Saline Water		Dewatering		Total							
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year						
94.03	34320.95			1668.00	608820.00	1762.03	643140.95						
10. Details of ground water abstraction /Dewatering structures													
Total Existing No							Total Proposed No						
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu	
Abstraction Structure*	0	0	2	0	0	0	0	0	1	0	0	0	
Dewatering Structure*	0	0	0	0	0	2	0	0	0	0	0	2	
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps													
11. Ground Water Abstraction/Restoration Charges paid (Rs.):							10387761.00						
12. Environment Compensation (if applicable) paid (Rs.):							0.00						
13. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.							No. of Piezometers		Monitoring Mechanism				
									Manual	DWLR**	DWLR With Telemetry		
**DWLR - Digital Water Level Recorder							2		0	1	1		

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

CENTRAL GROUND WATER AUTHORITY

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये – जीवन बचाये
SAVE WATER - SAVE LIFE

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

CENTRAL GROUND WATER AUTHORITY

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये – जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).
- 31) In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/ agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

**पानी बचाये – जीवन बचाये
SAVE WATER - SAVE LIFE**

CENTRAL GROUND WATER AUTHORITY

Department of Water Resources, River Development and Ganga Rejuvenation
Ministry of Jal Shakti, Govt. of India

Receipt

(As per the guideline Gazette Notification S.O. 3281(E) regarding the New Guidelines dated 24.09.2020 of CGWA, MoJS, Govt. of India)
<https://cgwa-noc.gov.in>

Application No.:	21-4/8012/MH/MIN/2022	Date of Issuance:	24/04/2025
Name of Firm:	TAKLI JENA BELLORA (NORTH) AND TAKLI JENA BELLORA (SOUTH) COAL MINE		
AppType Category:	Coal		
Application Type:	Mining		
PAN/GSTIN No. of Firm/Individual:	/		

S N	Description	Amount (Rs.)
1.	Application Processing Fee	5000.00
2.	Ground Water Abstraction charges	10387761.00
3.	Ground Water Restoration charges	0
4.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
5.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	250000.00
6.	Adjustment Charges	
7.	Rebate	
8.	Charges for correction/modification in the existing issued No Objection Certificate	
S.No.	Description	Rate
(i)	Change in User ID	Rs. 1000
(ii)	Change in firm Name	Rs. 5000
(iii)	Extension of No Objection Certificate	Rs. 5000
(iv)	Issuance of duplicate No Objection Certificate	Rs. 5000
(v)	Issuance of corrigendum to No Objection Certificate	Rs. 5000
(vi)	Any other items/correction etc.	Rs. 500
Rs. Rupees One Crore Six Lakh Forty Two Thousand Seven Hundred Sixty One Only		10642761.00

This is an system generated invoice, hence, does not require ink signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Term and conditions:



- i. All disputes are subject to Delhi Jurisdiction.
- ii. Any complaint in regard to the rates will not be entertained.

Member-Secretary
CGWA, New Delhi

CENTRAL GROUND WATER AUTHORITY

FORM No.10
[SEE RULE 19 (1)]

MANIFEST FOR HAZARDOUS WASTE AND OTHER WASTE

1	Occupier's Name & Mailing Address (Including Phone No. & Email)	Commco Ltd		
2	Sender's Authorization No.			
3	Manifest Document No.	PMBJATC/11/02/2025		
4	Transporter's Name & Address (Including Phone No. & E-mail)			
5	Type of Vehicle	(Truck / Tanker / Special Vehicle)		
6	Transporter's Registration No.			
7	Vehicle Registration No.	MH10CR 4505		
8	Receiver's Name & Mailing Address (Including Phone No. & E-mail)	M/S. PANJATI OIL REFINERY Sr. No. 173 Village Saigata, Tal. Bramhapur Chandrapur		
9	Receiver's Authorization No.	MPCB/RO (BMW)/HSTD/AUTHO/12/HSDOW-64		
10	Waste Description	Used/Waste Oil		
11	Total Quantity	Kgs., m ³ or MT / Ltrs.,		
12	Number of Containers	Number	Type	
		20 NO.	Bompl	
13	Physical Form	(Solid / Semi-Solid / Sludge / Oily / Trarry / Slurry / Liquid)		
14	Waste Category Number	5.1		
15	Special Handling Instruction & Additional Information			
16	SENDER'S CERTIFICATE	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.		
Typed Name & Stamps :		Signature :  07/01/25		
		Month Day Year 01 07 2025		
17	Transporter Acknowledgment of Receipt of Waste			
Typed Name & Stamps :		Signature :  07/01/25		
		Month Day Year 01 07 2025		
18	Receiver's Certification of receipt of Hazardous and other Waste			
Typed Name & Stamps :		Signature :  07/01/25		
		Month Day Year 01 07 2025		



M/S. PANJATI OIL REFINERY
Sr. No. 173 Village Saigata,
Tal. Bramhapur Chandrapur

Annexure – 16 – Water sprinkling



1. Water Sprinkling near workshop area (12KL)



2. Water sprinkling on haul road near Coal stock yard (12KL)



3. Water sprinkling on near OB dump (12 KL)



5KL tanker for transport road and plantation



5KL tanker for transport road and domestic use

Name Auro Infra Pvt. Ltd. (Formerly
Aurobindo Realty &
Infrastructure Pvt. Ltd.)
Address 37/1, Kiloni, Bhadravathi
Taluk, Chandrapur Dist.,
Maharashtra
User ID 00255
Mobile 8975274379
Longitude 20.1564563
Latitude 79.0912839

#	Username	Time	Flow
1	00255	2025-09-30 23:52:32	002.86 Mtr
2	00255	2025-09-30 22:52:25	002.83 Mtr
3	00255	2025-09-30 21:52:16	002.81 Mtr
4	00255	2025-09-30 20:52:13	002.78 Mtr
5	00255	2025-09-30 19:52:06	002.74 Mtr
6	00255	2025-09-30 18:52:00	002.67 Mtr
7	00255	2025-09-30 17:51:51	002.53 Mtr
8	00255	2025-09-30 16:51:49	002.44 Mtr
9	00255	2025-09-30 15:51:43	002.41 Mtr
10	00255	2025-09-30 14:51:38	002.40 Mtr
11	00255	2025-09-30 13:51:29	002.41 Mtr
12	00255	2025-09-30 12:51:27	002.43 Mtr
13	00255	2025-09-30 11:51:20	002.46 Mtr
14	00255	2025-09-30 10:51:16	002.49 Mtr
15	00255	2025-09-30 09:51:07	002.57 Mtr
16	00255	2025-09-29 21:40:36	002.63 Mtr
17	00255	2025-09-29 20:40:31	002.60 Mtr
18	00255	2025-09-29 19:40:24	002.56 Mtr
19	00255	2025-09-29 18:40:15	002.52 Mtr
20	00255	2025-09-29 17:40:11	002.40 Mtr
21	00255	2025-09-29 16:40:06	002.30 Mtr
22	00255	2025-09-29 15:40:00	002.27 Mtr
23	00255	2025-09-29 14:39:52	002.26 Mtr
24	00255	2025-09-29 13:39:50	002.28 Mtr
25	00255	2025-09-29 12:39:43	002.31 Mtr
26	00255	2025-09-29 11:39:39	002.31 Mtr
27	00255	2025-09-29 10:39:30	002.38 Mtr
28	00255	2025-09-28 21:33:10	002.57 Mtr

29	00255	2025-09-28 20:33:04	002.56 Mtr
30	00255	2025-09-28 19:32:57	002.55 Mtr
31	00255	2025-09-28 18:32:48	002.51 Mtr
32	00255	2025-09-28 17:32:45	002.40 Mtr
33	00255	2025-09-28 16:32:38	002.34 Mtr
34	00255	2025-09-28 15:32:31	002.36 Mtr
35	00255	2025-09-28 14:32:23	002.33 Mtr
36	00255	2025-09-28 13:32:20	002.36 Mtr
37	00255	2025-09-28 12:32:15	002.37 Mtr
38	00255	2025-09-28 11:32:10	002.42 Mtr
39	00255	2025-09-28 10:31:59	002.41 Mtr
40	00255	2025-09-27 18:50:45	002.64 Mtr
41	00255	2025-09-27 17:50:38	002.58 Mtr
42	00255	2025-09-27 16:50:35	002.51 Mtr
43	00255	2025-09-27 15:50:24	002.50 Mtr
44	00255	2025-09-27 14:50:21	002.52 Mtr
45	00255	2025-09-27 13:50:15	002.48 Mtr
46	00255	2025-09-27 12:50:11	002.49 Mtr
47	00255	2025-09-27 11:50:10	002.47 Mtr
48	00255	2025-09-26 20:51:40	002.72 Mtr
49	00255	2025-09-26 19:51:34	002.72 Mtr
50	00255	2025-09-26 18:51:28	002.65 Mtr
51	00255	2025-09-26 17:51:19	002.65 Mtr
52	00255	2025-09-26 15:51:13	002.50 Mtr
53	00255	2025-09-26 14:51:04	002.34 Mtr
54	00255	2025-09-26 13:50:55	002.38 Mtr
55	00255	2025-09-26 12:50:52	002.39 Mtr
56	00255	2025-09-26 11:50:46	002.42 Mtr
57	00255	2025-09-26 10:50:41	002.46 Mtr
58	00255	2025-09-26 09:50:37	002.55 Mtr
59	00255	2025-09-25 21:41:28	002.86 Mtr
60	00255	2025-09-25 20:41:23	002.87 Mtr
61	00255	2025-09-25 19:41:17	002.86 Mtr
62	00255	2025-09-25 18:41:07	002.84 Mtr
63	00255	2025-09-25 17:41:04	002.70 Mtr
64	00255	2025-09-25 16:40:58	002.70 Mtr
65	00255	2025-09-25 15:40:52	002.75 Mtr
66	00255	2025-09-25 14:40:43	002.76 Mtr

67	00255	2025-09-24 20:55:04	003.06 Mtr
68	00255	2025-09-24 19:54:58	003.07 Mtr
69	00255	2025-09-24 18:54:49	002.99 Mtr
70	00255	2025-09-24 17:54:40	002.96 Mtr
71	00255	2025-09-24 16:54:36	002.92 Mtr
72	00255	2025-09-24 15:54:29	002.91 Mtr
73	00255	2025-09-24 14:54:24	002.89 Mtr
74	00255	2025-09-24 13:54:18	002.75 Mtr
75	00255	2025-09-24 12:54:12	002.79 Mtr
76	00255	2025-09-24 11:54:09	002.80 Mtr
77	00255	2025-09-24 10:54:01	002.85 Mtr
78	00255	2025-09-24 09:53:53	002.93 Mtr
79	00255	2025-09-23 22:14:15	003.27 Mtr
80	00255	2025-09-23 21:14:12	003.26 Mtr
81	00255	2025-09-23 20:14:05	003.21 Mtr
82	00255	2025-09-23 19:14:00	003.08 Mtr
83	00255	2025-09-23 18:13:51	003.03 Mtr
84	00255	2025-09-23 17:13:48	002.90 Mtr
85	00255	2025-09-23 16:13:42	002.83 Mtr
86	00255	2025-09-23 15:13:37	002.80 Mtr
87	00255	2025-09-23 14:13:31	002.81 Mtr
88	00255	2025-09-23 13:13:25	002.84 Mtr
89	00255	2025-09-23 12:13:20	002.85 Mtr
90	00255	2025-09-23 11:13:14	002.90 Mtr
91	00255	2025-09-23 10:13:07	002.98 Mtr
92	00255	2025-09-22 21:12:58	003.09 Mtr
93	00255	2025-09-22 20:12:51	003.07 Mtr
94	00255	2025-09-22 19:12:44	003.04 Mtr
95	00255	2025-09-22 18:12:37	002.99 Mtr
96	00255	2025-09-22 17:12:32	002.89 Mtr
97	00255	2025-09-22 16:12:26	002.87 Mtr
98	00255	2025-09-22 15:12:20	002.81 Mtr
99	00255	2025-09-22 14:12:12	002.73 Mtr
100	00255	2025-09-22 13:12:09	002.72 Mtr
101	00255	2025-09-22 12:12:04	002.75 Mtr
102	00255	2025-09-22 11:11:58	002.78 Mtr
103	00255	2025-09-22 10:11:50	002.86 Mtr
104	00255	2025-09-21 22:12:46	002.96 Mtr

105	00255	2025-09-21 21:12:43	002.93 Mtr
106	00255	2025-09-21 20:12:37	002.91 Mtr
107	00255	2025-09-21 19:12:30	002.86 Mtr
108	00255	2025-09-21 18:12:22	002.81 Mtr
109	00255	2025-09-21 17:12:19	002.69 Mtr
110	00255	2025-09-21 16:12:13	002.59 Mtr
111	00255	2025-09-21 15:12:07	002.55 Mtr
112	00255	2025-09-21 14:12:01	002.55 Mtr
113	00255	2025-09-21 13:11:56	002.58 Mtr
114	00255	2025-09-21 12:11:52	002.60 Mtr
115	00255	2025-09-21 10:11:37	002.70 Mtr
116	00255	2025-09-20 23:44:58	002.81 Mtr
117	00255	2025-09-20 22:44:55	002.79 Mtr
118	00255	2025-09-20 21:44:49	002.77 Mtr
119	00255	2025-09-20 20:44:42	002.74 Mtr
120	00255	2025-09-20 19:44:33	002.68 Mtr
121	00255	2025-09-20 17:44:25	002.47 Mtr
122	00255	2025-09-20 16:44:20	002.41 Mtr
123	00255	2025-09-20 15:44:15	002.41 Mtr
124	00255	2025-09-20 14:44:04	002.40 Mtr
125	00255	2025-09-19 19:35:36	002.63 Mtr
126	00255	2025-09-19 18:35:28	002.54 Mtr
127	00255	2025-09-19 17:35:24	002.38 Mtr
128	00255	2025-09-19 16:35:18	002.34 Mtr
129	00255	2025-09-19 15:35:14	002.34 Mtr
130	00255	2025-09-19 14:35:04	002.37 Mtr
131	00255	2025-09-19 13:35:01	002.42 Mtr
132	00255	2025-09-19 12:34:56	002.44 Mtr
133	00255	2025-09-19 11:34:53	002.50 Mtr
134	00255	2025-09-19 10:34:42	002.56 Mtr
135	00255	2025-09-18 23:02:45	002.81 Mtr
136	00255	2025-09-18 22:02:38	002.75 Mtr
137	00255	2025-09-18 21:02:32	002.71 Mtr
138	00255	2025-09-18 20:02:22	002.68 Mtr
139	00255	2025-09-18 19:02:20	002.60 Mtr
140	00255	2025-09-18 18:02:14	002.46 Mtr
141	00255	2025-09-18 17:02:08	002.38 Mtr
142	00255	2025-09-18 16:02:00	002.37 Mtr

143	00255	2025-09-18 15:01:58	002.37 Mtr
144	00255	2025-09-18 13:01:48	002.44 Mtr
145	00255	2025-09-18 12:01:37	002.43 Mtr
146	00255	2025-09-17 17:24:25	002.41 Mtr
147	00255	2025-09-17 16:24:18	002.36 Mtr
148	00255	2025-09-17 15:24:15	002.34 Mtr
149	00255	2025-09-17 14:24:05	002.36 Mtr
150	00255	2025-09-16 16:07:28	002.66 Mtr
151	00255	2025-09-16 15:07:26	002.56 Mtr
152	00255	2025-09-16 14:07:19	002.59 Mtr
153	00255	2025-09-16 13:07:14	002.71 Mtr
154	00255	2025-09-16 12:07:06	002.71 Mtr
155	00255	2025-09-16 00:26:56	002.89 Mtr
156	00255	2025-09-15 23:26:50	002.88 Mtr
157	00255	2025-09-15 22:26:44	002.87 Mtr
158	00255	2025-09-15 21:26:35	002.86 Mtr
159	00255	2025-09-15 20:26:31	002.77 Mtr
160	00255	2025-09-15 19:26:25	002.76 Mtr
161	00255	2025-09-15 18:26:20	002.70 Mtr
162	00255	2025-09-15 17:26:09	002.62 Mtr
163	00255	2025-09-15 16:26:07	002.56 Mtr
164	00255	2025-09-15 15:26:02	002.53 Mtr
165	00255	2025-09-15 14:25:55	002.56 Mtr
166	00255	2025-09-15 13:25:47	002.59 Mtr
167	00255	2025-09-15 01:21:26	002.75 Mtr
168	00255	2025-09-15 00:21:23	002.74 Mtr
169	00255	2025-09-14 23:21:17	002.72 Mtr
170	00255	2025-09-14 22:21:07	002.71 Mtr
171	00255	2025-09-14 21:21:00	002.69 Mtr
172	00255	2025-09-14 20:20:54	002.67 Mtr
173	00255	2025-09-14 19:20:46	002.62 Mtr
174	00255	2025-09-14 18:22:44	002.53 Mtr
175	00255	2025-09-14 17:22:26	002.37 Mtr
176	00255	2025-09-14 16:20:32	002.32 Mtr
177	00255	2025-09-14 15:20:22	002.32 Mtr
178	00255	2025-09-14 14:20:21	002.35 Mtr
179	00255	2025-09-14 13:20:13	002.39 Mtr
180	00255	2025-09-14 12:20:08	002.45 Mtr

181	00255	2025-09-14 11:20:02	002.57 Mtr
182	00255	2025-09-14 00:06:01	002.74 Mtr
183	00255	2025-09-13 23:05:48	002.72 Mtr
184	00255	2025-09-13 22:05:45	002.72 Mtr
185	00255	2025-09-13 21:05:39	002.70 Mtr
186	00255	2025-09-13 20:05:35	002.69 Mtr
187	00255	2025-09-13 19:05:23	002.60 Mtr
188	00255	2025-09-13 18:05:21	002.55 Mtr
189	00255	2025-09-13 17:05:15	002.46 Mtr
190	00255	2025-09-13 16:05:13	002.43 Mtr
191	00255	2025-09-13 15:05:00	002.45 Mtr
192	00255	2025-09-13 14:04:57	002.53 Mtr
193	00255	2025-09-13 13:04:51	002.56 Mtr
194	00255	2025-09-13 12:04:47	002.62 Mtr
195	00255	2025-09-13 11:04:36	002.70 Mtr
196	00255	2025-09-12 23:50:10	002.90 Mtr
197	00255	2025-09-12 21:50:01	002.91 Mtr
198	00255	2025-09-12 20:49:55	002.91 Mtr
199	00255	2025-09-12 19:49:49	002.93 Mtr
200	00255	2025-09-12 18:49:41	002.92 Mtr
201	00255	2025-09-12 17:49:39	002.91 Mtr
202	00255	2025-09-12 16:49:30	002.89 Mtr
203	00255	2025-09-12 15:49:24	002.85 Mtr
204	00255	2025-09-12 14:49:17	002.79 Mtr
205	00255	2025-09-12 13:49:13	002.82 Mtr
206	00255	2025-09-12 12:49:06	002.85 Mtr
207	00255	2025-09-12 11:49:01	002.85 Mtr
208	00255	2025-09-12 10:48:52	002.90 Mtr
209	00255	2025-09-11 23:24:03	003.11 Mtr
210	00255	2025-09-11 22:23:55	003.12 Mtr
211	00255	2025-09-11 21:23:51	003.13 Mtr
212	00255	2025-09-11 20:23:46	003.14 Mtr
213	00255	2025-09-11 19:23:40	003.14 Mtr
214	00255	2025-09-11 18:23:32	003.14 Mtr
215	00255	2025-09-11 17:23:27	003.13 Mtr
216	00255	2025-09-11 16:23:20	003.13 Mtr
217	00255	2025-09-11 15:23:14	003.12 Mtr
218	00255	2025-09-11 14:23:05	003.07 Mtr

219	00255	2025-09-11 13:23:02	003.02 Mtr
220	00255	2025-09-11 12:22:56	003.03 Mtr
221	00255	2025-09-11 11:22:50	003.05 Mtr
222	00255	2025-09-11 10:22:41	003.11 Mtr
223	00255	2025-09-11 00:33:04	003.24 Mtr
224	00255	2025-09-10 23:32:52	003.24 Mtr
225	00255	2025-09-10 22:32:48	003.24 Mtr
226	00255	2025-09-10 21:32:42	003.24 Mtr
227	00255	2025-09-10 20:32:38	003.25 Mtr
228	00255	2025-09-10 19:32:26	003.23 Mtr
229	00255	2025-09-10 18:32:25	003.21 Mtr
230	00255	2025-09-10 17:32:22	003.12 Mtr
231	00255	2025-09-10 16:32:12	002.98 Mtr
232	00255	2025-09-10 15:32:04	002.96 Mtr
233	00255	2025-09-10 14:32:00	002.97 Mtr
234	00255	2025-09-10 13:31:53	002.99 Mtr
235	00255	2025-09-10 12:31:48	003.02 Mtr
236	00255	2025-09-10 11:31:39	003.07 Mtr
237	00255	2025-09-10 01:08:55	003.21 Mtr
238	00255	2025-09-10 00:08:53	003.19 Mtr
239	00255	2025-09-09 23:08:43	003.19 Mtr
240	00255	2025-09-09 22:08:33	003.19 Mtr
241	00255	2025-09-09 21:08:30	003.18 Mtr
242	00255	2025-09-09 20:08:23	003.16 Mtr
243	00255	2025-09-09 19:08:17	003.14 Mtr
244	00255	2025-09-09 18:08:09	003.10 Mtr
245	00255	2025-09-09 17:08:06	003.05 Mtr
246	00255	2025-09-09 16:07:59	003.03 Mtr
247	00255	2025-09-09 15:07:54	003.06 Mtr
248	00255	2025-09-09 14:07:44	003.06 Mtr
249	00255	2025-09-09 13:07:42	003.01 Mtr
250	00255	2025-09-09 12:07:37	002.99 Mtr
251	00255	2025-09-09 11:07:32	003.03 Mtr
252	00255	2025-09-09 10:07:24	003.07 Mtr
253	00255	2025-09-09 01:19:16	003.16 Mtr
254	00255	2025-09-09 00:19:16	003.14 Mtr
255	00255	2025-09-08 23:19:04	003.15 Mtr
256	00255	2025-09-08 22:18:55	003.14 Mtr

257	00255	2025-09-08 21:18:51	003.11 Mtr
258	00255	2025-09-08 20:18:45	003.10 Mtr
259	00255	2025-09-08 19:18:41	003.07 Mtr
260	00255	2025-09-08 18:18:28	003.02 Mtr
261	00255	2025-09-08 17:18:28	002.97 Mtr
262	00255	2025-09-08 16:18:28	002.93 Mtr
263	00255	2025-09-08 15:18:15	002.89 Mtr
264	00255	2025-09-08 14:18:07	002.88 Mtr
265	00255	2025-09-08 13:18:03	002.92 Mtr
266	00255	2025-09-08 12:17:58	002.91 Mtr
267	00255	2025-09-08 11:17:53	002.94 Mtr
268	00255	2025-09-08 10:17:43	002.99 Mtr
269	00255	2025-09-08 01:30:09	003.07 Mtr
270	00255	2025-09-08 00:30:10	003.05 Mtr
271	00255	2025-09-07 23:29:59	003.04 Mtr
272	00255	2025-09-07 22:29:54	003.04 Mtr
273	00255	2025-09-07 21:29:44	003.03 Mtr
274	00255	2025-09-07 20:29:41	003.01 Mtr
275	00255	2025-09-07 19:29:34	002.97 Mtr
276	00255	2025-09-07 18:29:27	002.90 Mtr
277	00255	2025-09-07 17:29:18	002.87 Mtr
278	00255	2025-09-07 16:29:16	002.85 Mtr
279	00255	2025-09-07 15:29:10	002.83 Mtr
280	00255	2025-09-07 14:29:04	002.84 Mtr
281	00255	2025-09-07 13:28:57	002.85 Mtr
282	00255	2025-09-07 01:48:52	002.93 Mtr
283	00255	2025-09-07 00:48:46	002.92 Mtr
284	00255	2025-09-06 23:48:40	002.92 Mtr
285	00255	2025-09-06 22:48:30	002.92 Mtr
286	00255	2025-09-06 21:48:29	002.90 Mtr
287	00255	2025-09-06 20:48:21	002.89 Mtr
288	00255	2025-09-06 19:48:14	002.87 Mtr
289	00255	2025-09-06 18:48:06	002.84 Mtr
290	00255	2025-09-06 17:48:01	002.77 Mtr
291	00255	2025-09-06 16:47:56	002.72 Mtr
292	00255	2025-09-06 15:47:50	002.70 Mtr
293	00255	2025-09-06 14:47:41	002.73 Mtr
294	00255	2025-09-06 13:47:38	002.76 Mtr

295	00255	2025-09-06 12:47:32	002.75 Mtr
296	00255	2025-09-06 11:47:26	002.76 Mtr
297	00255	2025-09-06 10:47:17	002.78 Mtr
298	00255	2025-09-06 00:23:57	002.88 Mtr
299	00255	2025-09-05 23:23:45	002.87 Mtr
300	00255	2025-09-05 22:23:40	002.87 Mtr
301	00255	2025-09-05 21:23:34	002.86 Mtr
302	00255	2025-09-05 20:23:28	002.85 Mtr
303	00255	2025-09-05 19:23:18	002.83 Mtr
304	00255	2025-09-05 18:23:15	002.80 Mtr
305	00255	2025-09-05 17:23:09	002.78 Mtr
306	00255	2025-09-05 16:23:04	002.73 Mtr
307	00255	2025-09-05 15:22:53	002.68 Mtr
308	00255	2025-09-05 14:22:51	002.72 Mtr
309	00255	2025-09-05 13:22:45	002.76 Mtr
310	00255	2025-09-05 12:22:40	002.75 Mtr
311	00255	2025-09-05 11:22:33	002.78 Mtr
312	00255	2025-09-05 00:44:46	003.00 Mtr
313	00255	2025-09-04 23:44:40	003.01 Mtr
314	00255	2025-09-04 22:44:31	003.01 Mtr
315	00255	2025-09-04 21:44:28	003.01 Mtr
316	00255	2025-09-04 20:44:21	003.00 Mtr
317	00255	2025-09-04 19:44:16	003.00 Mtr
318	00255	2025-09-04 18:44:06	002.98 Mtr
319	00255	2025-09-04 17:44:03	002.94 Mtr
320	00255	2025-09-04 16:43:56	002.89 Mtr
321	00255	2025-09-04 15:43:53	002.87 Mtr
322	00255	2025-09-04 14:43:42	002.92 Mtr
323	00255	2025-09-02 23:19:20	003.07 Mtr
324	00255	2025-09-02 22:19:17	003.08 Mtr
325	00255	2025-09-02 21:19:11	003.07 Mtr
326	00255	2025-09-02 20:19:04	003.08 Mtr
327	00255	2025-09-02 19:18:56	003.09 Mtr
328	00255	2025-09-02 18:18:53	003.07 Mtr
329	00255	2025-09-02 17:18:46	003.06 Mtr
330	00255	2025-09-02 16:18:40	002.99 Mtr
331	00255	2025-09-02 15:18:32	003.02 Mtr
332	00255	2025-09-02 01:23:06	003.30 Mtr

333	00255	2025-09-02 00:23:04	003.32 Mtr
334	00255	2025-09-01 23:22:53	003.32 Mtr
335	00255	2025-09-01 22:22:45	003.34 Mtr
336	00255	2025-09-01 21:22:42	003.33 Mtr
337	00255	2025-09-01 20:22:36	003.32 Mtr
338	00255	2025-09-01 19:22:29	003.31 Mtr
339	00255	2025-09-01 18:22:20	003.28 Mtr
340	00255	2025-09-01 17:22:17	003.26 Mtr
341	00255	2025-09-01 16:22:11	003.25 Mtr
342	00255	2025-09-01 15:22:05	003.24 Mtr
343	00255	2025-09-01 14:21:56	003.20 Mtr
344	00255	2025-09-01 13:21:53	003.16 Mtr
345	00255	2025-09-01 12:21:47	003.18 Mtr
346	00255	2025-09-01 11:21:41	003.25 Mtr
347	00255	2025-09-01 10:21:33	003.25 Mtr
348	00255	2025-09-01 00:33:45	003.35 Mtr

Name AURO INFRA PVT.
LTD. (Formerly Known
as Aurobindo Realty &
Infrastructure Pvt. Ltd.)

Address bhadra mharashtra

User ID 00256

Mobile 7780196313

Longitude 20.1564563

Latitude 79.0912839

#	Username	Time	Flow
1	00256	2025-09-30 23:19:48	004.46 Mtr
2	00256	2025-09-30 22:19:41	004.45 Mtr
3	00256	2025-09-30 21:19:35	004.41 Mtr
4	00256	2025-09-30 20:19:31	004.39 Mtr
5	00256	2025-09-30 19:19:23	004.35 Mtr
6	00256	2025-09-30 18:19:17	004.27 Mtr
7	00256	2025-09-30 17:19:11	004.21 Mtr
8	00256	2025-09-30 16:19:08	004.16 Mtr
9	00256	2025-09-30 08:53:29	004.27 Mtr
10	00256	2025-09-30 07:53:22	004.32 Mtr
11	00256	2025-09-30 06:53:16	004.36 Mtr
12	00256	2025-09-30 05:53:11	004.35 Mtr
13	00256	2025-09-30 04:53:06	004.34 Mtr
14	00256	2025-09-30 03:53:00	004.35 Mtr
15	00256	2025-09-30 02:52:54	004.35 Mtr
16	00256	2025-09-30 01:52:48	004.34 Mtr
17	00256	2025-09-30 00:52:44	004.33 Mtr
18	00256	2025-09-29 23:52:36	004.32 Mtr
19	00256	2025-09-29 22:52:31	004.33 Mtr
20	00256	2025-09-29 21:52:26	004.33 Mtr
21	00256	2025-09-29 20:52:24	004.31 Mtr
22	00256	2025-09-29 19:52:13	004.30 Mtr
23	00256	2025-09-29 18:52:06	004.27 Mtr
24	00256	2025-09-29 17:52:00	004.25 Mtr
25	00256	2025-09-29 16:51:56	004.21 Mtr
26	00256	2025-09-29 11:09:20	004.22 Mtr
27	00256	2025-09-29 09:09:38	004.29 Mtr
28	00256	2025-09-29 08:09:02	004.32 Mtr

29	00256	2025-09-29 07:08:57	004.37 Mtr
30	00256	2025-09-29 06:08:51	004.38 Mtr
31	00256	2025-09-29 05:08:45	004.38 Mtr
32	00256	2025-09-29 03:08:33	004.38 Mtr
33	00256	2025-09-29 01:08:21	004.38 Mtr
34	00256	2025-09-29 00:08:17	004.38 Mtr
35	00256	2025-09-28 23:08:10	004.38 Mtr
36	00256	2025-09-28 22:08:03	004.38 Mtr
37	00256	2025-09-28 21:07:58	004.38 Mtr
38	00256	2025-09-28 20:07:54	004.37 Mtr
39	00256	2025-09-28 19:07:46	004.36 Mtr
40	00256	2025-09-28 18:07:40	004.35 Mtr
41	00256	2025-09-28 17:07:37	004.33 Mtr
42	00256	2025-09-28 16:07:30	004.32 Mtr
43	00256	2025-09-28 15:07:23	004.31 Mtr
44	00256	2025-09-28 14:07:17	004.31 Mtr
45	00256	2025-09-28 13:07:11	004.32 Mtr
46	00256	2025-09-28 12:07:07	004.34 Mtr
47	00256	2025-09-28 11:07:00	004.35 Mtr
48	00256	2025-09-28 10:06:53	004.33 Mtr
49	00256	2025-09-28 09:06:48	004.37 Mtr
50	00256	2025-09-28 08:06:42	004.38 Mtr
51	00256	2025-09-28 07:06:38	004.38 Mtr
52	00256	2025-09-28 06:06:30	004.39 Mtr
53	00256	2025-09-28 05:06:27	004.39 Mtr
54	00256	2025-09-28 04:06:19	004.40 Mtr
55	00256	2025-09-28 03:06:13	004.40 Mtr
56	00256	2025-09-28 02:06:07	004.39 Mtr
57	00256	2025-09-28 01:06:01	004.39 Mtr
58	00256	2025-09-28 00:05:56	004.40 Mtr
59	00256	2025-09-27 23:05:49	004.38 Mtr
60	00256	2025-09-27 22:05:43	004.40 Mtr
61	00256	2025-09-27 21:05:38	004.39 Mtr
62	00256	2025-09-27 20:05:33	004.40 Mtr
63	00256	2025-09-27 19:05:28	004.41 Mtr
64	00256	2025-09-27 18:05:21	004.41 Mtr
65	00256	2025-09-27 17:05:27	004.42 Mtr
66	00256	2025-09-27 16:05:10	004.39 Mtr

67	00256	2025-09-27 15:05:03	004.37 Mtr
68	00256	2025-09-27 14:04:56	004.36 Mtr
69	00256	2025-09-27 13:04:51	004.33 Mtr
70	00256	2025-09-27 12:04:45	004.31 Mtr
71	00256	2025-09-27 11:04:39	004.35 Mtr
72	00256	2025-09-27 10:04:33	004.37 Mtr
73	00256	2025-09-27 09:04:27	004.39 Mtr
74	00256	2025-09-27 08:04:22	004.39 Mtr
75	00256	2025-09-27 07:04:15	004.39 Mtr
76	00256	2025-09-27 06:04:10	004.39 Mtr
77	00256	2025-09-27 05:04:04	004.41 Mtr
78	00256	2025-09-27 04:03:58	004.40 Mtr
79	00256	2025-09-27 02:03:46	004.41 Mtr
80	00256	2025-09-27 01:03:41	004.40 Mtr
81	00256	2025-09-27 00:03:36	004.41 Mtr
82	00256	2025-09-26 23:03:29	004.41 Mtr
83	00256	2025-09-26 22:03:24	004.40 Mtr
84	00256	2025-09-26 21:03:17	004.41 Mtr
85	00256	2025-09-26 20:03:14	004.40 Mtr
86	00256	2025-09-26 19:03:11	004.39 Mtr
87	00256	2025-09-26 18:02:59	004.36 Mtr
88	00256	2025-09-26 17:02:53	004.36 Mtr
89	00256	2025-09-26 16:02:50	004.33 Mtr
90	00256	2025-09-26 11:07:56	004.30 Mtr
91	00256	2025-09-26 10:07:50	004.31 Mtr
92	00256	2025-09-26 09:07:45	004.36 Mtr
93	00256	2025-09-26 08:07:39	004.44 Mtr
94	00256	2025-09-26 07:07:32	004.48 Mtr
95	00256	2025-09-26 06:07:27	004.50 Mtr
96	00256	2025-09-26 05:07:22	004.50 Mtr
97	00256	2025-09-26 04:07:15	004.49 Mtr
98	00256	2025-09-26 03:07:09	004.48 Mtr
99	00256	2025-09-26 02:07:06	004.48 Mtr
100	00256	2025-09-26 01:06:58	004.48 Mtr
101	00256	2025-09-26 00:06:51	004.47 Mtr
102	00256	2025-09-25 23:06:45	004.47 Mtr
103	00256	2025-09-25 22:06:40	004.47 Mtr
104	00256	2025-09-25 21:06:35	004.46 Mtr

105	00256	2025-09-25 20:06:31	004.46 Mtr
106	00256	2025-09-25 19:06:22	004.42 Mtr
107	00256	2025-09-25 18:06:16	004.44 Mtr
108	00256	2025-09-25 17:06:12	004.43 Mtr
109	00256	2025-09-25 16:06:05	004.43 Mtr
110	00256	2025-09-25 15:05:59	004.42 Mtr
111	00256	2025-09-25 14:05:53	004.43 Mtr
112	00256	2025-09-25 13:05:49	004.44 Mtr
113	00256	2025-09-25 11:05:36	004.40 Mtr
114	00256	2025-09-25 10:05:30	004.40 Mtr
115	00256	2025-09-25 09:05:26	004.40 Mtr
116	00256	2025-09-25 08:05:18	004.41 Mtr
117	00256	2025-09-25 07:05:12	004.41 Mtr
118	00256	2025-09-25 06:05:07	004.42 Mtr
119	00256	2025-09-25 05:05:02	004.40 Mtr
120	00256	2025-09-25 04:04:55	004.40 Mtr
121	00256	2025-09-25 03:04:49	004.40 Mtr
122	00256	2025-09-25 02:04:46	004.39 Mtr
123	00256	2025-09-25 01:04:39	004.39 Mtr
124	00256	2025-09-25 00:04:32	004.39 Mtr
125	00256	2025-09-24 23:04:26	004.39 Mtr
126	00256	2025-09-24 22:04:20	004.39 Mtr
127	00256	2025-09-24 21:04:15	004.39 Mtr
128	00256	2025-09-24 20:04:08	004.39 Mtr
129	00256	2025-09-24 19:04:04	004.38 Mtr
130	00256	2025-09-24 18:03:57	004.38 Mtr
131	00256	2025-09-24 17:03:58	004.37 Mtr
132	00256	2025-09-24 16:03:46	004.37 Mtr
133	00256	2025-09-24 15:03:45	004.31 Mtr
134	00256	2025-09-24 09:13:01	004.36 Mtr
135	00256	2025-09-24 08:12:56	004.39 Mtr
136	00256	2025-09-24 07:12:49	004.41 Mtr
137	00256	2025-09-24 06:12:43	004.41 Mtr
138	00256	2025-09-24 05:12:37	004.41 Mtr
139	00256	2025-09-24 04:12:33	004.40 Mtr
140	00256	2025-09-24 03:12:25	004.41 Mtr
141	00256	2025-09-24 02:12:23	004.40 Mtr
142	00256	2025-09-24 01:12:16	004.40 Mtr

143	00256	2025-09-24 00:12:09	004.40 Mtr
144	00256	2025-09-23 23:12:05	004.41 Mtr
145	00256	2025-09-23 22:11:58	004.40 Mtr
146	00256	2025-09-23 21:11:52	004.40 Mtr
147	00256	2025-09-23 20:11:49	004.34 Mtr
148	00256	2025-09-23 19:11:40	004.34 Mtr
149	00256	2025-09-23 18:11:33	004.30 Mtr
150	00256	2025-09-23 17:11:27	004.27 Mtr
151	00256	2025-09-23 16:11:28	004.22 Mtr
152	00256	2025-09-23 09:53:09	004.29 Mtr
153	00256	2025-09-23 08:53:02	004.34 Mtr
154	00256	2025-09-23 07:52:56	004.37 Mtr
155	00256	2025-09-23 06:52:53	004.40 Mtr
156	00256	2025-09-23 05:52:45	004.41 Mtr
157	00256	2025-09-23 04:52:40	004.40 Mtr
158	00256	2025-09-23 03:52:33	004.40 Mtr
159	00256	2025-09-23 02:52:28	004.39 Mtr
160	00256	2025-09-23 01:52:22	004.39 Mtr
161	00256	2025-09-23 00:52:16	004.40 Mtr
162	00256	2025-09-22 23:52:10	004.39 Mtr
163	00256	2025-09-22 22:52:06	004.38 Mtr
164	00256	2025-09-22 21:51:58	004.38 Mtr
165	00256	2025-09-22 20:51:53	004.38 Mtr
166	00256	2025-09-22 19:51:46	004.37 Mtr
167	00256	2025-09-22 18:51:42	004.35 Mtr
168	00256	2025-09-22 17:51:34	004.34 Mtr
169	00256	2025-09-22 16:51:30	004.32 Mtr
170	00256	2025-09-22 15:51:23	004.30 Mtr
171	00256	2025-09-22 14:51:22	004.29 Mtr
172	00256	2025-09-22 09:38:39	004.31 Mtr
173	00256	2025-09-22 08:38:33	004.37 Mtr
174	00256	2025-09-22 07:38:28	004.39 Mtr
175	00256	2025-09-22 06:38:22	004.40 Mtr
176	00256	2025-09-22 05:38:17	004.41 Mtr
177	00256	2025-09-22 04:38:10	004.40 Mtr
178	00256	2025-09-22 03:38:05	004.41 Mtr
179	00256	2025-09-22 02:38:00	004.41 Mtr
180	00256	2025-09-22 01:37:54	004.40 Mtr

181	00256	2025-09-22 00:37:47	004.40 Mtr
182	00256	2025-09-21 23:37:42	004.40 Mtr
183	00256	2025-09-21 22:37:35	004.40 Mtr
184	00256	2025-09-21 21:37:29	004.39 Mtr
185	00256	2025-09-21 20:37:24	004.38 Mtr
186	00256	2025-09-21 19:37:20	004.36 Mtr
187	00256	2025-09-21 18:37:11	004.34 Mtr
188	00256	2025-09-21 17:37:05	004.30 Mtr
189	00256	2025-09-21 16:36:59	004.26 Mtr
190	00256	2025-09-21 15:37:00	004.21 Mtr
191	00256	2025-09-21 08:30:15	004.35 Mtr
192	00256	2025-09-21 07:30:09	004.41 Mtr
193	00256	2025-09-21 06:30:03	004.42 Mtr
194	00256	2025-09-21 05:29:58	004.42 Mtr
195	00256	2025-09-21 04:29:52	004.41 Mtr
196	00256	2025-09-21 03:29:46	004.42 Mtr
197	00256	2025-09-21 02:29:43	004.41 Mtr
198	00256	2025-09-21 01:29:34	004.41 Mtr
199	00256	2025-09-21 00:29:30	004.41 Mtr
200	00256	2025-09-20 23:29:23	004.41 Mtr
201	00256	2025-09-20 22:29:17	004.38 Mtr
202	00256	2025-09-20 21:29:11	004.38 Mtr
203	00256	2025-09-20 20:29:06	004.36 Mtr
204	00256	2025-09-20 19:28:59	004.34 Mtr
205	00256	2025-09-20 18:28:53	004.30 Mtr
206	00256	2025-09-20 17:28:47	004.22 Mtr
207	00256	2025-09-20 16:28:54	004.22 Mtr
208	00256	2025-09-20 09:12:49	004.33 Mtr
209	00256	2025-09-20 08:12:43	004.38 Mtr
210	00256	2025-09-20 07:12:37	004.41 Mtr
211	00256	2025-09-20 06:12:31	004.42 Mtr
212	00256	2025-09-20 05:12:26	004.41 Mtr
213	00256	2025-09-20 04:12:19	004.41 Mtr
214	00256	2025-09-20 03:12:13	004.41 Mtr
215	00256	2025-09-20 02:12:19	004.41 Mtr
216	00256	2025-09-20 01:12:03	004.40 Mtr
217	00256	2025-09-20 00:11:57	004.40 Mtr
218	00256	2025-09-19 23:11:51	004.39 Mtr

219	00256	2025-09-19 22:11:45	004.38 Mtr
220	00256	2025-09-19 21:11:40	004.37 Mtr
221	00256	2025-09-19 19:11:27	004.33 Mtr
222	00256	2025-09-19 18:11:21	004.30 Mtr
223	00256	2025-09-19 17:11:15	004.25 Mtr
224	00256	2025-09-19 16:11:20	004.22 Mtr
225	00256	2025-09-19 09:27:29	004.33 Mtr
226	00256	2025-09-19 08:27:24	004.40 Mtr
227	00256	2025-09-19 07:27:18	004.43 Mtr
228	00256	2025-09-19 06:27:12	004.44 Mtr
229	00256	2025-09-19 05:27:06	004.44 Mtr
230	00256	2025-09-19 04:27:01	004.44 Mtr
231	00256	2025-09-19 02:26:49	004.45 Mtr
232	00256	2025-09-19 01:26:43	004.45 Mtr
233	00256	2025-09-19 00:26:38	004.44 Mtr
234	00256	2025-09-18 23:26:31	004.42 Mtr
235	00256	2025-09-18 22:26:25	004.39 Mtr
236	00256	2025-09-18 21:26:19	004.38 Mtr
237	00256	2025-09-18 20:26:15	004.37 Mtr
238	00256	2025-09-18 19:26:07	004.36 Mtr
239	00256	2025-09-18 18:26:01	004.31 Mtr
240	00256	2025-09-18 17:25:55	004.28 Mtr
241	00256	2025-09-18 16:25:53	004.26 Mtr
242	00256	2025-09-17 09:40:40	004.43 Mtr
243	00256	2025-09-17 08:40:35	004.47 Mtr
244	00256	2025-09-17 07:40:29	004.51 Mtr
245	00256	2025-09-17 06:40:22	004.53 Mtr
246	00256	2025-09-17 05:40:17	004.54 Mtr
247	00256	2025-09-17 04:40:12	004.53 Mtr
248	00256	2025-09-17 02:39:59	004.51 Mtr
249	00256	2025-09-17 01:39:53	004.53 Mtr
250	00256	2025-09-17 00:39:48	004.52 Mtr
251	00256	2025-09-16 23:39:41	004.52 Mtr
252	00256	2025-09-16 22:39:36	004.51 Mtr
253	00256	2025-09-16 21:39:30	004.50 Mtr
254	00256	2025-09-16 20:39:25	004.49 Mtr
255	00256	2025-09-16 19:39:19	004.49 Mtr
256	00256	2025-09-16 18:39:13	004.47 Mtr

257	00256	2025-09-16 17:39:06	004.46 Mtr
258	00256	2025-09-16 16:39:04	004.42 Mtr
259	00256	2025-09-16 11:08:22	004.39 Mtr
260	00256	2025-09-16 10:08:15	004.38 Mtr
261	00256	2025-09-16 09:08:10	004.40 Mtr
262	00256	2025-09-16 08:08:04	004.43 Mtr
263	00256	2025-09-16 07:07:59	004.45 Mtr
264	00256	2025-09-16 06:07:52	004.45 Mtr
265	00256	2025-09-16 05:07:47	004.44 Mtr
266	00256	2025-09-16 04:07:40	004.45 Mtr
267	00256	2025-09-16 03:07:36	004.45 Mtr
268	00256	2025-09-16 02:07:31	004.45 Mtr
269	00256	2025-09-16 01:07:23	004.45 Mtr
270	00256	2025-09-16 00:07:18	004.45 Mtr
271	00256	2025-09-15 23:07:14	004.45 Mtr
272	00256	2025-09-15 22:07:07	004.42 Mtr
273	00256	2025-09-15 21:07:01	004.42 Mtr
274	00256	2025-09-15 20:06:53	004.41 Mtr
275	00256	2025-09-15 19:06:49	004.41 Mtr
276	00256	2025-09-15 18:06:46	004.39 Mtr
277	00256	2025-09-15 17:06:36	004.35 Mtr
278	00256	2025-09-15 16:06:35	004.33 Mtr
279	00256	2025-09-15 15:06:28	004.32 Mtr
280	00256	2025-09-15 12:45:05	004.34 Mtr
281	00256	2025-09-15 11:44:58	004.38 Mtr
282	00256	2025-09-15 10:44:56	004.40 Mtr
283	00256	2025-09-15 09:44:46	004.40 Mtr
284	00256	2025-09-15 08:44:42	004.43 Mtr
285	00256	2025-09-15 07:44:34	004.44 Mtr
286	00256	2025-09-15 06:44:29	004.45 Mtr
287	00256	2025-09-15 05:44:23	004.45 Mtr
288	00256	2025-09-15 04:44:18	004.44 Mtr
289	00256	2025-09-15 03:44:11	004.44 Mtr
290	00256	2025-09-15 02:44:16	004.44 Mtr
291	00256	2025-09-15 01:44:00	004.44 Mtr
292	00256	2025-09-15 00:43:54	004.43 Mtr
293	00256	2025-09-14 23:43:48	004.42 Mtr
294	00256	2025-09-14 22:43:43	004.42 Mtr

295	00256	2025-09-14 21:43:36	004.42 Mtr
296	00256	2025-09-14 20:43:31	004.40 Mtr
297	00256	2025-09-14 19:43:25	004.39 Mtr
298	00256	2025-09-14 18:44:03	004.36 Mtr
299	00256	2025-09-14 16:43:13	004.29 Mtr
300	00256	2025-09-14 10:16:39	004.39 Mtr
301	00256	2025-09-14 09:16:34	004.41 Mtr
302	00256	2025-09-14 08:16:28	004.44 Mtr
303	00256	2025-09-14 07:16:21	004.46 Mtr
304	00256	2025-09-14 06:16:15	004.47 Mtr
305	00256	2025-09-14 05:16:09	004.47 Mtr
306	00256	2025-09-14 04:16:04	004.45 Mtr
307	00256	2025-09-14 03:15:57	004.46 Mtr
308	00256	2025-09-14 02:16:03	004.45 Mtr
309	00256	2025-09-14 01:15:46	004.45 Mtr
310	00256	2025-09-14 00:15:42	004.45 Mtr
311	00256	2025-09-13 23:15:35	004.45 Mtr
312	00256	2025-09-13 22:15:30	004.45 Mtr
313	00256	2025-09-13 21:15:22	004.44 Mtr
314	00256	2025-09-13 20:15:18	004.43 Mtr
315	00256	2025-09-13 19:15:11	004.41 Mtr
316	00256	2025-09-13 18:15:05	004.40 Mtr
317	00256	2025-09-13 17:15:00	004.37 Mtr
318	00256	2025-09-13 16:14:57	004.34 Mtr
319	00256	2025-09-13 14:46:10	004.33 Mtr
320	00256	2025-09-13 10:15:45	004.40 Mtr
321	00256	2025-09-13 09:15:38	004.45 Mtr
322	00256	2025-09-13 08:15:33	004.47 Mtr
323	00256	2025-09-13 07:15:29	004.49 Mtr
324	00256	2025-09-13 06:15:21	004.50 Mtr
325	00256	2025-09-13 05:15:15	004.49 Mtr
326	00256	2025-09-13 04:15:09	004.47 Mtr
327	00256	2025-09-13 03:15:04	004.48 Mtr
328	00256	2025-09-13 02:15:00	004.47 Mtr
329	00256	2025-09-13 01:14:53	004.49 Mtr
330	00256	2025-09-13 00:14:47	004.48 Mtr
331	00256	2025-09-12 23:14:41	004.50 Mtr
332	00256	2025-09-12 22:14:38	004.50 Mtr

333	00256	2025-09-12 21:14:29	004.51 Mtr
334	00256	2025-09-12 20:14:23	004.50 Mtr
335	00256	2025-09-12 19:14:20	004.50 Mtr
336	00256	2025-09-12 18:14:12	004.49 Mtr
337	00256	2025-09-12 17:14:07	004.47 Mtr
338	00256	2025-09-12 15:13:57	004.40 Mtr
339	00256	2025-09-12 10:31:35	004.48 Mtr
340	00256	2025-09-12 09:31:28	004.52 Mtr
341	00256	2025-09-12 08:31:22	004.55 Mtr
342	00256	2025-09-12 07:31:16	004.57 Mtr
343	00256	2025-09-12 06:31:11	004.58 Mtr
344	00256	2025-09-12 05:31:05	004.58 Mtr
345	00256	2025-09-12 04:30:58	004.57 Mtr
346	00256	2025-09-12 03:30:53	004.56 Mtr
347	00256	2025-09-12 02:30:51	004.56 Mtr
348	00256	2025-09-12 01:30:41	004.56 Mtr
349	00256	2025-09-12 00:30:45	004.54 Mtr
350	00256	2025-09-11 23:30:30	004.53 Mtr
351	00256	2025-09-11 22:30:25	004.53 Mtr
352	00256	2025-09-11 21:30:18	004.52 Mtr
353	00256	2025-09-11 20:30:12	004.51 Mtr
354	00256	2025-09-11 19:30:06	004.51 Mtr
355	00256	2025-09-11 18:30:01	004.50 Mtr
356	00256	2025-09-11 17:29:56	004.48 Mtr
357	00256	2025-09-11 16:29:49	004.44 Mtr
358	00256	2025-09-11 15:29:43	004.44 Mtr
359	00256	2025-09-11 14:29:39	004.42 Mtr
360	00256	2025-09-11 10:21:22	004.40 Mtr
361	00256	2025-09-11 09:21:16	004.43 Mtr
362	00256	2025-09-11 08:21:11	004.46 Mtr
363	00256	2025-09-11 07:21:04	004.48 Mtr
364	00256	2025-09-11 06:20:57	004.49 Mtr
365	00256	2025-09-11 05:20:51	004.49 Mtr
366	00256	2025-09-11 04:20:46	004.48 Mtr
367	00256	2025-09-11 03:20:40	004.49 Mtr
368	00256	2025-09-11 02:20:39	004.48 Mtr
369	00256	2025-09-11 01:20:28	004.49 Mtr
370	00256	2025-09-11 00:20:24	004.48 Mtr

371	00256	2025-09-10 23:20:16	004.47 Mtr
372	00256	2025-09-10 22:20:10	004.47 Mtr
373	00256	2025-09-10 21:20:06	004.46 Mtr
374	00256	2025-09-10 20:20:00	004.47 Mtr
375	00256	2025-09-10 19:19:53	004.46 Mtr
376	00256	2025-09-10 18:19:48	004.44 Mtr
377	00256	2025-09-10 17:19:42	004.35 Mtr
378	00256	2025-09-10 16:19:38	004.28 Mtr
379	00256	2025-09-10 10:30:58	004.37 Mtr
380	00256	2025-09-10 09:30:51	004.39 Mtr
381	00256	2025-09-10 08:30:47	004.42 Mtr
382	00256	2025-09-10 07:30:40	004.46 Mtr
383	00256	2025-09-10 06:30:35	004.48 Mtr
384	00256	2025-09-10 05:30:28	004.47 Mtr
385	00256	2025-09-10 04:30:23	004.47 Mtr
386	00256	2025-09-10 03:30:17	004.47 Mtr
387	00256	2025-09-10 02:30:14	004.47 Mtr
388	00256	2025-09-10 01:30:06	004.47 Mtr
389	00256	2025-09-10 00:30:01	004.45 Mtr
390	00256	2025-09-09 23:29:54	004.47 Mtr
391	00256	2025-09-09 22:29:48	004.46 Mtr
392	00256	2025-09-09 21:29:44	004.45 Mtr
393	00256	2025-09-09 20:29:38	004.44 Mtr
394	00256	2025-09-09 19:29:32	004.44 Mtr
395	00256	2025-09-09 18:29:25	004.39 Mtr
396	00256	2025-09-09 17:29:19	004.36 Mtr
397	00256	2025-09-09 16:29:16	004.36 Mtr
398	00256	2025-09-09 15:02:50	004.37 Mtr
399	00256	2025-09-09 13:02:42	004.35 Mtr
400	00256	2025-09-09 09:04:34	004.39 Mtr
401	00256	2025-09-09 08:04:29	004.44 Mtr
402	00256	2025-09-09 07:04:23	004.52 Mtr
403	00256	2025-09-09 06:04:17	004.50 Mtr
404	00256	2025-09-09 05:04:11	004.52 Mtr
405	00256	2025-09-09 04:04:07	004.50 Mtr
406	00256	2025-09-09 03:03:59	004.49 Mtr
407	00256	2025-09-09 02:03:53	004.50 Mtr
408	00256	2025-09-09 01:03:47	004.50 Mtr

409	00256	2025-09-09 00:03:43	004.50 Mtr
410	00256	2025-09-08 23:03:36	004.50 Mtr
411	00256	2025-09-08 22:03:30	004.50 Mtr
412	00256	2025-09-08 21:03:23	004.49 Mtr
413	00256	2025-09-08 20:03:20	004.48 Mtr
414	00256	2025-09-08 19:03:13	004.49 Mtr
415	00256	2025-09-08 18:03:07	004.44 Mtr
416	00256	2025-09-08 17:03:02	004.40 Mtr
417	00256	2025-09-08 16:03:00	004.39 Mtr
418	00256	2025-09-08 09:20:17	004.47 Mtr
419	00256	2025-09-08 08:20:12	004.49 Mtr
420	00256	2025-09-08 07:20:06	004.59 Mtr
421	00256	2025-09-08 06:20:00	004.60 Mtr
422	00256	2025-09-08 05:19:55	004.59 Mtr
423	00256	2025-09-08 04:19:49	004.57 Mtr
424	00256	2025-09-08 03:19:41	004.58 Mtr
425	00256	2025-09-08 02:19:41	004.57 Mtr
426	00256	2025-09-08 01:19:31	004.56 Mtr
427	00256	2025-09-08 00:19:26	004.56 Mtr
428	00256	2025-09-07 23:19:19	004.55 Mtr
429	00256	2025-09-07 22:19:13	004.54 Mtr
430	00256	2025-09-07 21:19:08	004.53 Mtr
431	00256	2025-09-07 20:19:05	004.51 Mtr
432	00256	2025-09-07 19:18:56	004.47 Mtr
433	00256	2025-09-07 18:18:49	004.43 Mtr
434	00256	2025-09-07 17:18:45	004.38 Mtr
435	00256	2025-09-07 16:18:38	004.36 Mtr
436	00256	2025-09-07 11:51:59	004.40 Mtr
437	00256	2025-09-07 10:51:53	004.41 Mtr
438	00256	2025-09-07 09:51:47	004.43 Mtr
439	00256	2025-09-07 08:51:42	004.47 Mtr
440	00256	2025-09-07 07:51:35	004.54 Mtr
441	00256	2025-09-07 06:51:29	004.54 Mtr
442	00256	2025-09-07 05:51:23	004.53 Mtr
443	00256	2025-09-07 04:51:19	004.52 Mtr
444	00256	2025-09-07 03:51:12	004.50 Mtr
445	00256	2025-09-07 02:51:06	004.49 Mtr
446	00256	2025-09-07 01:51:01	004.49 Mtr

447	00256	2025-09-07 00:50:56	004.50 Mtr
448	00256	2025-09-06 23:50:49	004.53 Mtr
449	00256	2025-09-06 22:50:44	004.50 Mtr
450	00256	2025-09-06 21:50:37	004.49 Mtr
451	00256	2025-09-06 20:50:37	004.47 Mtr
452	00256	2025-09-06 19:50:25	004.45 Mtr
453	00256	2025-09-06 18:50:19	004.42 Mtr
454	00256	2025-09-06 17:50:13	004.35 Mtr
455	00256	2025-09-06 16:50:10	004.35 Mtr
456	00256	2025-09-06 12:11:22	004.35 Mtr
457	00256	2025-09-06 10:11:33	004.41 Mtr
458	00256	2025-09-06 09:11:26	004.44 Mtr
459	00256	2025-09-06 08:11:22	004.48 Mtr
460	00256	2025-09-06 07:11:14	004.50 Mtr
461	00256	2025-09-06 06:11:09	004.50 Mtr
462	00256	2025-09-06 05:11:04	004.50 Mtr
463	00256	2025-09-06 04:10:58	004.49 Mtr
464	00256	2025-09-06 03:10:51	004.51 Mtr
465	00256	2025-09-06 02:10:48	004.50 Mtr
466	00256	2025-09-06 01:10:40	004.51 Mtr
467	00256	2025-09-06 00:10:34	004.50 Mtr
468	00256	2025-09-05 23:10:29	004.49 Mtr
469	00256	2025-09-05 22:10:22	004.48 Mtr
470	00256	2025-09-05 21:10:17	004.48 Mtr
471	00256	2025-09-05 20:10:11	004.48 Mtr
472	00256	2025-09-05 19:10:05	004.46 Mtr
473	00256	2025-09-05 18:09:59	004.44 Mtr
474	00256	2025-09-05 17:09:53	004.43 Mtr
475	00256	2025-09-05 16:09:50	004.38 Mtr
476	00256	2025-09-05 13:22:36	004.38 Mtr
477	00256	2025-09-05 12:22:32	004.36 Mtr
478	00256	2025-09-05 11:22:24	004.37 Mtr
479	00256	2025-09-05 10:22:18	004.41 Mtr
480	00256	2025-09-05 09:22:12	004.43 Mtr
481	00256	2025-09-05 08:22:07	004.47 Mtr
482	00256	2025-09-05 07:22:01	004.51 Mtr
483	00256	2025-09-05 06:21:55	004.53 Mtr
484	00256	2025-09-05 05:21:49	004.52 Mtr

485	00256	2025-09-05 04:21:43	004.52 Mtr
486	00256	2025-09-05 03:21:54	004.52 Mtr
487	00256	2025-09-05 02:21:33	004.51 Mtr
488	00256	2025-09-05 01:21:26	004.52 Mtr
489	00256	2025-09-05 00:21:20	004.52 Mtr
490	00256	2025-09-04 23:21:14	004.51 Mtr
491	00256	2025-09-04 22:21:09	004.51 Mtr
492	00256	2025-09-04 21:21:03	004.51 Mtr
493	00256	2025-09-04 20:20:58	004.50 Mtr
494	00256	2025-09-04 19:20:50	004.50 Mtr
495	00256	2025-09-04 18:20:45	004.49 Mtr
496	00256	2025-09-04 17:20:40	004.44 Mtr
497	00256	2025-09-04 16:20:33	004.42 Mtr
498	00256	2025-09-04 15:20:27	004.41 Mtr
499	00256	2025-09-04 14:20:21	004.43 Mtr
500	00256	2025-09-04 13:20:16	004.46 Mtr
501	00256	2025-09-04 12:20:11	004.48 Mtr
502	00256	2025-09-04 11:20:03	004.51 Mtr
503	00256	2025-09-04 10:19:57	004.52 Mtr
504	00256	2025-09-04 09:19:52	004.53 Mtr
505	00256	2025-09-04 08:19:47	004.53 Mtr
506	00256	2025-09-04 07:19:41	004.53 Mtr
507	00256	2025-09-04 06:19:35	004.54 Mtr
508	00256	2025-09-04 05:19:29	004.54 Mtr
509	00256	2025-09-04 04:19:27	004.53 Mtr
510	00256	2025-09-04 00:19:01	004.53 Mtr
511	00256	2025-09-03 23:18:54	004.53 Mtr
512	00256	2025-09-03 22:18:50	004.53 Mtr
513	00256	2025-09-03 21:18:43	004.52 Mtr
514	00256	2025-09-03 20:18:39	004.53 Mtr
515	00256	2025-09-03 19:18:32	004.53 Mtr
516	00256	2025-09-03 18:18:26	004.52 Mtr
517	00256	2025-09-03 17:18:19	004.51 Mtr
518	00256	2025-09-03 16:18:15	004.49 Mtr
519	00256	2025-09-03 15:18:08	004.50 Mtr
520	00256	2025-09-03 14:18:02	004.48 Mtr
521	00256	2025-09-03 13:17:57	004.48 Mtr
522	00256	2025-09-03 12:17:51	004.48 Mtr

523	00256	2025-09-03 11:17:46	004.50 Mtr
524	00256	2025-09-03 10:17:39	004.49 Mtr
525	00256	2025-09-03 09:17:33	004.51 Mtr
526	00256	2025-09-03 08:17:30	004.52 Mtr
527	00256	2025-09-03 07:17:22	004.54 Mtr
528	00256	2025-09-03 06:17:15	004.53 Mtr
529	00256	2025-09-03 05:17:10	004.53 Mtr
530	00256	2025-09-03 04:17:04	004.54 Mtr
531	00256	2025-09-03 03:16:57	004.53 Mtr
532	00256	2025-09-03 02:16:54	004.53 Mtr
533	00256	2025-09-03 01:16:47	004.53 Mtr
534	00256	2025-09-03 00:16:42	004.52 Mtr
535	00256	2025-09-02 23:16:35	004.52 Mtr
536	00256	2025-09-02 22:16:30	004.52 Mtr
537	00256	2025-09-02 21:16:23	004.50 Mtr
538	00256	2025-09-02 20:16:19	004.50 Mtr
539	00256	2025-09-02 19:16:12	004.50 Mtr
540	00256	2025-09-02 18:16:06	004.48 Mtr
541	00256	2025-09-02 17:16:00	004.47 Mtr
542	00256	2025-09-02 16:15:55	004.41 Mtr
543	00256	2025-09-02 15:15:48	004.43 Mtr
544	00256	2025-09-02 14:15:42	004.46 Mtr
545	00256	2025-09-02 13:15:36	004.49 Mtr
546	00256	2025-09-02 12:15:31	004.50 Mtr
547	00256	2025-09-02 11:15:25	004.52 Mtr
548	00256	2025-09-02 10:15:19	004.51 Mtr
549	00256	2025-09-02 09:15:13	004.53 Mtr
550	00256	2025-09-02 08:15:08	004.54 Mtr
551	00256	2025-09-02 07:15:01	004.55 Mtr
552	00256	2025-09-02 06:14:56	004.56 Mtr
553	00256	2025-09-02 05:14:50	004.56 Mtr
554	00256	2025-09-02 04:14:45	004.55 Mtr
555	00256	2025-09-02 02:14:32	004.57 Mtr
556	00256	2025-09-02 01:14:26	004.57 Mtr
557	00256	2025-09-02 00:14:20	004.57 Mtr
558	00256	2025-09-01 23:14:15	004.56 Mtr
559	00256	2025-09-01 22:14:09	004.56 Mtr
560	00256	2025-09-01 21:14:03	004.55 Mtr

561	00256	2025-09-01 20:13:57	004.54 Mtr
562	00256	2025-09-01 19:13:52	004.53 Mtr
563	00256	2025-09-01 18:13:46	004.52 Mtr
564	00256	2025-09-01 17:13:40	004.49 Mtr
565	00256	2025-09-01 16:13:33	004.48 Mtr
566	00256	2025-09-01 15:13:29	004.49 Mtr
567	00256	2025-09-01 10:32:45	004.52 Mtr
568	00256	2025-09-01 09:32:40	004.54 Mtr
569	00256	2025-09-01 08:32:33	004.55 Mtr
570	00256	2025-09-01 07:32:27	004.56 Mtr
571	00256	2025-09-01 06:32:23	004.53 Mtr
572	00256	2025-09-01 05:32:15	004.53 Mtr
573	00256	2025-09-01 04:32:11	004.53 Mtr
574	00256	2025-09-01 03:32:04	004.53 Mtr
575	00256	2025-09-01 02:31:58	004.53 Mtr
576	00256	2025-09-01 01:31:52	004.54 Mtr
577	00256	2025-09-01 00:31:47	004.53 Mtr

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/01

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/01	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Jena Village Nala South	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	95.00	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 oC for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.54	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.78	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	232.0	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	18.00	mg/l	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	6.20	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/02

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/02	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Jena Nala East	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	80.0	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 °C for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.28	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.55	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	188.00	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	10.00	mg/L	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	6.80	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/03

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/03	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Surface Water	Analysis Start Date:	28/06/2025
Sample Description:	Belora Nala	Analysis End Date:	02/07/2025
Sample Quantity:	4.5 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	85.00	mg/L	APHA 24th Edn 2320 B	-
2	BOD at 27 °C for 3 days	BQL (QL=2)	mg/L	IS 3025-Part 44	-
3	Chemical Oxygen Demand (COD)	BQL (QL=5)	mg/L	APHA 24th Edn 5220 B	-
4	Fluoride	0.42	mg/L	APHA 24th Edn 4500 F D	-
5	Oil and Grease	BQL (QL=1)	mg/L	IS 3025- Part 39	-
6	pH at 25 °C	7.63	-	IS 3025- Part 11	-
7	Total Dissolved Solids (TDS)	254.00	mg/L	APHA 24th Edn 2540 C	-
8	Total Suspended Solids (TSS)	12.00	mg/L	APHA 24th Edn 2540 D	-
9	Dissolved Oxygen	5.20	mg/L	IS 3025 -Part 38	-
10	Total coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221B 24th Edition 2021	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/04

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/04	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.48	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	1.10	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	780.00	mg/L	APHA 24th Edn 2540 C	-
5	Total Suspended Solids (TSS)	28.00	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	48.00	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	1.40	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	232.00	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	15.78	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haraqobinda Srichandan



[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/04

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/04	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Accumulated Mine Water	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	-

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



Reviewed & Authorized by
Payal Patel

--- End of Report ---

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/05

Reporting Date : 03/07/2025

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/05	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.68	-	IS 3025- Part 11	5.5 to 9.0
2	Fluoride	1.16	mg/L	APHA 24th Edn 4500 F D	2
3	Phenolic compounds	BQL (QL=0.01)	mg/L	IS 3025- Part 43	1
4	Total Dissolved Solids (TDS)	754.00	mg/L	APHA 24th Edn 2540 C	NS
5	Total Suspended Solids (TSS)	26.00	mg/L	APHA 24th Edn 2540 D	100
6	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	10
7	Chemical Oxygen Demand (COD)	40.00	mg/L	APHA 24th Edn 5220 B	250
8	Ammonical Nitrogen	1.12	mg/L	APHA 24th Edn 4500 NH3 C	50
9	Total Hardness as CaCO3	240.00	mg/L	APHA 24th Edn 2340 C	-
10	BOD at 27 °C for 3 days	13.04	mg/L	IS 3025- Part 44	30
11	Arsenic	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.2
12	Cadmium	BQL (QL=0.01)	mg/L	GGMPL/SOP/W&WW/46	2.0

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/837E/149/05

M/s. Auro Infra Private Limited

(Formerly known as M/s. Aurobindo Realty & Infrastructure Pvt. Ltd.) Village:
Bellora, Khasara/ Plot No: 97, Nagpur Highway (State Highway No. 09) Tehsil:
Bhadravati, Dist: Chandrapur, 442902 Maharashtra

Reporting Date : 03/07/2025



SAMPLE DETAILS

Lab ID:	Lab/PN/837E/149/05	Sampling Date:	25/06/2025
Sample Drawn By:	Hasanali Roshanali Sunasara	Sample Receipt Date:	28/06/2025
Sample Type:	Waste Water	Analysis Start Date:	28/06/2025
Sample Description:	Mine Water After Treatment	Analysis End Date:	02/07/2025
Sample Quantity:	7 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Copper	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	3.0
14	Chromium	BQL (QL=0.1)	mg/L	GGMPL/SOP/W&WW/46	2.0
15	Mercury	BQL (QL=0.001)	mg/L	GGMPL/SOP/W&WW/46	0.01
16	Nickel	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	3.0
17	Lead	BQL (QL=0.02)	mg/L	GGMPL/SOP/W&WW/46	0.1
18	Zinc	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	5.0
19	Total Coliform	BQL (QL=1.8)	MPN/100ml	APHA 9221 A-C 24th Edition: 2021	-

Norms As per General Standards for Discharge of Environmental pollutants Part-A : Effluents- Inland Surface water (The Environmental Protection) rule 1986 Schedule-VI

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

[Signature]

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




[Signature]

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.



ETP of 100 KLD ready for operation



Type	Degree	DMS	
Latitude	20.16045	20°9'37...	clear sky
Longitu...	79.09187	79°5'30...	40.0 °C

STP of 44 KLD ready for operation

Takli Jena Bellora North and South Coal Mines
(Aurobindo Realty & Infrastructure Pvt. Ltd.)

At: Bellora Post: Bhadravati, Tah: Bhadravati, Chandrapur-442902. Maharashtra

FORM- O cont.

Under Mines Rules 1955

REPORT OF EXAMINATION AUTHORITY

He/She Anil Ramdas Gohokar Age 26 Sex M
Emp. No.

(To be filled in for every medical examination whether initial or periodical or re-examination or after cure/control of disability.) Annexure to certificate no.: 64/137/2023 as a result of medical examination on date 25/11/2023

- | | | | |
|---|---|---------------------------------------|--|
| 1 | Identification Mark: ... <u>mark on nose</u> | 9 | Circulatory system: |
| 2 | General development -Good/Fair/Poor | i) Blood pressure: <u>110/60</u> mmHg | |
| 3 | Height: <u>169</u> CMS. | ii) Pulse: <u>60</u> /Minute | |
| 4 | Weight: <u>53</u> Kg. | 10 | Abdomen: |
| 5 | Left Thumb impression | i) Tenderness: | } not palpable |
| 6 | Eyes: (Refraction) | ii) Liver: | |
| | i) Near Vision | iii) Spleen: | |
| | Right eye Near vision without glass <u>4-6</u> | iv) Tumor: | |
| | Near vision with glass: | 11 | Nervous System: |
| | Left eye Near vision without glass <u>4-6</u> | i) History of fits or Epilepsy: | } normal |
| | Near vision with glass: | ii) Paralysis: | |
| | ii) Distant Vision: | iii) Mental Health: Normal/Abnormal | |
| | Right eye Distant vision without glass <u>6/6</u> | 12 | Locomotor System: Normal/Abnormal |
| | Distant vision with glass: | 13 | Skin: Normal/Abnormal |
| | Left eye Distant vision without glass <u>6/6</u> | 14 | Hernia: <u>NO</u> |
| | Distant vision with glass: | 15 | Hydrocele: <u>NO</u> |
| | iii) Any organic disease of eyes: | 16 | Any other abnormality: |
| | iv) Night Blindness: Yes/No <u>✓</u> | 17 | Urine: |
| | v) Color Vision: Normal () Abnormal () | i) Reaction: | } normal |
| | vi) Binocular: Normal () Abnormal () | ii) Albumin: | |
| | vii) Squint (to be tested in special cases) | iii) Sugar: | |
| 7 | Ears: | 18 | Skiagram of Chest: |
| | i) Hearing Right ear <u>well</u> Left ear <u>well</u> | 19 | Any other test considered necessary by the |
| | ii) Any Organic disease: | | Examination authority: |
| 8 | Respiratory system: | 20 | Any opinion of specialist considered Necessary |
| | Chest Measurement: | | |
| | i) After full inspiration: <u>95</u> CMS. | | |

Takli Jena Bellora North and South Coal Mines

(Aurobindo Realty & Infrastructure Pvt. Ltd.)

At: Bellora Post: Bhadravati, Tah: Bhadravati, Chandrapur-442902. Maharashtra

21 PEFR/ Spirometry:

Parameters	Predicted Value	Present value	% of Predicted
Forced vital capacity FVC	03.60	03.20	089
Forced Expiratory	03.08	03.20	104
Volume1(FEV1)			
FEV1/FVC	85.56	100.00	117.
Peak expiratory flow			

22 ECG:

23 LIPID PROFILE:

TCH:

LDL:

HDL:

TRIG.:

24 Blood Sugar:

F:

PP:

25 Blood Urea:

Serum creatinine:

26 Total Blood Count:

i) HB:

II) TLC:

III) DLC:

IV) ESR:

V) RBC:

VI) Platelet:

27

Blood Led Level:

28

Delta Amino laevulinic acid:

29

Audiometry report:

Signature of Examining Authority
(Name and Designation (IN BLOCK LETTER))

Dr. Deepak D. Deotale
MBBS AFH
Certifying Surgeon
Reg.No. 48366

Note: 1. SL No. 6 (VI) to be done for driver/ HEMM Operators only.

2. SL No. 27 & 28 to be done during PME only.

Takli Jena Bellora North and South Coal Mines
(Aurobindo Realty & Infrastructure Pvt. Ltd.)

At: Bellora Post: Bhadravati, Tah: Bhadravati, Chandrapur-442902. Maharashtra

Report off Medical Examination as per the Recommendations of National Safety Conference in Mines
 (To be used in continuation with Form-O)

Person Name: Anil Ramdas Gokhale
 Age: 26

Date: 25/11/23
 Certificate No. 64/137)2023

Identification Mark: Mole on nose

Cardio-logical Assessment

Auscultation	S1	<u>Normal</u> <u>Normal</u>
	S2	
	Additional sound	
Electrocardiograph (12 leads) Findings		Normal/ Abnormal

Enclosed ECG:

Neurological Assessment

Findings	Normal/ Abnormal
Superficial Reflexes	<u>Normal</u>
Deep Reflexes	
Peripheral Circulation	
Vibrational Syndromes	

ILO Classification of Chest Radiograph

Profusion of Pneumoconiosis Opacities	Grades	Types
Present/Absent		

Enclosed Chest Radiograph

Audiometry Findings

Conduction Type	Left Ear	Right Ear
Ear Conduction	Normal/ Abnormal	Normal/ Abnormal
Bone Conduction	Normal/ Abnormal	Normal/ Abnormal

Enclosed Audiometry Report.

Pathological/Microbiological Investigations:

Tests	Findings
Blood- TLC, DC, HB, ESR, Platelets	WNL/ Abnormal
Blood Sugar- Fasting and PP	WNL/ Abnormal
Lipid Profile	WNL/ Abnormal
Blood Urea, Creatinine	WNL/ Abnormal
Urine Routine	WNL/ Abnormal
Stool Routine	

Takli Jena Bellora North and South Coal Mines

(Aurobindo Realty & Infrastructure Pvt. Ltd.)

At: Bellora Post: Bhadravati, Tah: Bhadravati, Chandrapur-442902. Maharashtra

Special Test for Mine Exposure

Behavioral Disturbances		Present/ Not Present
Neurological Disturbances	Speech Defect	Present/ Not Present
	Tremor	Present/ Not Present
	Adiadocokinesia	Present/ Not Present
	Emotional Changes	Present/ Not Present

Any other special test required:

Result of lung Function Test (Spirometry)

Parameters	Predicted Value	Performed value	% of Predicted
Forced Vital Capacity (FVC)	03.80	03.20	089
Forced Expiratory Volume 1(FEV1)	03.08	03.20	104
FEV1 / FVC	85.56	100.00	117
Peak Expiratory Flow			

Spirometry report enclosed.

Signature of the Examination Authority
(Name & Designation in BLOCK LETTER)

Dr. Deepak D. Deotale
MBBS AFIH
Certifying Surgeon
Reg.No. 48366



MAYA HOSPITAL & RESEARCH INSTITUTE

Plot No. P-76, Opposite Bank Of India M.I.D.C Butibori

CONTACT NO: +91-902040290, Email: hr@mayahospital.in

Patient Details

Name: ANIL GOHOKAR

Age: 26

Sex: Male

Contact:

Address:

Company: AUROBINDO REALTY & INFRASTRUCTURE PVT. LTD.

Contractor:


Department:

Designation:

CPF:

Date: 25/11/2023

Audiological Evaluation



True Version

—x— Air : Right —●— Air : Left —■— Bone : Right —▲— Bone : Left

Cervasis.com

TEST FREQUENCY

Air Conduction Test

PTA Right (X)

19.375

PTA Left (●)

20

Bone Conduction Test

PTA Right (■)

0

PTA Left (▲)

0

Note: NORMAL

Dr. Deepak D. Deotale
MBBS AFIH
Certifying Surgeon
Reg.No. 48366

MAYA HOSPITAL & RESEARCH INSTITUTE

PLOT NO. P-76, OPPOSITE BANK OF INDIA, M.I.D.C. BUTIBORI(NAGPUR)

Patient: ANIL GOHOKAR

Refd. By:

Pred.Eqns: RECORDERS

Date : 25-Nov-2023 12:27 PM

Age : 26 Years

Height : 169 Cms

Weight : 53 Kgs



ID: 10011410

Gender : Male


Smoker : No

Eth. Corr: 100


Temp :



FEV1 %Pred COPD SEVERITY



FVC %Pred Interpretation



Spirometry (FVC Results)

Parameter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
FVC	(L)	03.60	03.20	089	---	---
FEV1	(L)	03.08	03.20	104	---	---
FEV1/FVC	(%)	85.56	100.00	117	---	---
FEF25-75	(L/s)	04.55	04.02	088	---	---
PEFR	(L/s)	09.27	04.28	046	---	---
FIVC	(L)	---	---	---	---	---
FEV.5	(L)	---	02.09	---	---	---
FEV3	(L)	03.49	03.20	092	---	---
PIFR	(L/s)	---	---	---	---	---
FEF75-85	(L/s)	---	03.41	---	---	---
FEF.2-1.2	(L/s)	07.79	03.80	049	---	---
FEF 25%	(L/s)	08.12	04.11	051	---	---
FEF 50%	(L/s)	06.01	04.10	068	---	---
FEF 75%	(L/s)	03.28	03.72	113	---	---
FEV.5/FVC	(%)	---	65.31	---	---	---
FEV3/FVC	(%)	96.94	100.00	103	---	---
FET	(Sec)	---	00.96	---	---	---
ExptTime	(Sec)	---	00.24	---	---	---
Lung Age	(Yrs)	026	025	096	---	---
FEV6	(L)	03.60	---	---	---	---
FIF25%	(L/s)	---	01.62	---	---	---
FIF50%	(L/s)	---	01.62	---	---	---
FIF75%	(L/s)	---	01.62	---	---	---

Pre Test COPD Severity

Test within normal limits



Dr. Deepak D. Dantale

MBBS A&P


Certifying Surgeon

Reg.No. 40366

Pre Medication Report Indicates

Early Small Airway Obstruction as FEF 25-75 %Pred or PEFR %Pred < 70

Spirometry within normal limits as (FEV1/FVC)%Pred >95 and FVC%Pred >80.



MAYA HOSPITAL & RESEARCH INSTITUTE

P-76, MIDC, BUTTI BORI (NAGPUR)
Contact: +91-9028040290 Email: hr@mayahospital.in



Test Details

SR No :-64
Patient Name :- ANIL RAMDAS
GOHOKAR

Date :- 25/11/2023
Age/Sex: -26/M

Investigation	Observation	Biological Reference	Unit
BLOOD SUGAR			
RBS	52	90.00 - 140.00	mg/dl
COMPLETE BLOOD COUNTS (CBC)			
HAEMOGLOBIN	14.7	13.00 - 18.00	g/dL
TLC	6900	4000.00 - 11000.00	/uL
PLATELET COUNT	2.87	1.50 - 4.50	lacs /cumm
RBC (RED BLOOD CELL COUNT)	5.98	3.80 - 5.20	million/uL
DLC (DIFFERENTIAL LEUCOCYTE COUNT)			
NEUTROPHIL	69	40.00 - 75.00	%
LYMPHOCYTE	20	20.00 - 45.00	%
EOSINOPHIL	02	1.00 - 6.00	%
MONOCYTES	09	1.00 - 10.00	%
KFT			
BLOOD UREA	23	12.60 - 42.60	mg/dl
CREATNINE	0.8	0.60 - 1.40	mg/dl
ESR	05	5.00 - 20.00	mm/hr


Dr. APARNA JANAI
MBBS. DCP
Reg. No. 2002/02/202

(Technologist)

(Consultant Pathologist)

MAYA HOSPITAL & RESEARCH INSTITUTE

P-76, MIDC, BUTTI BORI (NAGPUR)
CONTACT: +91-9028040290 Email: hr@mayahospital.in



Test Details

SR No :-64
Patient Name :- ANIL RAMDAS
GOHOKAR

Date:- 25/11/2023

Age/Sex:-26/M

Investigations	Observations	Biological Reference Interval	Unit
----------------	--------------	-------------------------------	------

LIPID PROFILE

Sr. CHOLESTEROL	162	150.00 - 250.00	mg/dL
TRIGLYCERIDES	113	50.00 - 160.00	mg/dl
HDL	38	30.00 - 70.00	mg/dl
LDL	103	85.00 - 130.00	mg/dl

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

COLOUR

PALE
YELLOW
CLEAR

TRANSPARENCY

CHEMICAL EXAMINATION

ALBUMINE, URINE SPOT

NIL
NIL

REDUCING SUGAR

MICROSCOPIC EXAMINATION

PUS CELLS

2-3

2.00 - 5.00

/hpf

EPITHELIAL CELLS

1-2

NIL

/hpf

RBC'S.

NIL

Type of Sample :- Blood,Urine

Remarks :-


Dr. APARNA JANAI
MBBS, DCP
Reg. No. 2002/02/202

(Technologist)

(Consultant Pathologist)

MAYA HOSPITAL & RESEARCH INSTITUTE

P-76, MIDC, BUTTI BORI (NAGPUR)
Contact: +91-9028040290 Email: hr@mayahospital.in



Test Details

Sr. No.: - 64

DATE:- 25/11/2023

Patient Name:- ANIL RAMDAS GOHOKAR

Age/Sex:-26/ M

Chest X-Ray PA View

OBSERVATION:-

- Both lungs appear normal with no obvious focal or diffuse Parenchymal lesion.
- Both apices & costophrenic angles are clear.
- Tracheal bifurcation appears normal.
- No obvious carinal splaying.
- Both hila are normal.
- Cardiac configuration appears normal.
- Diaphragmatic silhouette also appears normal.
- Bony Thorax does not reveal any obvious abnormality.

IMPRESSION :-

- Chest radiograph does not reveal any significant abnormality.

A handwritten signature in blue ink, appearing to read 'Manish Atey', is located above the printed name.

Dr. MANISH ATEY
MBBS.DMRE.
Reg No. 2002/08/2937

Annexure – 20 – First Aid Room and Medical reports



First Aid Room and Dispensary

AUROBINDO REALTY AND INFRASTRUCTURE PVT LTD

CORPORATE ENVIRONMENT POLICY

Aurobindo Realty and Infrastructure Private Limited ("ARIPL") is a private limited company incorporated on August 11, 2016 in India under the Companies Act, 2013 with corporate identity number U45500TG2016PTC111433, having registered office at 1-121/1, Survey. No.66 (Part) & 67 (Part), Miyapur Hyderabad, Telangana 500049, India and corporate address at Galaxy Towers, Wing-A, 21st Floor, Plot No. 1, Knowledge City, Raidurgam, Hyderabad- 500 081, Telangana. ARIPL was formed keeping in view the potential growth of infrastructure segment to handle rapidly growing construction business.

ARIPL has been allotted "Takli Jena Bellora (North) and Takli Jena Bellora (South)" coal block for commercial mining by the office of the Nominated Authority, Ministry of Coal, Government of India through its vesting order dated: 03rd March 2021. The company proposes to do mining with strict environmental conservation measures which are mentioned as below.

- Prevent and control environment pollution due to mining and associated activities by adopting safe, scientific and environmentally friendly methods of mining and mineral processing for applicable legal requirements like forest, environmental and other statutory clearances.
- Maintain the machineries in excellent condition to ensure minimum impact of their operation on environment
- Conserve the natural resources by ensuring minimum wastage of our product "Coal", optimum consumption of electricity, fuel oil, lubricant oil and water
- Monitor and ensure compliance of all applicable environmental & forest clearance conditions. It shall report to Board of Directors and concerned stakeholders.
- Promote environmental awareness amongst employees, local communities and interested parties through proactive communication and training.
- Continual Environmental performance improvement through framing objectives.
- Management will review the suitability and effectiveness of environmental objectives and target through its periodic management review process.
- Adopt pollution prevent approach for all our process enhance matter efficiency and achieves high productivity.

For on Behalf of M/s Aurobindo Realty & Infrastructure Private Limited

Name: Mr. Penaka Rohit Reddy

Title : Director

Date: 26th November 2021

Aurobindo Realty & Infrastructure Private Limited



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000071520

Submitted Date

24-09-2024

PART A

Company Information

Company Name

TAKLI JENA BELLORA (NORTH & SOUTH) COAL MINE

Application UAN number

MPCB-CONSENT-0000154086

Address

Auro Infra Pvt. Ltd., Balaji Residency, Behind Nayara Petrol Station, Sumthana, Bhadravathi-442902, Chandrapur District, Maharashtra

Plot no

1,2,3,4,5

Taluka

Bhadravati

Village

936 Hectare

Capital Investment (In lakhs)

906.12

Scale

L.S.I

City

Chandrapur

Pincode

442902

Person Name

A Lakshmana Rao

Designation

Sr. General Manager

Telephone Number

9178049617

Fax Number

Email

Ashutosh.D@AuroMining.Com

Region

SRO-Chandrapur

Industry Category

Red

Industry Type

R35 Mining and ore beneficiation

Last Environmental statement submitted online

no

Consent Number

MPCB-CONSENT-0000154086

Consent Issue Date

2023-07-17

Consent Valid Upto

2024-06-30

Establishment Year

2022

Date of last environment statement submitted

Jan 1 1900 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Coal

Consent Quantity

1.5

Actual Quantity

0.086

UOM

MT/A

By-product Information

By Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	1580.00	0.00
Cooling	860.00	120.00
Domestic	94.00	5.00
All others	50.00	12.00
Total	2584.00	137.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Trade Effluent	1720	0	CMD
Domestic Effluent	44	4	CMD
0	0	0	CMD
0	0	0	CMD
0	0	0	CMD
0	0	0	CMD
0	0	0	CMD
0	0	0	CMD
0	0	0	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Dry Coal Processing/mineral Processing	0	0	M3/Anum

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Explosive	0	52.85	
Diesel	0	5	Ltr/A
Detonators	0	3184	Nos./Y

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Diesel	0	0	Ltr/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
0	0	0	0	0	0

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons
-------------------	--	--	--

	Quantity	Concentration	%variation	Standard	Reason
0	0	0	0	0	0

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	0	28	Nos./Y
5.1 Used or spent oil	0	6000	Ltr/A
35.3 Chemical sludge from waste water treatment	0	0	Ltr/A
33.2 Contaminated cotton rags or other cleaning materials	0	15	Kg/Annum
35.4 Oil and grease skimming	0	0	Ltr/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	0	0	Nos./Y
5.1 Used or spent oil	0	0	Ltr/A
35.3 Chemical sludge from waste water treatment	0	0	Ltr/A
33.2 Contaminated cotton rags or other cleaning materials	0	0	Kg/Annum
35.4 Oil and grease skimming	0	0	Ltr/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
OB	0	2.33	M3/Anum

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	M3/Anum

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	0	5	Nos./Y
5.1 Used or spent oil	0	5	Ltr/A
33.2 Contaminated cotton rags or other cleaning materials	0	0	Kg/Annum
35.3 Chemical sludge from waste water treatment	0	0	Ltr/A
34.2 Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers	0	0	Ltr/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	6000	Ltr/A	0
33.1 Empty barrels /containers /line	28	Nos./Y	0
33.2 Contaminated cotton rags or o	15	Kg/Annum	0
35.4 Oil and grease skimming	0	Ltr/A	0

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	Kg/Annum	0

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
NA	0	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.
[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Installation, Operation & maintenance CAAQMS established	Installation, Operation & maintenance CAAQMS established	100.27
Barbered wire Fencing & fixing	Barbered wire Fencing & fixing	18.83
G.I Sheets fencing	G.I Sheets fencing	57.75
Mobile Water Tanker for dust suppression & Plantation	Mobile Water Tanker for dust suppression & Plantation	39.70
3-Tier Avenue Plantation	3-Tier Avenue Plantation	1.10
Diesel for water tankers for water spraying	Diesel for water tankers for water spraying	4.77
Salaries for Helpers/ Off role Staff for Environment	Salaries for Helpers/ Off role Staff for Environment	9.81
Piezometers & Flow Meter	Piezometers & Flow Meter	3.86
Environmental Monitoring	Environmental Monitoring	3.53
Solar lights	Solar lights	45.59
ETP	ETP	66.20
STP	STP	48.97
Settling Pond	Settling Pond	14.18
Fog Canon	Fog Canon	44.25

[B] Investment Proposed for next Year

<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
Environmental Protection	Environmental Protection	300

Part-I

Any other particulars for improving the quality of the environment.

Particulars

NA

Name & Designation

A Lakshmana Rao & Sr. General Manager

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000071520

Submitted On:

24-09-2024

LOKMAT MEDIA PRIVATE LIMITED

Lokmat Bhavan, Pt. Nehru Marg, P.O. BOX 216, NAGPUR, MAHARASHTRA, 440012
Phone: (0712) 2423527 Email Id: advt.ngp@lokmat.com; rec.ngp@lokmat.com Web: www.lokmat.net
CIN: U99999MH1973PTC016613 PAN: AAACL1888J GSTIN: 27AAACL1888J1Z6

GST/TAX INVOICE (Advertisement)

Original for Recipient


IN NO : 72a11d3d0357ef6bdb86faa7fa200c3cd7a2567d81ad5fc29b69a0db385ca58

ACKNO : 122214747023449

ACKDT
10/11/2022
19:40

Invoice No	UA22HBLZZZ10374	Our Ref. No	DNA02200017697	Page No 1 Of 1
Invoice Date	10-Nov-2022	Our Ref.Date	09-Nov-2022	
Details of Recipient (Billed to)		Your RO.No	1078	
Name	AUROBINDO REALTY AND INFRASTRUCTURE PVT LTD	Your RO.Date	09-Nov-2022	
Address	H.NO. 525, GANESH NAGAR, BESIDES, DR. OMPRAKASH RATHI RESIDENCE,SH 261,, CHANDRAPUR 442404	Through	RAJESH WASUDEO DEWALKAR-CHANDRA PUR	
		Retainer	SUPRIYA SARPATWAR (GAYATRI AD.	
		Caption		
		Client	AUROBINDO REALTY AND INFRASTRUCTU RE PRIVATE LIMITE	
State/UT	MAHARASHTRA	State/UT Code	27	
GSTIN	27AAOCA6755B1ZK	Due Date of Payment	10-NOV-2022	
Place Of Supply	27-MAHARASHTRA			

Sr.	Edition	Publ. Date	Position	CLR	Width	Height	Sq.Cms/	Paid/Dis
1	LK NAGPUR	10-Nov-2022	GOOD POSITION	BW	8	10	80	P
2	LS NAGPUR	10-Nov-2022	GOOD POSITION	BW	8	10	80	P
3	LT NAGPUR	10-Nov-2022	GOOD POSITION	BW	8	10	80	P
Combination						Size	Rate	Amount
NAGPUR LK+LS+LT						80	915.00	73,200.00

Name Of Account Holder	LOKMAT MEDIA PRIVATE LIMITED.	Total Amount	73,200.00
Name Of Bank	HDFC Bank Limited.	Add : Surcharge	
Account No	10092380000010.	Add : Clr. Premium	0.00
Branch & City	DHANTOLI BRANCH, NAGPUR.	Add : Position Premium	0.00
IFSC Code	HDFC0001009		
 Signature Not Verified Digitally signed by NEENA SANJAY PRASAD 16/Nov/2022 12:02:48+05:30 I am approving this document	Less : Trade Discount		.00
	Add : Box Amount		.00
	Total Value of Supply		73,200.00
	Less : Total Advance received		
	Taxable Value		73,200.00
	CGST	2.50%	1,830.00
	SGST	2.50%	1,830.00
	IGST	.00%	.00
	Round Off		0.00
	Total Invoice Value		76,860.00

Total Invoice Value (In Words) : Seventy Six Thousand Eight Hundred Sixty Only
Whether the tax is payable on Reverse Charge basis: N
Note: (1) Any Complaint about the bill must be received within 7 days from the date of this bill.
(2) Please Quote our Invoice no. while remitting the amount.
(3) Interest will be charged at 12% if the bill is not paid before due date.
(4) All disputes are subject to Nagpur Jurisdiction only.
PAYMENT SHOULD BE STRICTLY MADE BY CROSSED CHEQUE/DRAFT/PAY ORDER DRAWN IN FAVOUR OF LOKMAT MEDIA PRIVATE LIMITED ONLY.
IN CASE OF ELECTRONIC TRANSFER THRU NEFT/RTGS THE SAME IS TO BE DONE AS PER OUR BANK DETAILS GIVEN ABOVE
Regd. Office :126,Mittal Tower,'B' Wing,12th Floor,Nariman Point. Mumbai 400021.. Phone :022-22856749

[Handwritten Signature]
22/11/22

रक्षा शिक्षण

भुवनेश्वर की रीति-रिवाज
भुवनेश्वर / खजुरी / माईन सरी,
 श्री अरविन्द, नन्दादा हार्मोस्टी,
 पंचजन देव, वाराणसीवा,
 एम्सी टैक. (भुवनेश्वर), 256,
 रेशीमबाग, नानपुर
 9 9 2 3 0 4 1 7 3 6
 9 4 2 2 8 0 1 7 3 6
 9 3 7 0 6 0 1 7 3 6, 0 7 1 2-
 2 7 4 5 4 4 3. (गुमान / बिक
 अपीकृत) (593054)

निर्माण
Build your Home or
Scheme on turn key basis
including Planning,
Estimating & Supervision.
Contact : Shrikant Oke,
98224666132, 9284137252
(saskar)

स्वास्थ्य

गुजरात, चरमोक्त, नवसूचकता

न्यूजपेपर (निर्माण) पाठ दिने में

दूर) मिले मनः शांति किराणिक

श्रीलंका (विदेश), भारत सरकार

मोबाईल टावर

(Govt. App.) कंपनी द्वारा

अपनी खाली जमीन पर डिजिटल

टावर लांच 60 लाख एडवार्स - 40

हजार किराया + 20 साल

कोटेशनमेंट + सैकेट + वाइफ

एटरेन्स कॉलिंग क्षेत्र मध्याह्न

1800 2705 152 (जीएस)

NOTICE

This is to be brought into the notice of public that Ministry of Environment, Forest, and Climate Change (MoEF & CC) Govt of India (GOI) has granted Environmental Clearance (EC) for Takli Jena Bellora (North) and Takli Jena Bellora

सोना ६141 टूटा और चांदी ६132 चढ़ी

नई दिल्ली : रुपए में तेजी आने से राष्ट्रीय राजधानी दिल्ली के सर्वप्रथम व्यापार 141 रुपए टूटकर 51747 रुपए प्रति 10 ग्राम पर आ गया। वहीं चांदी की कीमत 312 रुपए की बढत के साथ 62400 रुपए प्रति किलोग्राम पर पहुंच गई। गौरतलब है कि अमेरिकी बाजार में सोने के भाव आज एक महिने के उच्चातम स्तर पर पहुंच गया। अंतरराष्ट्रीय बाजार में सोना बढत के साथ 1713 डॉलर प्रति औंस पर रहा, जबकि चांदी औंस के साथ 2125 डॉलर प्रति औंस पर रही।

(South) Opencast cum Underground Coal Block of Production capacity (1.1 MTPA Opencast; 1.0 MTPA Underground) located at Wardha Valley Coalfield, Maharashtra, India on 03.11.2022 with EC Identification No-EC22A042MH110729. The coal Mining Project is owned by M/s AUROBINDO REALTY & INFRASTRUCTURE PRIVATE LIMITED and is in Tahsil-Bhadrawati, Dist-Chandrapur, Maharashtra, INDIA.

Copy of Environment clearance letter is available at website of the Ministry of Environment, Forest, and Climate Change at <http://moef.gov.in>



READY TO TAKE OFF

Bengaluru

Terminal 2 of Kempegowda International Airport at Bengaluru, built in a cost of around ₹5,000 crore. Prime Minister Narendra Modi will inaugurate the terminal on November 11

PTI



Centre deregulates uplinking of satellite television channels

Makes 30-min daily public interest broadcast mandatory

NEW DELHI

In a bid to pitch India as an uplinking hub the government on Tuesday announced relaxation in guidelines for compliance for television channels and also made a 30-minute daily public interest broadcast mandatory, mainly for entertainment channels.

The Guidelines for Uplinking and Downlinking of Television Channels in India, 2022, which have been approved by the Union Cabinet, allow limited liability partnerships and companies to allow uplinking of foreign channels from India teleports for beaming content in countries covered by the satellite footprint.

Currently only 30 channels are uplinked from India out of the total 865 registered with the Ministry of Information and Broadcasting, officials said.

Requirement for seeking permission for live-broadcast of events has been done away with, only prior registration of events to be telecast live would be necessary," Sanjay Shankar, Joint Secretary (Broadcasting) said in a press

Neighbouring nations may uplink from India

The move is expected to allow television channels of Bhutan, Bangladesh, Sri Lanka and Nepal to uplink from India, instead of Singapore, the preferred uplinking hub for channels beamed in the subcontinent.

- The guidelines grant permission for a news agency for a five year period against one year at present.
- They also make it mandatory for TV Channels uplinking in frequency band other than C-band to encrypt their signals.

tation to the media here.

He said there would be no requirement of prior permission for change of language or conversion of mode of transmission from Standard Definition (SD) to High Definition (HD) or vice-versa.

The channel will only have to inform the ministry about the changes, he said.

The guidelines were first issued in 2005 and revised in 2011. The current revision has taken place

after 11 years after taking into account the technological advances in the interim period.

In case of emergency, for a company/LLP with only two Directors/Partners, changes can be done subject to security clearance post such appointment, to enable business decision making.

The new guidelines state that a company can use news gathering equipment other than Digital Satellite News Gathering (DSNG), such as optic fibre, back pack, mobile, for which no separate permission would be necessary. The guidelines state that electronic news gathering devices can be used.

Television channels will have to broadcast 30 minutes of public interest content every day on themes of national interest such as education and spread of literacy, agriculture and rural development, health and family welfare, science and technology, welfare of women, welfare of the weaker sections of the society, protection of environment and of cultural heritage and national integration. ■

Musk sells Tesla stock worth nearly \$4 bn

Twitter's new owner sold more than \$19 bn worth of Tesla stock since April

WASHINGTON

Twitter's new owner and Tesla CEO Elon Musk sold nearly \$4 billion worth of Tesla shares, according to regulatory filings.

Musk, who bought Twitter for \$44 billion, sold 19.5 million shares of the electric car company from Nov 4 to Nov 8, according to Tuesday's filings with the Securities and Exchange Commission.

He sold \$7 billion of his Tesla stock in August as he worked to finance the Twitter purchase he was trying to get out of at the time. In all, Musk has sold more than \$19 billion worth of Tesla stock since April, including those in Tuesday's filings, likely to fund his share of the Twitter purchase.

The takeover of Twitter has not been smooth and the social media platform has seen the exodus of some big advertisers in recent weeks in including



United Airlines, General Motors, REI, General Mills and Audi.

Musk acknowledged "a massive drop in revenue" at Twitter, which heavily relies on advertising to make money.

Musk had signalled that he was done selling Tesla shares and the revelation that those sales continue left some industry analysts exasperated.

"Our fear heading into the final days of the deal was that Musk was going to be forced to sell more Tesla stock to fund the disaster Twitter deal and ultimately those fears came true which speaks to some of the massive selling pressures on the stock of late," wrote Daniel Ives at Wedbush.

"For Musk who multiple times over the past year has said he is done selling Tesla stock yet again loses more credibility with investors and his loyalists in a boy who cried wolf moment."

Most of Musk's wealth is tied up in shares of Tesla Inc. On Tuesday, his personal net worth dropped below \$200 billion, according to Forbes, but he is still the world's richest person. ■

Twitter adds 'Official' label for PM Modi

NEW DELHI

An 'Official' label has been added to the Twitter handle of Prime Minister Narendra Modi and some other ministers as the US-based social media platform started rolling out a feature to distinguish between the Twitter Blue account and verified accounts.

Modi's verified blue tick Twitter handle @narendramodi was marked 'Official' with a tick mark enclosed in a circle.

The same was label was also seen on the Twitter handles of Home Minister Amit Shah, Finance Minister Nirmala Sitharaman, External Affairs Minister S Jaishankar, Defence Minister Rajnath Singh and some other ministers.

Congress party leader Rahul Gandhi, some other opposition party leaders as well as sports persons like Sachin Tendulkar too were given that label. ■

Tata Motors net loss down to ₹944.6 cr

Bengaluru: Tata Motors Ltd on Wednesday posted a smaller quarterly loss on improved sales volumes led by increased demand for its cars.

The Jaguar Land Rover parent reported a consolidated

net loss of ₹944.6 crore (US\$115.95 million) for the quarter ended Sept 30, compared with a loss of ₹44.32 billion a year earlier. Tata CV business registered a 15% growth in sales over Q2 FY22.

NOTICE

This is to be brought into the notice of public that Ministry of Environment, Forest, and Climate Change (MoEF & CC) Govt of India (GOI) has granted Environmental Clearance (EC) for Taki Jena Bellora (North) and Taki Jena Bellora (South) Opencast cum Underground Coal Block of Production capacity (1.1 MTPA Opencast; 1.0 MTPA Underground) located at Wardha Valley Coalfield, Maharashtra, India on 03.11.2022 with EC Identification No-EC22A042MH110729. The coal Mining Project is owned by M/s AUROBINDO REALTY & INFRASTRUCTURE PRIVATE LIMITED and is in Tahsil-Bhadrawati, Dist-Chandrapur, Maharashtra, INDIA.

Copy of Environment clearance letter is available at website of the Ministry of Environment, Forest, and Climate Change at <http://moef.gov.in>



सहायक प्राध्यापक पदखाती

महाराष्ट्र राज्यस्तरीय पात्रता परीक्षा (सेट)

सावित्रीबाई फुले पुणे विद्यापीठ (पूर्वीचे पुणे विद्यापीठ)

महाराष्ट्र शासन व मोक्षा शासन प्राधिकृत आणि यू.जी.सी., नवी दिल्ली

मान्यताप्राप्त नोंदल एजन्सी आयोजित

३० व्या सेट परीक्षेची तारीख

ऑनलाईन पद्धतीने अर्ज भरण्याची मुदत

विलंब शुल्कसहित अर्ज भरण्याची मुदत

१: रविवार, दि. २६ मार्च २०२३

२: १० नोव्हेंबर २०२२ ते

३: ३० नोव्हेंबर २०२२

४: ०१ डिसेंबर २०२२ ते

०४ डिसेंबर २०२२

सेट परीक्षा अर्ज ऑनलाईन पद्धतीने भरण्यासाठीची वेब साईट/पुणे विद्यापीठातील साईट (<https://setexam.unipune.ac.in>) दि. २०/११/२०२२ पासून खुलवावी.

जाणकारी क्र. २०


दि. ३०.११.२०२२

डॉ. प्रफुल्ल पवार

कुलासचिव तथा सदस्य सचिव (सेट)

Environment clearance copy uploaded to company's website

Url: [Mining EC | Aurobindo Group \(ksez.in\)](https://www.ksez.in/mining-ec/)



Ref No.: ARIPL/EC/Notification/1082

Dated: ...17/11/2022

प्रती,

१. मा. जिल्हाधिकारी, जिल्हाधिकारी कार्यालय, चंद्रपुर ता.जि. चंद्रपुर
२. मा. प्रादेशिक अधिकारी, म.प्र.नि.मं, पहिला माला, उद्योग भवन, चंद्रपुर
३. महाप्रबंधक जिल्हा उद्योग केंद्र, उद्योग भवन, चंद्रपुर
४. मुख्य कार्यकारी अधिकारी, जिल्हा परिषद, चंद्रपुर
५. उप विभागीय अधिकारी, उप-विभागीय कार्यालय, वरोरा
६. तहसिलदार, तहसिल कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
७. सभापती, पंचायत समिती कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
८. सरपंच, गट ग्राम. पंचायत कार्यालय, टाकळी बेलोरा, भद्रावती
९. सरपंच, ग्राम. पंचायत कार्यालय, जेना
१०. सरपंच, ग्रामपंचायत कार्यालय, पानवडाळा,
११. सरपंच, ग्रामपंचायत कार्यालय, डोंगरगाव (खर्डी)
१२. सरपंच, ग्रामपंचायत कार्यालय, कांसा शिरपुर
१३. सरपंच, ग्रामपंचायत कार्यालय, कढोली

विषय — Grant of Environmental Clearance (EC) for Takli Jena Bellora(North) and Takli Jena Bellora(South) opencast cum underground coal block of Production capacity (1.1 MTPA Opencast ; 1.0 MTPA Underground) have lease area of 936 hector located at Wardha Valley Coalfield Tah. Bhadrawati Dist. Chandrapur State. Maharashtra

**संदर्भ — EC Indefication No. EC22A042MH110729 Date: 03/11/2022
File No. IA-J-11015/62/2021-1A-II(M)**

महोदय,

With reference to the above subject and referred letter and in compliance of General Condition under(J) Miscellaneous Condition No. 2 we are hereby submitting a copy of the above mentioned EC document.

Kindly arrange for display of the EC document on your Notice board/uploading on your website for information of general public for a period of thirty days.

Smr
23.11.22
गवक/जावक लिपिक
- विभागीय अधिकारी
वरोरा
प्रतिलिपी —

भवदीय
व्दारा
17.11.22

अरबिंदो रियल्टी अँड इन्फ्रास्ट्रक्चर प्रा. लिमी.
टाकळी जेना बेलोरा (उत्तर) व (दक्षिण) कोल ब्लॉक

१. Vice President(Aurobindo Realty & Infrastrucutre Pvt. Ltd)

Aurobindo Realty & Infrastructure Private Limited

Site Office: Anand Villa, Ganesh Nagar, Tukum, Chandrapur, Maharashtra – 442401, INDIA,

Regd Office Address: 1-121/1, Survey Nos. 66, (Part), Miyapur, Hyderabad, Telangana-500049, INDIA

CIN :U45500TG2016PTC111433

www.aurobindorealty.com

Ref No. : ARIPL/EC/Notification/1082

Dated: ...17/11/2022

प्रती,

१. मा. जिल्हाधिकारी, जिल्हाधिकारी कार्यालय, चंद्रपुर ता.जि. चंद्रपुर
२. मा. प्रादेशिक अधिकारी, म.प्र.नि.मं, पहिला माला, उद्योग भवन, चंद्रपुर
३. महाप्रबंधक जिल्हा उद्योग केंद्र, उद्योग भवन, चंद्रपुर
४. मुख्य कार्यकारी अधिकारी, जिल्हा परिषद, चंद्रपुर
५. उप विभागीय अधिकारी, उप-विभागीय कार्यालय, वरोरा
६. तहसिलदार, तहसिल कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
७. सभापती, पंचायत समिती कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
८. सरपंच, गट ग्राम. पंचायत कार्यालय, टाकळी बेलोरा, भद्रावती
९. सरपंच, ग्राम. पंचायत कार्यालय, जेना
१०. सरपंच, ग्रामपंचायत कार्यालय, पानवडाळा,
- सरपंच, ग्रामपंचायत कार्यालय, डोंगरगाव (खर्डी)
- सरपंच, ग्रामपंचायत कार्यालय, कांसा शिरपुर
- सरपंच, ग्रामपंचायत कार्यालय, कढोली



— Grant of Environmental Clearance (EC) for Takli Jena Bellora(North) and Takli Jena Bellora(South) opencast cum underground coal block of Production capacity (1.1 MTPA Opencast ; 1.0 MTPA Underground) have lease area of 936 hector located at Wardha Valley Coalfield Tah. Bhadrawati Dist. Chandrapur State. Maharashtra

संदर्भ — EC Indefication No. EC22A042MH110729 Date: 03/11/2022
File No. IA-J-11015/62/2021-1A-II(M)

महोदय,

With reference to the above subject and referred letter and in compliance of General Condition under(J) Miscellaneous Condition No. 2 we are hereby submitting a copy of the above mentioned EC document.

Kindly arrange for display of the EC document on your Notice board/uploading on your website for information of general public for a period of thirty days.



23/11/22
आवक / जावक विभाग
पंचायत समिती, भद्रावती

23/11/22

आवक / जावक
तहसिल कार्यालय, भद्रावती

सचिव 23/11
ग्रामपंचायत पानवडाळा
त भद्रावती जि. चंद्रपुर

अरविंद रियल्टी अँड इन्फ्रास्ट्रक्चर प्रा. लिमी.
टाकळी जेना बेलोरा (उत्तर) व (दक्षिण) कोल ब्लॉक

President(Aurobindo Realty & Infrastrucutre Pvt. Ltd)

Aurobindo Realty & Infrastructure Private Limited

Site Office: Anand Villa, Ganesh Nagar, Tukum, Chandrapur, Maharashtra – 442401

दि. Regd Office Address: 1-121/1, Survey Nos. 66, (Part), Miyapur, Hyderabad, Telangana-500049

CIN : U45500TG2016PTC111433

www.aurobindorealty.com



Ref No. : AR/PL/EC/Notification/1082

Dated: 17/11/2022

प्रती,

१. मा. जिल्हाधिकारी, जिल्हाधिकारी कार्यालय, चंद्रपुर ता.जि. चंद्रपुर
२. मा. प्रादेशिक अधिकारी, म.प्र.नि.मं, पहिला माला, उदयोग भवन, चंद्रपुर
३. महाप्रबंधक जिल्हा उदयोग केंद्र, उदयोग भवन, चंद्रपुर
४. मुख्य कार्यकारी अधिकारी, जिल्हा परिषद, चंद्रपुर
५. उप विभागीय अधिकारी, उप-विभागीय कार्यालय, वरोरा
६. तहसिलदार, तहसिल कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
७. सभापती, पंचायत समिती कार्यालय, भद्रावती ता. भद्रावती जि. चंद्रपुर
८. सरपंच, गट ग्राम. पंचायत कार्यालय, टाकळी बेलोरा, भद्रावती
९. सरपंच, ग्राम. पंचायत कार्यालय, जेना
१०. सरपंच, ग्रामपंचायत कार्यालय, पानवडाळा,
११. सरपंच, ग्रामपंचायत कार्यालय, डोंगरगाव (खडी)
१२. सरपंच, ग्रामपंचायत कार्यालय, कांसा शिरपुर
१३. सरपंच, ग्रामपंचायत कार्यालय, कढोली

विषय — Grant of Environmental Clearance (EC) for Takli Jena Bellora(North) and Takli Jena Bellora(South) opencast cum underground coal block of Production capacity (1.1 MTPA Opencast ; 1.0 MTPA Underground) have lease area of 936 hector located at Wardha Valley Coalfield Tah. Bhadrawati Dist. Chandrapur State. Maharashtra

संदर्भ — EC Indefication No. EC22A042MH110729 Date: 03/11/2022
File No. IA-J-11015/62/2021-1A-II(M)

महोदय,

With reference to the above subject and referred letter and in compliance of General Condition under(J) Miscellaneous Condition No. 2 we are hereby submitting a copy of the above mentioned EC document.

Kindly arrange for display of the EC document on your Notice board/uploading on your website for information of general public for a period of thirty days.

भवदीय
दी. ली. फ. डे.
द्वारा 17.11.22

अरबिंदो रियल्टी अँड इन्फ्रास्ट्रक्चर प्रा. लिमी.
टाकळी जेना बेलोरा (उत्तर) व (दक्षिण) कोल ब्लॉक

१. Vice President(Aurobindo Realty & Infrastrucutre Pvt. Ltd)

Aurobindo Realty & Infrastructure Private Limited

Site Office: Anand Villa, Ganesh Nagar, Tukum, Chandrapur, Maharashtra - 442401, INDIA,
Regd Office Address: 1-121/1, Survey Nos. 66, (Part), Miyapur, Hyderabad, Telangana-500049, INDIA

CIN : U45500TG2016PTC111433

www.aurobindorealty.com

जिल्हा उद्योग केंद्र, चंद्रपुर